MEDICAL LIBRARY
(MINISTRY OF HEALTH.)

8889
18

FIFTH
DETAILED ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES IN SCOTLAND.

Presented to both Houses of Parliament by Command of Her Majesty.

EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.

1863.

MEDICAL LIBRARY
MINISTRY OF HEALTH

WELLCOME INSTITUTE
LIBRARY
Coll. welMOmec
Call No. SLV
WA

REPORT.

TO THE

RIGHT HON^BLE. SIR GEORGE GREY, BART., M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, *November* 27, 1863.

SIR,

I HAVE the honour to submit to you my Detailed Annual Report for the year 1859.

From causes over which I had no control, but which have already been explained in former letters, it was only in May 1861 that I was enabled to issue my First Detailed Report, viz., that for 1855. Since that period, however, I have been making strenuous efforts to bring up the arrears, and this is the fourth volume which I have had the honour to submit to you since that date, being the *Fifth* of the series.

I am happy to be able to state that the Registration Act has worked admirably in Scotland, and has amply fulfilled the ends for which it was established. I think I am justified in saying that very few Births, and scarcely any Deaths or Marriages which take place in Scotland, escape being entered on the public Registers.

While these Registers have thus fulfilled their primary end, advantage has been taken of them, in these Reports, to elucidate many interesting social, sanitary, medical, meteorological, and other questions, on which the facts collected in the Registers throw light. The different classes of the Community can do much to aid correct conclusions being drawn from the facts entered on these Registers, by filling in accurately and fully the several particulars required for registration; and if the medical information is not as complete in all respects as could be desired, the medical profession have it in their own power to apply the remedy, by giving more correct medical certificates of the Causes of Death.

Now that a five years' detail of the Deaths at the different ages have been published, it enables us to ascertain the important fact that at all ages the mortality is lower than in England. It would,

therefore, be of great importance that Life Tables, founded on such a large basis of facts, should be drawn up for Scotland, similar to those prepared for England.

The Tables printed in the Report correspond with those given for former years, in order that each year's results may be strictly comparable with one another. A few additional Tables have, however, been added in order to throw light on some interesting social points connected with Marriage, and the proportion of children to each Marriage in Scotland and other Countries.

As the subject of Illegitimacy necessarily attracts much attention, with the view of discovering its cause, and suggesting a remedy, it has been deemed proper to take a review of all the facts noticed in former Reports, which have been ascertained, and also to note some further facts regarding it.

The year 1859 had recovered from the Commercial distresses of 1857-8; and the Marriages, which are the best index of the people's belief in the general prosperity of Trade, and means of gaining a livelihood, rose to their usual average. The Births were above the mean, as often happens after a year of great mortality; while the Deaths fell below their usual number.

As the people become accustomed to Registration, so the number of Deaths for which no cause is assigned diminishes year by year. During 1855, the first year of Registration in Scotland, upwards of ten per cent. had no Cause of Death assigned; but during 1859, the proportion was $5\frac{1}{2}$ per cent. only.

The state of elementary education, as exhibited in the proportion of men and of women able to sign their names in the Marriage Register, continues satisfactory, as 89·1 per cent. of the men, and 77·8 per cent. of the women who married in Scotland during 1859 were able to sign their names.

As in former Reports, full Tables are appended showing the influence of weather, of the supply and price of food, of the state of trade and commerce, etc., on the Deaths and Marriages. Also a Table of the Monthly Meteorological conditions of the atmosphere as deduced from observations made at 51 Stations of the Meteorological Society of Scotland.

I have the honour to be,

Sir,

Your faithful Servant,

W. P. DUNDAS,
Registrar-General.

CONTENTS.

Page

Report of Registrar-General to the Secretary of State, ... iii

Table of Estimated Population, with the number of Births, Deaths, and Marriages registered in Scotland in each year, 1855 to 1859 inclusive, with their proportion to the Population; showing also the excess of Births over Deaths, ... ix

Table showing the Proportion of Births, Deaths, and Marriages in the Insular, the Mainland-Rural, and Town Districts of Scotland, during each of the years 1855 to 1859 inclusive, ... x

Table of the Population of Scotland and its Three Great Groups of Districts in 1851 and 1861, also the estimated Population in 1859, distinguishing the Sexes, . . xi

BIRTHS IN 1859.

Number in 1859, and their Proportion to the Population, ... ix

Number of Legitimate Children born to each Marriage, ... x

Proportion of Legitimate Children born annually to the married females at the child-bearing ages xi

Different Proportion of Births in Town and Country Districts, ... xi

Number and Proportion of Illegitimate Children in Scotland, ... xii

Proportion of Illegitimate Children in other Countries of Europe, ... xii

Estimated number of unmarried women who annually put themselves in the way of becoming mothers, ... xiii

Facts ascertained relating to Illegitimacy, ... xiv

Illegitimacy not increased by the excess of Females in the Population, . . . xvii

Proportion of the sexes at Birth, ... xix

Population does not increase in the proportion of excess of Births over Deaths, . . xix

MARRIAGES IN 1859.

Number of Marriages, and their Proportion to the Population, . . . xx

Proportion of Marriages in other Countries of Europe, ... xx

Fruitfulness of Marriage in Scotland and other Countries of Europe, ... xxi

Vitality of the Population in Scotland, ... xxii

Number and Proportion of Marriages according to the Rites of the several Religious Denominations, ... xxiv

Number and Proportion of Men and Women who Marry under 21, and 25 years of age, . xxiv

Number of Marriages between Bachelors and Spinsters; Bachelors and Widows; Widowers and Widows in the Divisions and Counties of Scotland, also the Number and Proportion of Men and Women who re-marry xxv

Number and Proportion of Men and of Women in Scotland and in its several Counties who signed the Marriage Register by Mark, ... xxix

DEATHS IN 1859.

Number, and their Proportion to the Population, ... xxx

Death-rate in the Insular, the Mainland-Rural, and Town Districts, . . . xxx

Death-rate in each of the Eight Principal Towns, ... xxxi

Influence of Sex and Age on Mortality, ... xxxiii
Infantile Mortality, ... xxxiv
Tables showing the Mortality at every five yearly periods of Life, but at every year under 5 years, in all Scotland, in the Insular, the Mainland-Rural, and Town Districts, xxxi–xxxiv
Tables showing the same facts for each of the Eight Principal Towns, . . xxxv–xliii

CAUSES OF DEATHS.

Difference between a Statistical and a Scientific Classification of the Causes of Death, . xxxv
Table showing the Proportion of Deaths from different Diseases in every hundred thousand persons of the general Population, and also the Proportion in each Sex in Scotland, and in its Three Great Divisions, the Insular, the Mainland-Rural, and Town Districts, . xliv
Table showing the Proportion of Deaths from different Diseases in every ten thousand Specified Causes in Scotland and its Three Divisions, distinguishing the Sexes, . xlv
Table showing the Proportion of Deaths from the more common Diseases to the Population, in each of the Eight Principal Towns of Scotland, ... xlvi
Table showing the Annual Mortality in each of the Eight Principal Towns of Scotland during each of the Five years, 1855–1859, ... xxxv
Deaths from the Zymotic Class of Diseases, and from the individual Diseases under that Class—Small-pox, Measles, Scarlatina, Hooping-cough, Typhus, &c., . xxxviii–xlvi
Deaths from Diseases of Uncertain Seat—Dropsy, Cancer, &c., ... xlvi
Deaths from the Tubercular Class of Diseases—Scrofula, Tabes Mesenterica, Phthisis or Consumption, and Hydrocephalus, ... xlvi
Deaths from Diseases of the Brain and Nervous System, Apoplexy, Paralysis, Convulsions, &c., ... xlviii
Deaths from Diseases of the Heart and Organs of Circulation, ... xlviii
Deaths from Diseases of the Respiratory Organs, ... xlviii
Deaths from Child-Birth xlix
Violent Deaths and Suicides, ... l
Table showing the 15 most fatal Diseases in Scotland in 1859, . . . li
Table showing the 15 most fatal Diseases in England in 1859, ... li

Influence of External Agencies.

Table showing the influence of Season on the Births l
Table showing the influence of the Civil Terms on the Marriages, ... li
Influence of External Agencies on the Deaths, ... lii
Table showing the quantities of Grain, &c., imported into Great Britain in 1858, 1859, and 1860; the average price of the several Grains, &c.; the price of the 4 lb. Loaf; the Deposits in Savings Banks; Number of Paupers, and of Emigrants, &c., . lii
Table showing the Influence of Mean Monthly Temperature on the Mortality in Scotland, and in its Three Divisions, the Insular, the Mainland-Rural, and Town Districts, in 1859, ... liv
Table of the Mean Meteorology of Scotland during each of the months of the year 1859, . lv

---

ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Divisions and Counties of Scotland in 1859, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1851 and 1861, the Excess of Births over Deaths, and the Number of Statute Acres in each County, ... 1
Tables of the Population in 1851 and 1861, and of the Births, Deaths, and Marriages, also of the Illegitimate Births, in every Registration District during the year 1859, . 2–23
Summary Table of Population in 1851 and 1861; and of the Births, Deaths, and Marriages in 1859, in the Insular, the Mainland-Rural, and Town Districts of Scotland, . 23

MARRIAGES.

Table of the Marriages in Scotland and its Counties in 1859; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations,

Page

the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks, ... 24
Table of the Civil Condition of the Parties who married in 1859; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex, 25
Table of the Ages of all Males who married in Scotland and its Counties in 1859, . . 26
Table of the Ages of all Females who married in Scotland and its Counties in 1859, . 28

DEATHS.

Table of the Ages of all Persons of both Sexes who died in each of the Counties and Larger Towns of Scotland in 1859, together with the Population of these Counties and Towns in 1851 and 1861, ... 30
Table of the Ages of all Males who died in each of the Counties and Larger Towns of Scotland in 1859, together with the Male Population of these Counties and Towns in 1851 and 1861, ... 32
Table of the Ages of all Females who died in each of the Counties and Larger Towns of Scotland in 1859, together with the Female Population of these Counties and Towns in 1851 and 1861, ... 34
Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1859, ... 36–39
Do. Males, ... 40–43
Do. Females, ... 44–47
Summary Table of the Causes of Death in both Sexes in each of the Larger Towns of Scotland in 1859, whose respective Populations amounted to 10,000 or upwards in 1861, including important Suburban Districts, ... 48–51
Do. Males, ... 52–55
Do. Females, ... 56–59
Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life, . 60–63
Do. Males, ... 64–67
Do. Females, ... 68–71
Table of the Causes of Death in both Sexes in the Insular Districts of Scotland at different Periods of Life, ... 72–75
Do. Males, ... 76–79
Do. Females, ... 80–83
Table of the Causes of Death in both Sexes in the Mainland Districts of Scotland at different Periods of Life, ... 84–87
Do. Males, ... 88–91
Do. Females, ... 92–95
Table of the Causes of Death in both Sexes in the Town Districts of Scotland at different Periods of Life, ... 96–99
Do. Males, ... 100–103
Do. Females, ... 104–107
Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life, . 108–111
Do. Males, ... 112–115
Do. Females, ... 116–119
Table of the Causes of Death in both Sexes in the Suburban Districts of Barony and Govan at different Periods of Life, ... 120–123
Do. Males, ... 124–127
Do. Females, ... 128–131
Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life, . 132–135
Do. Males, ... 136–139
Do. Females, ... 140–143

Table of the Causes of Death in both Sexes in Dundee at different Periods of Life, . . 144–147
Do. Males, ... 148–151
Do. Females, ... 152–155
Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life, . 156–153
Do. Males, ... 160–169
Do. Females, ... 164–167

Page

Table of the Causes of Death in both Sexes in Paisley at different Periods of Life, . . 168–171
Do. Males, ... 172–175
Do. Females, ... 176–179
Table of the Causes of Death in both Sexes in Greenock at different Periods of Life, . 180–183
Do. Males, ... 184–187
Do. Females, ... 188–191
Table of the Causes of Death in both Sexes in Leith at different Periods of Life, . . 192–195
Do. Males, ... 196–199
Do. Females, ... 200–203
Table of the Causes of Death in both Sexes in Perth at different Periods of Life, . . 204–207
Do. Males, ... 208–211
Do. Females, ... 212–215
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1859, in each of the Divisions and Counties of Scotland, together with the estimated Population of each Division and County in 1859, . 216

REPORT TO THE REGISTRAR-GENERAL.

SIR,

THE year 1859 was one of average commercial prosperity. The depression in trade caused by the extensive failures at the close of 1857, and felt so severely by all classes of the community during 1858, had been got over. Trade and commerce had revived. Provisions were abundant, and within the reach of all, in consequence of the demand for labour being steady. Even the atmospheric influences were apparently not prejudicial to life; so that the general mortality fell below the average of former years. The number of Births was, at the same time, above the mean; while the Marriages, which are the true index of the general commercial prosperity, rose to their usual standard.

The Census of 1861 enables us to estimate with an approach to accuracy the population of the year 1859. By that estimate it appears that the population of Scotland in 1859 would amount to 3,027,582 persons, of whom 1,434,975 were males, and 1,592,607 females. These persons distributed among the Three Great Groups into which we divide the population of Scotland, would furnish 161,883 persons for the Insular Districts; 1,752,797 persons for the Mainland-Rural Districts; and 1,112,902 persons for the Town Districts.

BIRTHS.

106,543 Births were registered in Scotland during the year 1859, giving the high proportion of 351 Births in every ten thousand persons of the estimated population. This is the highest Birth-rate which has been

TABLE I.—Estimated Population; with the Number of BIRTHS, DEATHS, and MARRIAGES registered in Scotland during each year, 1855 to 1859; and their proportion to the Population.

YEAR.	Estimated Population.	Births.	Deaths.	Marriages.	Excess of Births over Deaths.	Proportion to every 100 Persons living.		
						Births.	Deaths.	Marriages.
1855	2,958,162	93,349	62,004	19,680	31,345	3·156	2·096	0·665
1856	2,975,517	101,821	58,529	20,740	43,291	3·422	1·967	0·697
1857	2,999,872	103,415	61,906	21,369	41,509	3·456	2·068	0·714
1858	3,010,227	104,018	63,539	19,655	40,479	3·455	2·110	0·652
1859	3,027,582	106,543	61,714	21,201	44,829	3·519	2·038	0·700

noticed in Scotland since the Registration Act came into operation; and it is a remarkable fact, that in England the Birth-rate during the same year was the highest which had been attained in that country for a period of at least twenty years, the proportion for England for 1859 having amounted to 350 Births in every ten thousand persons of the estimated population.

It thus appears that the average Scottish Birth-rate is higher than that of England; the average of the four years, 1856 to 1859 inclusive, being 344 Births in every ten thousand persons in England, while the proportion for the same years was 348 Births in every ten thousand persons in Scotland. The difference in the proportion of Births among the populations of two countries so similarly circumstanced, may be attributed to two causes. *First*, that in Scotland, from the more perfect system of registration, few or no Births escape registration; while in England, the Registrar-General acknowledges that above 3 per cent. of the Births, or, speaking in a rough way, at least 20,000 Births, annually escape registration in England.* *Secondly*, from the more prolific nature of the women in Scotland; a fact which has been more than once alluded to, but which the recent Census enables us to establish.

In England the Births which escape registration are supposed to be almost entirely confined to those which are illegitimate; and as the common mode of estimating the comparative fecundity of the married females in different countries is to compare the number of legitimate children born during the year with the number of Marriages which were contracted, no unfair advantage is taken by comparing Scotland and England in this respect.

In England, in 1859, only 3·84 legitimate children were born for every Marriage which occurred, while in Scotland, during the same year, 4·56 legitimate children were born for every Marriage. This, then, according to the usual mode of reckoning, would indicate that the females of Scotland are more prolific than those of England.

The recent Census enables us to verify this conclusion in a most remarkable manner; and thus gives us confidence that the usual and easy mode of estimating the comparative fecundity of the married women in different countries is sufficiently accurate for all practical purposes. Thus,

---

Table II.—Proportion of Births, Deaths, and Marriages in every 100 Persons living in the Insular, Mainland-Rural, and Town Districts of Scotland during the years 1855, 1856, 1857, 1858, and 1859.

Years.	Insular Districts.			Mainland Districts.			Town Districts.		
	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.
1855	2·292	1·644	0·441	3·067	1·784	0·580	3·421	2·682	0·839
1856	2·642	1·324	0·514	3·260	1·659	0·599	3·804	2·568	0·883
1857	2·737	1·414	0·585	3·305	1·744	0·629	3·805	2·685	0·869
1858	2·758	1·463	0·544	3·296	1·806	0·576	3·801	2·690	0·789
1859	2·858	1·626	0·562	3·386	1·766	0·617	3·823	2·526	0·850

* Report from the Select Committee (of the House of Commons) on the Births, Deaths, and Marriages (Ireland) Bills. July 1861. P. 14.

assuming that in 1859 the married women bore the same relative proportions as in 1861, the following interesting results are arrived at:—

In England, in 1859, the number of married women between the ages of 15 and 45 (the child-bearing ages) was 2,259,646; and as the number of legitimate children born during that year amounted to 645,130, this gives the proportion of one legitimate Birth for every 3·50 married women at the child-bearing ages. In other words, it shows that 350 married women of the above ages only gave birth to 100 children in the course of one year.

In Scotland, on the other hand, in 1859, the number of married women between the ages of 15 and 45 was 298,802; and as the number of legitimate children born during that year was 96,828, this indicates the proportion of one legitimate Birth for every 3·08 married women at the child-bearing ages. In other words, it shows that in Scotland 308 married women of the above ages gave birth to 100 children in the course of one year.

The conclusion from this is irresistible, and it is this,—that in Scotland every 308 married women at the child-bearing ages give birth annually to as many (viz., 100) children as every 350 married women of the same ages do in England; in other words, that the fecundity of the marriage, or of the woman, is so much lower in England than in Scotland, that, to produce 100 children annually, it requires 42 more married couples in England than in Scotland.

In Scotland, during 1859, as in former years, the Births occurred in very different proportions in the three great Groups of Districts into which Scotland has been divided. Thus, in the Insular Districts the Births were in the low proportion of 285 to every ten thousand persons; in the Mainland-Rural Districts 338 Births occurred for every ten thousand persons; while in the Town Districts they were in the high proportion of 382 Births to every ten thousand persons.

These facts, then, establish the conclusion arrived at in former Reports, that the only cause which seems materially to influence the Birth-rate is the Death-rate; that wherever the Death-rate is high, there also will it be found that the Birth-rate is high; as if, by a law of Nature, compensation were made for the high Death-rate by increasing the number of Births, in order to keep up the number of the population. Thus, in the Town Districts the Birth and Death rates were equally high, and fully a third higher than in the Insular Districts; while in the Mainland-Rural Districts both Birth and Death rates maintained a more uniform mean. These facts may be seen in Tables II. and IV.

TABLE III.—POPULATION of SCOTLAND and its Three Great Groups of Districts in 1851 and 1861; and the Estimated Population for 1859, distinguishing the Sexes.

Districts.	Census 1851.			Census 1861.			Estimated 1859.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Insular . .	76,760	89,727	166,487	73,409	87,324	160,733	74,079	87,804	161,883
Mainland-Rural . .	829,259	883,293	1,712,552	849,381	913,996	1,763,377	845,165	907,632	1,752,797
Town . .	469,460	540,243	1,009,703	527,058	611,126	1,138,184	515,731	597,171	1,112,902
SCOTLAND .	1,375,479	1,513,263	2,888,742	1,449,848	1,612,446	3,062,294	1,434,975	1,592,607	3,027,582

Of the 106,543 children born during the year, 96,828 were legitimate, and 9715 illegitimate, being in the proportion of one illegitimate in every 10·9 Births, or 9·1 per cent. of the Births illegitimate. It would thus appear that the proportion of illegitimate Births is on the increase in Scotland; and it is very difficult to assign a satisfactory reason for such a fact. Thus, in the years 1855 and 1856 respectively, only 8·5 per cent. of the Births were illegitimate; but in 1858 the proportion was 8·9 per cent., while in 1859 it rose to 9·1 per cent.

When attention was first directed to the subject of the high proportion of illegitimate Births in Scotland, the official statistics of England, and of a few foreign countries, were quoted by way of showing how Scotland in this matter stood with regard to other countries. Since then, however, it appears that some of the official documents then quoted are not quite trustworthy for such a purpose, inasmuch as they only give account of the entries of such events on the public registers, but neglect to warn the statist that these are not the whole number of such events which occur among the population. Even the otherwise well collected vital statistics of England contain a disturbing element from this cause, which prevents a strict comparison being instituted between the proportion of illegitimate Births in the two countries. It appears by the evidence of the Registrar-General of England, above referred to, before a Committee of the House of Commons on the Irish Registration Bills (printed 11th July 1861), that about 20,000 Births (or about 3·3 per cent.) annually escape being entered on the registers in England, and that these are chiefly, if not altogether, illegitimate Births. Were these Births, or a considerable number of them, which escape registration, reckoned as illegitimate, the proportion of such Births in England and in Scotland would be found to be very nearly the same.

The statistics of several of the foreign countries must be corrected in the same manner. Even in Massachusetts, where much attention has been devoted to official statistical inquiries for upwards of twenty years, it is acknowledged that "about one-sixth (16·4 per cent.), that is, one Death in every seven which actually occurred, escaped registration" (18th Report, p. 4), while the registers of Births and of Marriages were acknowledged to be still more imperfect. The vital statistics of Holland are imperfect from the same cause; and it is suspected that those of Norway and of Prussia are

---

TABLE IV.—Number of BIRTHS, DEATHS, and MARRIAGES registered in Scotland, and in its Three Great Groups of Districts, in 1859, and their proportion to the Estimated Population. Also the Number of the Illegitimate Births, and their proportion to the Total Births.

1859. Districts.	Births.		Illegitimate Births.		Deaths.						Marriages.	
					No. of Deaths.			Per Cent. to Pop.				
	No.	Per cent. to Pop.	No.	Per cent. to Total Births	Males.	Fem.	Total.	Males.	Fem.	Total.	No.	Per cent. to Pop.
Insular .	4,627	2·858	269	5·81	1,252	1,381	2,633	1·690	1·572	1·626	910	0·562
Mainland -Rural	59,366	3·386	5,874	9·89	15,317	15,642	30,959	1·812	1·723	1·766	10,825	0·617
Town .	42,550	3·823	3,572	8·39	14,019	14,103	28,122	2·718	2·361	2·526	9,466	0·850
SCOTLAND	106,543	3·519	9,715	9·11	30,588	31,126	61,714	2·131	1·954	2·038	21,201	0·700

not to be altogether depended on, from not including all the events which actually occurred.

On the other hand, we are assured that the vital statistics of a few States may be trusted as containing, in so far as can be ascertained, the registry of all the events which actually occurred. Sweden, Denmark, Austria, and Bavaria are in this state; and it is also believed that the registers of Hanover, Saxony, and Wurtemburg are equally trustworthy.

As we consider that scarcely any Birth, Death, or Marriage, escapes registration in Scotland, any comparison as to the proportion of these events, or as to the proportion of illegitimate to the total Births, ought to be confined to those countries as to which we have the assurance that, in so far as known, every event which actually occurred was entered on the registers.

Let us see, then, what is the proportion of illegitimate to the total Births in those countries which, so far as we have been able to ascertain, publish trustworthy vital statistics. The statistics of the countries quoted are either three or five years' averages, between the years 1851 and 1859—always the latest we could procure.

In Sweden it appears that 9·3 per cent. of the Births are illegitimate; in Denmark, 9·3 per cent.; in Hanover, 10·1 per cent.; in Austria, 11·2 per cent.; in Saxony, 14·8 per cent.; in Wurtemburg, 16·0 per cent.; while in Bavaria 21·9 per cent. of the Births are illegitimate.

As Scotland, in 1859, only exhibited 9·1 per cent. of the Births as illegitimate, it will be apparent, that when the statistics of illegitimacy are compared with the trustworthy statistics of other countries, she is not so bad comparatively as was anticipated. At the same time, however, she is very much worse than her high social, political, and religious privileges would lead us to expect.

But it is interesting to endeavour to ascertain what proportion of the unmarried females, at the child-bearing ages, gives birth to illegitimate children during the year; and the Census of 1861 puts it in our power to ascertain this point with some approach to accuracy.

Thus, in Scotland during the year 1859, there were 460,763 unmarried women between the ages of 15 and 45 years. As the number of illegitimate children born and registered during that year amounted to 9715, it would indicate that one in every 41 (1 in every 41·2) unmarried women between the ages of 15 and 45 had become a mother during that year.

TABLE V.—BIRTHS, 1859. Total Births; also the Number of the Legitimate and Illegitimate Births in Scotland and in its Three Great Groups of Districts in 1859; together with the Number of Cases of Twins and Triplets at a Birth.

1859. Districts.	Total Births.			Legitimate Births.			Illegitimate Births.			Cases of Twins.	Cases of Triplets.	Cases of 4 & upwards.
	Males.	Fem.	Total.	Males.	Fem.	Total.	Males.	Fem.	Total.			
Insular . . .	2,349	2,278	4,627	2,204	2,154	4,358	145	124	269	66	1	–
Mainland-Rural . .	30,478	28,888	59,366	27,412	26,080	53,492	3,066	2,808	5,874	757	6	–
Town	21,801	20,749	42,550	19,923	19,055	38,978	1,878	1,694	3,572	512	4	–
SCOTLAND . .	54,628	51,915	106,543	49,539	47,289	96,828	5,089	4,626	9,715	1,335	11	–

This fact enables us to calculate the extent to which the vice which leads to illegitimacy is carried.

It has already been proved that in Scotland 308 married women between the ages of 15 and 45 years are annually required to produce 100 children. It is perfectly legitimate to conclude that the prolificness of the unmarried female will be in the very same ratio as that of the married female. To find the number of unmarried females, therefore, who annually put themselves in the way of becoming mothers, we must multiply the number of unmarried females who did become mothers by 3·08, the proportion in which the married females bear one child annually. This calculation reveals to us the humbling fact, that during each year 29,842 unmarried females between the ages of 15 and 45, or about one in every 13 (1 in every 13·4), put themselves in the way of becoming mothers.

No inquiry is surrounded with more obscurity, or requires more careful handling, than that conducted with the view of discovering the cause of the high proportion of illegitimate Births. In these Reports it has been endeavoured, in each succeeding year, to investigate some of the assumed causes of the evil, and it is well shortly to review the conclusions already arrived at.

It was pointed out in our First Report that the illegitimate Births were almost entirely confined to the lower classes; and that the mothers of such children consisted chiefly of those employed about farms or in agricultural labour, of factory girls, of domestic servants, or of those engaged in needlework. It was stated, however, that in numerous instances the parents of these illegitimate children were true to each other, though not living under the same roof, and that in numerous instances the woman had born several children to the same man.

Another ascertained fact, which every subsequent Report has confirmed, was, that the extent of the vice of illegitimacy bore no relation to the ignorance of the people, or rather no relation to the deficiency of the grounds of elementary education; inasmuch as the Counties where fewest of the men and women who married could sign their names, were those where the proportion of illegitimate Births was lowest; while the Counties where almost every male, and a very high proportion of the females, could sign their

---

TABLE VI.—BIRTHS, 1859. Per Centage of Births to the Population, and of the Illegitimate to the Total Births; also the Proportions of the Sexes in the Total Births, and in the Legitimate and Illegitimate Births; together with the Per Centage of the Twin and Triplet Births to the Total Births in Scotland, and in its Three Great Groups of Districts, in 1859.

1859. Districts.	Per Centage of Births to Population.	Per Centage of Illegitim. to Total Births.	Proportion of Males to 100 Females in the Total Births.	Proportion of Males to 100 Females in the Legitimate Births.	Proportion of Males to 100 Females in the Illegitim. Births.	Per Centage of Twin Births to the Total Births.	Per Centage of Triplet to Total Births.
Insular	2·858	5·81	103·1	102·3	116·9	1·426	0·021
Mainland-Rural	3·386	9·89	105·5	105·1	109·1	1·275	0·010
Town	3·823	8·39	105·0	104·5	110·8	1·203	0·009
SCOTLAND . . .	3·519	9·11	105·2	104·7	110·0	1·253	0·010

names, were also those in which the proportion of illegitimate Births was highest.

One other positive fact was also pointed out, and every successive year's

---

TABLE VII.—BIRTHS, 1859. Number and Proportion of the Sexes in the Total Births, and in the Legitimate and Illegitimate Births; and also the proportion of Illegitimate to Total Births in Scotland, its Divisions and Counties, in 1859.

1859.	Total Births.			Legitimate Births.			Illegitimate Births.			No. of Total & Illegit. Births, and Per Cent. of Illegit. to Total Births.		
	Males.	Females.	Proportion of Males to 100 Females.	Males.	Females.	Proportion of Males to 100 Females.	Males.	Females.	Proportion of Males to 100 Females.	Total Births.	Illegit. Births.	Per cent. of Illegit.
SCOTLAND . . .	54628	51915	105·2	49539	47289	104·7	5089	4626	110·0	106543	9715	9·11
NORTHERN DIVISION	1801	1672	107·7	1692	1582	106·9	109	90	121·1	3473	199	5·7
NORTH-WESTERN DO.	2417	2380	101·5	2272	2235	101·6	145	145	100·0	4797	290	6·0
NORTH-EASTERN DO.	6255	5836	107·1	5285	4964	106·4	970	872	101·1	12091	1842	15·2
EAST MIDLAND DO. .	8801	8381	105·0	7913	7543	104·9	888	838	105·9	17182	1726	10·0
WEST MIDLAND DO. .	4132	3853	107·2	3809	3580	106·3	323	273	118·3	7985	596	7·4
SOUTH-WESTERN DO.	20735	19732	105·0	19186	18348	104·5	1549	1384	111·9	40467	2933	7 2
SOUTH-EASTERN DO.	7013	6726	104·2	6358	6178	102·9	655	548	119·5	13739	1203	8·7
SOUTHERN DO. . .	3474	3335	104·1	3024	2859	105·7	450	476	94·5	6809	926	13·6
I. NORTHERN.												
Shetland	443	419	105·7	420	399	105·2	23	20	115·0	862	43	4·9
Orkney	405	380	106·5	389	367	105·9	16	13	123·0	785	29	3·7
Caithness	633	614	103·0	573	571	100·3	60	43	139·5	1247	103	8·2
Sutherland	320	259	123·6	310	245	126·5	10	14	71·4	579	24	4·1
II. NORTH-WESTERN.												
Ross and Cromarty .	1193	1226	97·3	1141	1179	96·7	52	47	110·6	2419	99	4·0
Inverness	1224	1154	105·9	1131	1056	107·1	93	98	94·4	2378	191	8·0
III. NORTH-EASTERN.												
Nairn	114	126	90·4	99	116	85·3	15	10	150·0	240	25	10·4
Elgin	752	713	105·4	658	626	105·1	94	87	108·0	1465	181	12·3
Banff	977	945	103·4	812	793	102·4	165	152	108·5	1922	317	16·4
Aberdeen	3865	3554	108·7	3230	3000	107·6	635	554	114·6	7419	1189	16·0
Kincardine	547	498	109·8	486	429	113·2	61	69	88·5	1045	130	12·4
IV. EAST MIDLAND.												
Forfar	3701	3559	103·9	3285	3177	103·4	416	382	108·9	7260	798	10·9
Perth	1960	1816	107·9	1752	1617	108·3	208	199	104·0	3776	407	10·7
Fife	2634	2521	104·4	2438	2313	105·4	196	208	94·4	5155	404	7·8
Kinross	132	137	96·3	109	122	89·3	23	15	153·3	269	38	14·1
Clackmannan . . .	374	348	107·4	329	314	104·7	45	34	132·3	722	79	10·9
V. WEST MIDLAND.												
Stirling	1696	1561	108·6	1570	1447	108·5	126	114	110·5	3257	240	7·3
Dumbarton	1001	948	105·6	914	880	103·8	87	68	127·9	1949	155	7·9
Argyll	1218	1127	108·0	1126	1053	106·9	92	74	124·3	2345	166	7·0
Bute	217	217	100·0	199	200	99·5	18	17	105·8	434	35	8·0
VI. SOUTH-WESTERN.												
Renfrew	3434	3096	110·9	3193	2889	110·5	241	207	116·4	6530	448	6·8
Ayr	4085	3886	105·1	3725	3575	104·2	360	311	115·7	7971	671	8·4
Lanark	13216	12750	103·6	12268	11884	103·2	948	866	109·4	25966	1814	6·9
VII. SOUTH-EASTERN.												
Linlithgow	802	796	100·7	729	737	98·9	73	59	123·7	1598	132	8·2
Edinburgh	4633	4384	105·6	4219	4042	104 3	414	342	121·0	9017	756	8·4
Haddington	634	634	100·0	571	570	100·1	63	64	98·4	1268	127	10·0
Berwick	577	540	106·8	518	497	104·2	59	43	137·2	1117	102	9·1
Peebles	178	188	94·6	157	170	92 3	21	18	116·6	366	39	10·6
Selkirk	189	184	102·6	164	162	101·1	25	22	113·6	373	47	12·6
VIII. SOUTHERN.												
Roxburgh	887	767	115·6	792	679	116·6	95	88	107·9	1654	183	11·0
Dumfries	1244	1210	102·8	1082	1031	104·9	162	179	105·0	2454	341	13·8
Kirkcudbright . . .	713	704	101·2	606	615	98·5	107	89	120·2	1417	196	13·8
Wigtown	630	654	96·3	544	534	101·8	86	120	71·6	1284	206	16·0

registration confirms its truth, and that is, that illegitimacy in Scotland differs as widely as possible from illegitimacy on the Continent, in the striking fact, that in Scotland the proportion of illegitimate Births is higher in the Rural Districts than it is in the Towns; whereas over the whole Continent of Europe the Towns yield from three to six times a greater proportion of illegitimate Births than the Rural Districts.

A few important negative facts were, however, also ascertained, and attention was directed to them in former Reports. Lodging the farm-servants in bothies was popularly assigned as the cause of the greater prevalence of illegitimacy in the rural parts of Scotland. If that assumed cause had much influence, it ought to have been found that those Counties which contained the highest average of large farms (where bothies are alone used) should also be the Counties in which the highest proportion of illegitimate Births occurred. This, however, was far from being the case; seeing that, generally speaking, it was proved that those Counties which yielded the highest proportion of illegitimate Births were those where the average size of the farms was much below those in which the proportion of illegitimate Births was below the average, and that many Counties in which the average size of the farms was much greater, furnished a lower proportion of illegitimate Births.

Had this fact been found to be applicable to all the Counties, it might have led to the belief that the fact was capable of an easy explanation, viz., on the supposition that small farms discouraged the married state, inasmuch as they were chiefly laboured with the assistance of unmarried persons, who were lodged under the same roof, and fed at the same table, as the small farmer's own family. Where such is the practice, as soon as a man marries, he loses his situation, and is reduced to the rank and to the precarious subsistence of a common labourer. In many such Counties, therefore, it is a known fact that the number of Marriages in proportion to the population is below the average; and if we contrasted the Counties of Renfrew, Lanark, and Edinburgh, where the proportion of illegitimate Births is low, with the Counties of Aberdeen, Dumfries, and Wigtown, where the proportion of illegitimate Births is very high, we might be apt, on these insufficient data, to conclude, that wherever the proportion of Marriages was low, there it would be found that the proportion of illegitimacy would be high. Table VIII. would seem at first sight to support that idea; for it shows, that while in Renfrew and in Lanark only 6·8 and 6·9 per cent. respectively of the Births

Table VIII.—Showing the Proportion of Marriages to the Population of a few Counties of Scotland in 1859, and also the Proportion of Illegitimate to the Total Births.

COUNTIES.	Population. 1859.	Number of Marriages.	Per Centage of Marriages to Population.	Per Centage of Illegitimate to the Total Births.
Edinburgh . . .	271,173	2169	0·79	8·4
Lanark . . .	618,990	4805	0·77	6·9
Renfrew . . .	166,588	1283	0·77	6·8
Aberdeen . . .	221,368	1439	0·65	16·0
Dumfries . . .	76,352	475	0·62	13·8
Wigtown . . .	42,353	220	0·51	16·0

were illegitimate, 77 Marriages occurred in every ten thousand persons of the population; while in Aberdeen and Wigtown, where no fewer than 16 per cent. of the Births were illegitimate, Marriages were in the low proportion of 51 and 65 respectively in every ten thousand persons.

It is much to be feared, however, that though to a small extent the low proportion of Marriages in these Counties may somewhat contribute to increase the proportion of illegitimate Births, still it cannot be even one of the leading causes. In England, where it has been already shown that the probably true proportion of illegitimate Births equals that of Scotland, the Marriage-rate is habitually very much higher than in Scotland; for, during the five years 1855 to 1859 inclusive, 82 Marriages occurred annually in England for every ten thousand persons in the population; while the Scottish rate during the same period was only 68 Marriages in a like population. Then in Scotland itself, the whole Northern and North-Eastern Divisions have a much lower proportion of Marriages than the North-Eastern Division, and yet have only about a third of the proportion of illegitimate Births which that Division has. From these facts, then, it is apparent that the influence of a low rate of Marriages is quite inappreciable in increasing the number of the illegitimate Births.

In last Report it was endeavoured to be shown whether insufficient house accommodation could be traced as a cause in increasing the proportion of the illegitimate Births. It had been confidently assumed that it tended powerfully in that direction, seeing that when a whole family lived in one room, it was assumed that the common decencies of life could not be observed, and that it destroyed that modesty and innate delicacy which are the female's best safeguard in after-life. On investigating the facts, however, which were ascertained at the Census of 1861, relative to House Accommodation, and comparing them with the ascertained statistics of illegitimacy, it was convincingly proved that in Scotland, at least, the supposition did not square with the facts, for "the supposed effect of deficient house accommodation in increasing the proportion of illegitimate Births had no existence in reality;" and a Table was given, by which it was seen that the North-Eastern Division of Scotland, which year after year furnishes the highest proportion of illegitimate Births, was the very Division where a far smaller per centage of families lived in houses of one room than any other Division of Scotland.

A plausible cause for the assumed greater prevalence of illegitimacy in Scotland has, however, been lately brought prominently before the public, which it will be necessary shortly to examine, in order to discover whether it, any more than its predecessors, will serve to account for the facts as they exist. This cause is stated to be, "That the excess of female life is mainly at the root of that evil—illegitimacy." Every known fact contradicts such a theory; and the statistics of Scotland itself prove that such a theory has no support from them. Thus:

In the Northern Division of Scotland, which includes the Counties of Shetland, Orkney, Caithness, and Sutherland, females were in such great excess in 1861, that there were 121·5 females for every 100 males. In these Counties, then, if the theory propounded was correct, illegitimacy should be more rampant than in any other Division of Scotland. The very opposite, however, is the fact; for while the average of all Scotland shows that 9·1 per cent. of the Births are illegitimate, in that Northern Division only 5·7 per cent. of the Births were illegitimate in 1859, and only 5·1 per cent. on a four year's average.

But the North-Western Division of Scotland also contains a large excess of females, viz., 114·5 females to every 100 males, yet it only yielded 6 per cent. of its Births as illegitimate.

The two Divisions, however, which contain the average Scottish proportion of females, are also the Divisions which contain by far the highest proportion of illegitimate Births. Thus, in the North-Eastern Division, which includes the counties of Nairn, Elgin, Banff, Aberdeen, and Kincardine, there were only 111·5 females to every 100 males, and there 15·2 per cent. of the Births were illegitimate; and in the Southern Division, consisting of the Counties of Roxburgh, Dumfries, Kirkcudbright, and Wigtown, and containing within a fraction the same proportion of the sexes as the North-Eastern Division, the illegitimates constituted 13·6 per cent. of the Births.

These facts, then, limited to the same mixed race, living under the same civil and social conditions, do not sustain the theory which ascribes illegitimacy to the excess of female life.

But that theory is more forcibly condemned by the statistics of such foreign countries as publish facts on which reliance can be put that they furnish us with all the facts. Thus, Denmark, which has no excess of females worth speaking about, viz., only 100·8 females to every 100 males, yields 9·3 per cent. of her Births as illegitimate; that is to say, that a whole kingdom, much the same in race as the Northern Division of Scotland, and with a perfect equality in the number of males and of females, yields a higher per centage of illegitimate Births than Scotland, which has 111·1 females to every 100 males; or than the Northern Division of Scotland, which has the enormous excess of 121·5 females to every 100 males.

Hanover has no excess of females, the number of males and of females being nearly equal, viz., 100·3 females to every 100 males; yet 10·1 per cent. of her Births are illegitimate.

Austria has only what may be considered as the normal excess of females, viz., 102·9 females to every 100 males; yet her illegitimates constitute 11·2 per cent. of the total Births.

Bavaria has also a normal proportion of females, viz., 103·1 females for every 100 males; yet 21·9 per cent. of the Births are illegitimate.

Saxony has only 104·5 females to every 100 males; yet 14·8 per cent. of her Births are illegitimate.

Lastly, Sweden, which in its excess of females makes a nearer approach to England and Scotland, seeing she has 106·3 females for every 100 males, has only 9·3 per cent. of her Births illegitimate.

Every reliable fact, then, disproves the theory which ascribes the prevalence of illegitimacy to the "excess of female life." Every one knows that the female is far more virtuous and continent than the male; and that, in fact, the converse of the theory would be much nearer the truth.

We are, however, far more inclined to attribute the prevalence of illegitimacy to moral causes, or rather to the want of proper moral training, aggravated and encouraged as that is by those faulty habits of the lower classes, so ably pointed out by Dr Strachan of Dollar, and brought too prominently before the notice of the public in the late Jury trial for seduction. Other causes may aid the moral cause; but, without the removal of it, it appears to us that the removal of all other causes would not prove of the slightest avail in diminishing the evil.

As in former years, so in 1859, it appeared that the proportion of illegitimate Births was highest in the Mainland-Rural Districts, lower in the

Town Districts, and lowest in the Insular Districts. Thus, in the Mainland-Rural Districts 9·8 per cent. of the Births were illegitimate; 8·3 per cent. in the Town Districts; and only 5·8 in the Insular Districts.

The same Divisions of Scotland which showed the highest proportion of illegitimate Births in former years, showed the same facts for 1859. Thus, the proportion of illegitimate Births was highest, viz., 15·2 per cent. of the Births, in the North-Eastern Division, which includes the Counties of Nairn, Elgin, Banff, Aberdeen, and Kincardine; and were next highest, viz., 13·6 per cent. of the Births, in the Southern Division, which includes the Counties of Roxburgh, Dumfries, Kirkcudbright, and Wigtown: while the proportion was lowest, viz., 5·7 per cent., in the Northern Division, which includes the Counties of Shetland, Orkney, Caithness, and Sutherland; and next lowest, viz., 6 per cent. of the Births, in the North-Western Division, which includes the Counties of Ross and Cromarty and Inverness.

Of the 106,543 children born during the year, 54,628 were males, and 51,915 females; being in the proportion of 105·2 males to every 100 females. In the legitimate Births the proportions were only 104·7 males to every 100 females, while in the illegitimate Births there were 110 males to every 100 females. Taking the five years, 1855 to 1859 inclusive, it would appear that the total and also the legitimate Births yield 105·3 males to every 100 females, while the illegitimate Births furnished 107 males to every 100 females. This is a result totally opposed to the Continental statistics of Births, which go to prove that the male Births among the illegitimate are in a much lower ratio than among the legitimate. Should further observation establish that in Scotland the illegitimate Births yield a higher proportion of males than the legitimate Births, it would go far to confirm the conclusion already arrived at, that illegitimacy in Scotland is not quite the same thing as that on the Continent; but that it is rather the result of the incontinence of youth (under no proper moral restraint), which, not finding its legitimate channel in marriage, results in illegitimacy.

During the year 1859 there occurred 1335 cases of Twin-Births, and 11 cases of Triplets at a Birth; which gives the proportion of one case of Twins in every 79 Births, and one case of Triplets in every 9685 Births.

In former Reports it was pointed out, that in consequence of the immense emigration from Scotland to England, America, and the Colonies, and also from the large proportion of men who seek employment in the Mercantile Marine Service and in the Army, the usual mode of estimating the increase of the population, viz., by the excess of Births over Deaths, was inapplicable to Scotland. Thus, between 1858 and 1859, the Census enables us to ascertain that the increase of the population could only have amounted to somewhere about 17,356 persons. The excess of Births over Deaths, however, during the same period amounted to 44,829 persons; and had there been no emigration, the population ought to have been increased by that amount.

During 1859, however, it was ascertained by the Emigration Commissioners, that 10,182 persons of Scottish origin left the ports of the United Kingdom; and if to these 1597 be added as the proportion of those whose nativity was not ascertained, the total number of Scottish emigrants would amount to 11,779 persons. Even that number deducted from the excess of Births over Deaths would leave 33,050 persons as the number by which the population of Scotland ought to have been augmented during the year; and its great excess over the actual increase gives some insight into the large emigration which must go on to England, and the numbers who must seek

employment in the Army, the Royal and Mercantile Navy, the Continent of Europe, and India.

This fact shows in a strong light the impossibility of estimating the annual increase of the population from the excess of Births over Deaths in a small country so peculiarly situated as Scotland; and also proves that a much more correct estimate may be arrived at, by taking the yearly increase between the two last Censuses of the population.

MARRIAGES.

21,201 Marriages were registered in Scotland during the year 1859; being in the proportion of 700 Marriages in every 100,000 persons of the population. This was above the mean of the five previous years, when they only occurred in the proportion of 685 Marriages in every 100,000 persons.

It adds greatly to the interest of vital statistics, and enables us better to appreciate the vital energies of the country, if we compare the statistics of Scotland with those of England and some kingdoms of Europe.

As compared with England the Scottish Marriage-rate is very low. A ten years' average (1850–59) shows that Marriages occur in England in the proportion of 846 Marriages in every 100,000 of the population; but the Marriage-rate of England for 1859, like that of Scotland for the same year, was above the mean, being in the proportion of 852 Marriages for every 100,000 persons in the population.

In so far as the official statistics of the chief kingdoms of Europe are concerned, it would appear that Spain is almost the only country which exhibits as low a Marriage-rate as that of Scotland; for it appears that in the year 1858, the last year for which we possess returns, the proportion was 695 Marriages for every 100,000 persons in the population. We have no assurance, however, that the returns are correct, so that much reliance cannot be placed on them.

All the other countries, whose statistics on this point are given in Table IX., exhibit a much higher Marriage-rate than Scotland; while the

---

TABLE IX.—MARRIAGES and LEGITIMATE BIRTHS. Population, Number of Marriages and of Legitimate Births, per Annum, in several Kingdoms of Europe; the Proportion of Marriages to the Population, and the Proportiou of Legitimate Births to each Marriage.

Kingdoms.	Years (inclusive.)	Population (Mean.)	Marriages.		Legitimate Births.	
			Number Annually.	Per cent. to Population.	Number Annually.	Number to each Marriage.
Austria . . .	1856–58	39,019,058	304,862	0·870	1,287,957	4·22
Prussia . . .	1853–58	17,202,831	148,774	0·864	614,380	4·13
Denmark . .	1850–55	2,400,558	20,648	0·860	?	?
England . . .	1859	19,686,895	167,723	0·852	645,130	3·84
Do. . . .	1850–59	18,726,512	158,431	0·846	596,124	3·12
France . . .	1853–57	35,974,930	282,950	0·786	866,645	3·06
Norway . . .	1846–55	1,409,259	10,900	0·773	39,632	3·63
Sweden . . .	1855	3,639,332	27,253	0·748	104,269	3·82
Belgium . . .	1853–59	4,529,560	33,619	0·742	126,062	3·75
Scotland . . .	1859	3,027,582	21,201	0·700	96,828	4·56
Do. . . .	1855–59	2,992,872	20,529	0·685	*94,791	4·57
Spain . . .	1858	16,301,851	113,443	0·695	516,118	4·55

* For 4 years only, as the return of Births for 1855 was incomplete—average annual Marriages during these 4 years, 20,741.

Marriage-rate in Austria, Prussia, and Denmark even exceeds the high Marriage-rate of England; being 860 Marriages in Denmark, 864 Marriages in Prussia, and 870 Marriages in Austria, for every 100,000 persons in the population of each of these kingdoms.

When commenting on the Births, it was shown that the fruitfulness of the Marriage was pretty correctly ascertained by dividing the Births by the Marriages. This has been done for the kingdoms of Europe in the last column of Table IX.; and the results are interesting, though apt to lead to a false conclusion when taken by themselves By that Table it will be seen that the countries which furnish the lowest proportion of Marriages to the population, are the very countries where the Marriage seems to be most fruitful in children; for while Spain and Scotland yield 455 and 457 children respectively for every 100 Marriages, England, whose proportion of Marriages annually is much higher, on the average yields only 312 children to every 100 Marriages, and France only 306 children to every 100 Marriages.

This bare fact, then, does not of itself enable us to ascertain the relative

---

TABLE X.—MARRIAGES, 1859. Number of Marriages contracted in 1859, according to the Rites of the various Religious Denominations, and their several Proportions to the Total Marriages.

Religious Denominations.	Number of Marriages.	Per Centage to the Total Marriages.
Established Church	9,769	46·08
Free Church	4,861	22·93
United Presbyterian Church . .	2,936	13·85
Roman Catholic Church . . .	1,822	8·59
Episcopalian Church . . .	378	1·78
Other Denominations . . .	1,175	5·54
Denomination not stated . .	260	1·23

TABLE XI.—MARRIAGES, 1859. Ages of Parties at Marriage in Scotland, and in its Three Great Groups of Districts, in 1859.

AGE.	ALL SCOTLAND.		INSULAR DISTRICTS.		MAINLAND DISTRICTS.		TOWN DISTRICTS.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
Under 15 years.	–	4	–	–	–	2	–	2
15–16	–	7	–	–	–	5	–	2
16–17	3	75	–	1	2	43	1	31
17–18	17	292	1	8	7	164	9	120
18–19	127	853	5	17	64	451	58	385
19–20	436	1471	3	30	220	732	213	709
20–21	988	1863	15	50	513	912	460	901
21–25	7155	7860	223	330	3616	4058	3316	3472
25–30	6077	5021	300	281	3133	2606	2644	2134
30–35	2691	1865	167	112	1407	934	1117	819
35–40	1457	970	95	47	761	489	601	434
40–45	861	465	30	22	424	197	407	246
45–50	618	253	31	2	289	127	298	124
50–55	331	89	12	5	162	47	157	37
55–60	220	32	18	–	103	16	99	16
60–65	104	7	6	–	53	4	45	3
65–70	53	2	2	–	37	1	14	1
70–75	22	–	–	–	11	–	11	–
75–80	8	–	1	–	5	–	2	–
80–85	1	–	–	–	1	–	–	–
Not stated	32	72	1	5	17	37	14	30
All Ages	21,201	21,201	910	910	10,825	10,825	9466	9466

vitality of each population; the number of Deaths and the proportion of Marriages must also be taken into account before we can arrive at an approximation to the truth. Taken in connection with these, however, it enables us to see the pre-eminent vitality of the population in Scotland, and also in England. It also makes it manifest that agencies are at work in France which are sapping the vitals of her population; for while her Marriage-rate is below that of England, her Birth-rate, compared with her Marriages and with her population, is low, and her mortality proportionally high.

Were we to look at Scotland alone, and take a review of the proportion of legitimate Births to the Marriages which occur in the Mainland-Rural and Town Districts, the very curious result would seem to follow, viz., that the more numerous the Marriages were in a population, the greater was the number which proved unfruitful.

It is a well-known fact that a Town life destroys, or at least weakens, the vital energies; and if the number of children born annually to every Marriage which occurs be taken as a fair test of the comparative fruitfulness of a Marriage, and of course of the vitality of the people in Town

---

TABLE XII.—MARRIAGES, 1859. Number and Proportion of Men and of Women, under 21 years of Age, who contracted Marriage in England and in Scotland, and in the Insular, Mainland, and Town Districts of Scotland, in 1859.

	Number Married in 1859, whose Ages were ascertained.		Number under 21 years.		Per centage under 21 years.	
	Men.	Women.	Men.	Women.	Men.	Women.
ENGLAND . .	102,549	102,549	8,778	24,680	8·559	24·066
SCOTLAND . .	21,169	21,129	1,571	4,565	7·421	21·605
Insular Districts .	909	905	24	106	2·640	11·713
Mainland-Rural Districts . .	10,808	10,788	806	2,309	7·457	21·403
Town Districts .	9,452	9,436	741	2,150	7·839	22·785

TABLE XIII.—MARRIAGES, 1859. Number and Proportion of Men and of Women, under and above 25 years of Age, who contracted Marriage in England and in Scotland, and in the Insular, Mainland, and Town Districts of Scotland, in 1859.

	Number who Married.				Per centage who Married.			
	Under 25 years.		Above 25 years.		Under 25 years.		Above 25 years.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
ENGLAND . . .	50,807	64,228	51,742	38,321	49·544	62·632	50·456	37·368
SCOTLAND . . .	8,726	12,425	12,443	8,704	41·221	58·805	58·779	41·195
Insular Districts . .	247	436	662	469	27·173	48·177	72·827	51·823
Mainland-Rural Dists.	4,422	6,367	6,386	4,421	40·914	59·019	59·086	40·981
Town Districts . . .	4,057	5,622	5,395	3,814	42·922	59·580	57·078	40·420

and in Country, we shall have that comparative fruitfulness, or that comparative vitality, of the two classes of the population pretty accurately expressed in figures.

Thus, in Scotland, in 1859, though the Rural Districts furnished a much lower Marriage-rate in proportion to their population than the Towns, as will be seen by Table II., yet the vitality of their population was so much greater than that of the persons living in the Towns, that 494 children were born in the Mainland-Rural Districts for every 100 Marriages; while in the Town Districts every 100 Marriages only had 411 children. The inhabitants of Towns, then, in order to keep up their number, and to make up for the much greater mortality which prevails at all ages, but especially during the early years of life, require to marry in a much higher ratio than the inhabitants of the Country. And this is what is actually done, as will be seen by Table II. For while in 1859 only 560 Marriages in every 100,000 persons occurred in the Insular Districts of Scotland, and 617 Marriages, in a like population, in the Mainland-Rural Districts, no fewer than 850 Marriages occurred in the Town Districts in a like population.

All this is very intelligible with regard to Town and Rural populations, because from other circumstances it can be proved that the vitality of the populations residing in Towns is deteriorated as compared with those residing in the Rural Districts. It is much more difficult to account for the observed difference in the vitality of the populations living in England and in Scotland; the difference between them, as a whole, being nearly as great as between the vitality of the populations in the Town and in the Rural Districts of Scotland. Thus England annually has 846 Marriages in every 100,000 of her population, but only 312 legitimate children for every 100 Marriages (thus closely resembling the Towns of Scotland, which have also a high proportion of Marriages, but a low proportion of children to each Marriage); while Scotland generally has a low proportion of Marriages, viz., only 685 Marriages in every 100,000 persons of the population, but 457 children for every 100 Marriages.

Within certain limits, then, an increased number of Marriages makes

---

TABLE XIV.—MARRIAGES, 1859. Number and Proportion of Men and of Women, under and above 25 years of Age, who contracted Marriage in Scotland, and in its Eight Divisions, in 1859.

DIVISIONS.	Number of Persons Married whose Ages were ascertained.		Number of Persons Married.				Proportion per Cent. to the total Men or Women Married.			
			Under 25.		Above 25.		Under 25.		Above 25.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Wom.
1. Northern	677	675	219	331	458	344	32·348	49·037	67·652	50·963
2. North-Western	925	922	195	466	730	456	21·081	50·542	78·919	49·458
3. North-Eastern	2,331	2,331	822	1,281	1,509	1,050	35·263	54·955	64·737	45·045
4. East-Midland	3,342	3,331	1,460	1,904	1,882	1,427	43·686	57·160	56·314	42·840
5. West-Midland	1,540	1,539	586	909	954	630	38·052	59·063	61·948	40·936
6. South-Western	7,947	7,932	3,648	5,025	4,299	2,907	45·904	63·351	54·096	36·649
7. South-Eastern	3,072	3,067	1,253	1,726	1,819	1,341	40·787	56·276	59·213	43·724
8. Southern	1,335	1,332	543	783	792	549	40·674	58·784	59·326	41·216
SCOTLAND	21,169	21,129	8,726	12,425	12,443	8,704	41·221	58·805	58·779	41·195

up for a diminished vitality of the population; when that diminished vitality is shown in a lessened proportion of Births to the number of Marriages contracted. Such, at least, appears to be the legitimate conclusion deducible from the known facts relative to England and to Scotland as a whole; corroborated as it is so strongly by the consideration of the now proved facts relative to the Town and Rural Districts of Scotland.

During 1859, it appears that of the 21,201 Marriages, 9769 were contracted according to the rites of the Established Church; 4861 according to those of the Free Church; 2936 according to those of the United Presbyterian Church; 1822 according to those of the Roman Catholic Church; 378 according to those of the Episcopalian Church; 1175 according to the rites of the smaller religious denominations; while in 243 cases the form of the ceremony was not stated, and in 17 the Marriage was irregular. These numbers show, in a rough way it is true, yet in as correct a manner as is now attainable, the proportions of the population attached to each religious denomination; and as they closely correspond with the results of the four previous years, they cannot be far from the truth. Judged in this manner, it would appear that 46 per cent. of the population of Scotland were attached to the Established Church; 23 per cent. to the Free Church; nearly 14 per cent. to the United Presbyterian Church; 8½ per cent. to the Roman Catholic Church; little more than 1½ per cent. to the Episcopal Church; and 5½ per cent. to all other denominations. These facts are shown in Table X.

Of the 21,201 men who married in 1859, the ages of 21,169 were ascertained; and of that number, 1571 were under 21 years of age. Of the 21,201 women who married, the ages of 21,129 were ascertained; and of these, 4565 were under 21 years of age. It thus appears that 7·42 per cent. of the men, and 21·60 per cent. of the women, who married during the year were minors, or were under the legal age of 21 years.

Our close relationships with England make it an object of importance

TABLE XV.—MARRIAGES, 1859. Number of Persons who Married, and their Proportion to the estimated Population in Scotland and its Eight Divisions, in 1859; also the number of Males under and above 25 years of Age who married in each of these Eight Divisions in 1859, and their Proportion to the estimated Male Population of these Divisions.

DIVISIONS.	Estimated Population. 1859.	Persons who Married.		Estimated Male Population. 1859.	Number of Men who Married.		Per Cent. to Male Population of Men who Married.	
		Number.	Per cent. to the Population.		Under 25.	Above 25.	Under 25.	Above 25.
1. Northern . .	129,740	1,354	1·042	58,653	219	458	0·373	0·780
2. North-Western	169,015	1,854	1·096	78,815	195	730	0·247	0·926
3. North-Eastern	363,098	4,666	1·284	171,718	822	1,509	0·478	0·878
4. East Midland .	522,249	6,692	1·280	243,184	1,460	1,882	0·600	0·773
5. West Midland	242,295	3,088	1·274	118,088	586	954	0·496	0·807
6. South-Western	982,820	15,908	1·618	472,872	3,648	4,299	0·771	0·909
7. South-Eastern	403,809	6,166	1·526	189,917	1,253	1,819	0·659	0·957
8. Southern . . .	214,556	2,674	1·246	101,728	543	792	0·533	0·778
SCOTLAND .	3,027,582	42,402	1·400	1,434,975	8,726	12,443	0·608	0·867

to ascertain whether a larger or a smaller proportion of her population contracts Marriage during their minority. In 1859, of 167,723 Marriages entered on the registers, the exact ages of 102,549 parties were alone ascertained; and assuming that these afford an approximation to the truth, it

---

TABLE XVI.—MARRIAGES, 1859. Number of Marriages in which the Condition of Life was specified; also, the Number of Marriages between Bachelors and Spinsters, Bachelors and Widows, Widowers and Spinsters, Widowers and Widows, in Scotland, and its several Divisions and Counties, in 1859; together with the Number and Proportion of Men and Women who re-married during that year.

	Divisions and Counties.	Total Marriages, condition specified.	Marriages of Bachelors and Spinsters.	Marriages of Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	RE-MARRIAGES. Number of Widowers.	Number of Widows.	Proportion of WIDOWERS in every 100 Men who married.	Proportion of WIDOWS in every 100 Women who married.
	SCOTLAND . . .	20,570	17,536	567	1864	603	2467	1170	11·99	5·68
	Insular Districts . .	879	773	9	85	12	97	21	11·03	2·38
	Mainland-Rural Dists.	10495	9209	209	863	214	1077	423	10·27	6·91
	Town Districts . . .	9196	7554	349	916	377	1293	726	14·06	7·89
I.	NORTHERN DIVISION	673	600	7	61	5	66	12	9·80	1·08
II.	NORTH-WESTERN DO.	864	764	11	76	13	89	24	10·30	2·77
III.	NORTH-EASTERN DO.	2278	2000	50	189	39	228	89	10·00	3·92
IV.	EAST MIDLAND DO. .	3277	2820	69	301	87	388	156	11·84	4·76
V.	WEST MIDLAND DO. .	1512	1327	39	119	27	146	66	9·65	4·36
VI.	SOUTH-WESTERN DO.	7647	6308	279	735	325	1060	604	13·86	7·89
VII.	SOUTH-EASTERN DO.	2996	2546	91	279	80	359	171	11·98	5·70
VIII.	SOUTHERN DO. . . .	1323	1171	21	104	27	131	48	9·90	3·92
1	Shetland	166	150	3	13	0	13	3	7·83	1·80
2	Orkney	189	164	2	21	2	23	4	12·16	2·11
3	Caithness	218	203	0	12	3	15	3	6·88	1·32
4	Sutherland	100	83	2	15	0	15	2	15·00	2·00
5	Ross and Cromarty .	409	361	4	40	4	44	8	10·75	1·98
6	Inverness	455	403	7	36	9	45	16	9·89	3·51
7	Nairn	70	64	1	5	0	5	1	7·14	1·42
8	Elgin	242	219	4	17	2	19	6	7·85	2·48
9	Banff	301	271	4	24	2	26	6	8·63	1·99
10	Aberdeen	1439	1248	35	124	32	156	67	8·67	4·65
11	Kincardine	226	198	6	19	3	22	9	9·73	3·98
12	Forfar	1446	1218	32	146	50	196	82	13·55	5·67
13	Perth	787	675	24	73	15	88	39	11·18	4·95
14	Fife	890	787	11	73	19	92	30	10·33	3·37
15	Kinross	41	35	1	4	1	5	2	12·19	4·87
16	Clackmannan . . .	113	105	1	5	2	7	3	6·19	2·65
17	Stirling	636	562	20	41	13	54	33	8·50	5·18
18	Dumbarton	355	316	8	26	5	31	13	8·73	3·66
19	Argyll	430	369	11	44	6	50	17	11·62	3·95
20	Bute	91	80	0	8	3	11	3	12·08	3·29
21	Renfrew	1283	1057	43	130	53	183	96	14·26	7·48
22	Ayr	1559	1319	48	135	57	192	105	12·31	6·73
23	Lanark	4805	3932	188	470	215	685	403	14·25	8·38
24	Linlithgow	296	265	5	18	8	26	13	8·78	4·39
25	Edinburgh	2169	1808	78	214	69	283	147	13·04	6·77
26	Haddington	242	216	4	22	0	22	4	9·09	1·65
27	Berwick	171	154	2	14	1	15	3	8·77	1·75
28	Peebles	61	53	1	6	1	7	2	11·47	3·27
29	Selkirk	57	50	1	5	1	6	2	10·52	3·50
30	Roxburgh	366	339	4	18	5	23	9	6·29	2·45
31	Dumfries	475	422	6	36	11	47	17	9·89	3·58
32	Kirkcudbright . . .	262	225	6	28	3	31	9	12·06	3·43
33	Wigtown	220	185	5	22	8	30	13	13·63	5·68

appears that of 102,549 men who married in 1859 in England, 8778 were minors, or were under 21 years of age, while of 102,549 women who married that year, 24,680 were under 21 years. From this it appears that 8·55 per cent. of the men, and 24·06 per cent. of the women, who married during the year were minors, or were under 21 years of age. (See Table XII.)

From this comparison it appears that a larger proportion both of men and of women who are minors contracts marriage in England than in Scotland.

A somewhat different conclusion would be drawn from the proportions published in the official Reports, which state that in 1859 only 6·20 per cent. of the men, and 19·10 per cent. of the women who married in England during the year were minors. On referring, however, to the official Report which accompanies the Census of 1851, we find that the fact of a higher proportion in England of married persons under 25 years of age was prominently brought before the public; and as the numbers married under 21 years bear a constant relation to those under 25, it is quite safe to assume that the two countries would exhibit a somewhat similar proportion had means been furnished for ascertaining the ages of the married persons under 21 years. In that Report the Census Commissioners say, "Of 100 men of the age 20–25, *twenty* were married in England and Wales, *sixteen* in Scotland." And again,—"Of 100 young women of the age 20–25, *thirty-one* are married in England, *twenty-five* in Scotland."—P. xxxi.

The Census of 1861 exhibits the same facts; for of every 100 men of the ages 20–25, *twenty-two* were married in England, but only *sixteen* in Scotland; while of every 100 women at the same ages, *thirty-three* were married in England, but only *twenty-five* in Scotland.

As might be anticipated, the Marriages of minors are much lower in proportion in the Insular Districts, where there is no demand for labour, than in the Mainland-Rural or Town Districts. Thus, in 1859, of the men who married, only 2·6 per cent. were under 21 years of age in the Insular Districts, 7·4 per cent. in the Mainland and Rural Districts; but 7·8 per cent. in the Town Districts. The Marriages of women who were minors, or under 21 years of age, bore a like relation in the three groups of Districts; for while only 11·7 per cent. of the women who married were under 21 years of age in the Insular Districts, the proportion was 21·4 per cent. in the Mainland-Rural, and 22·7 per cent. in the Town Districts.

The number and proportion of Marriages under 25 years always bears a close relation to the number and proportion under 21 years. In one

TABLE XVII.—MARRIAGES, 1859. Proportion of Marriages between Persons in different conditions of life, in every 100 Marriages.

1859.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
Insular Districts	87·94	1·03	9·67	1·36
Mainland-Rural Districts . . .	87·75	1·99	8·22	2·04
Town Districts	82·14	3·80	9·96	4·10
SCOTLAND	85·25	2·76	9·06	2·93

sense, however, it affords a more correct estimate of the social condition of the people, and of the comparative means of procuring a livelihood in different countries, or in different counties of the same country; inasmuch as it may be safely assumed that the country or county which exhibits the greatest number of Marriages among persons under 25 years of age, will also be found to be that in which there is the greatest demand for labour, and of course the greater means of procuring an honest livelihood. Tables XIII., XIV., and XV. are therefore drawn up with the view of showing the facts regarding Marriages under and above 25 years of age.

From these Tables it will be seen that 41·2 per cent. of the men who married, and 58·8 per cent. of women who married, in Scotland in 1859, were under 25 years of age; while the corrected Statistics of England show that 49·5 per cent. of the men, and 62·6 per cent. of the women, who married during that year were under 25 years of age. About 8 per cent. more men, and 4 per cent. more women, marry under 25 years of age in England than in Scotland; which fact of itself shows, what all else corroborates, that there are more openings for young men, and a greater proportional general demand for labour of one kind or another in England than in Scotland.

If the Eight Great Divisions of Scotland are looked at in the same light, the very same fact is strikingly illustrated. Thus, in the North-Western Division, where there is no demand for labour, no commercial enterprise, and where the Marriages do little more than supply the places of those who have died, only 21 per cent. of the men, and 50·5 per cent. of the women, who married during 1859 were under 25 years of age. Contrast these proportions with the busy commercial, mining, and manufacturing South-Western Division. In it 45·9 per cent. of the men, and 63·3 per cent. of the women, who married during the year were under 25 years of age; so that this, as well as the general proportion of Marriages to the whole population, in each Division of Scotland, or in each Kingdom, leads to the same conclusion. It is extremely interesting, for instance, to compare Table XIV. with XV. By that latter Table it is seen that in the North-Western Division of Scotland only 1·096 per cent. of the population, or 1096 in every 100,000 of the population, contracted Marriage during the

TABLE XVIII.—MARRIAGES, 1859. Number of Marriages between Bachelors and Spinsters, Bachelors and Widows, Widowers and Spinsters, Widowers and Widows, in 1859, in Edinburgh and Glasgow; also, the Number and Proportion of the Re-marriages.

1859.	Total Marriages, condition specified.	Marriages of Bachelors with Spinsters.	Marriages of Bachelors with Widows.	Marriages of Widowers with Spinsters.	Marriages of Widowers with Widows.	RE-MARRIAGES.			
						Number of Widowers.	Number of Widows.	Per cent. of Widowers to 100 Men who married.	Per cent. of Widows to 100 Women who married.
EDINBURGH	1459	1202	57	154	46	200	103	13·70	7·05
GLASGOW	3352	2715	133	342	162	504	295	15·03	8·80
Proportion in every 100 Marriages in Edinburgh	100·00	82·39	3·91	10·55	3·15				
Proportion in every 100 Marriages in Glasgow .	100·00	81·00	3·97	10·20	4·83				

year; whereas in the South-Western Division, 1·618 per cent., or 1618 persons in every 100,000, contracted Marriage during the same period.

Of the 21,201 Marriages contracted during the year, 20,570 had the condition of life of the parties stated. Of these 20,570 Marriages, it appears by Table XVI. that 17,536 were between bachelors and spinsters; 1864 between widowers and spinsters; 603 between widowers and widows; and 567 between bachelors and widows. These numbers indicate that in every 100 Marriages 85·25 were between bachelors and spinsters, 9·06 between widowers and spinsters, 2·93 between widowers and widows, and 2·76 between bachelors and widows.

Table XVII. shows the proportions in which these different classes married in Scotland, and in the Insular, the Mainland-Rural, and Town Districts; while Table XVIII. shows the like facts for the two chief Towns of Scotland, in 1859. The results closely correspond with those of former years, showing that in Towns a much larger proportion of the widowed re-enter the married life than in the Mainland-Rural or Insular Districts; while a much higher proportion re-marries in Glasgow than in Edinburgh.

Of the persons who re-married during the year, 2467 were widowers, and 1170 widows; giving the proportion of 11·99 widowers in every 100 men, and 5·68 widows in every 100 women, who married during the year.

The proportion of widowed persons who re-married during the same year was much higher in England, seeing that of every 100 men who married, 14·1 were widowers, and of every 100 women who married, 9 were widows.

The Marriage Registers enable us to estimate the comparative state of elementary education among the population, by ascertaining what proportion of the men and of the women could sign their names in the Marriage Registers.

During the year 1859, of the 21,201 men who married, 18,992 signed their names in the Marriage Registers, while 2209 affixed their mark. Of the 21,201 women who married, 16,494 signed their names, and 4707 affixed their mark. From these numbers it appears that 89·11 per cent. of the men were able to sign their names, but 10·89 per cent. had to affix their mark; while of every 100 women who married, 77·8 were able to sign their names, and 22·2 were forced to affix their mark. Table XX. shows the like facts for the several Divisions and Counties of Scotland.

When compared with England, these numbers show favourably, inasmuch as in England, during the same year, only 73·3 per cent. of the men signed their names (or fewer than the proportion of females in Scot-

TABLE XIX.—MARRIAGES, 1859. Number and Proportion of Men and Women who signed their names by Mark, in Edinburgh and Glasgow, in 1859.

1859.	Men.				Women.			
	Number of Men who Married.	Number who signed by Mark.	Per centage who signed by Mark.	Per centage who signed their names in full.	Number of Women who Married.	Number who signed by Mark.	Per centage who signed by Mark.	Per centage who signed their names in full.
EDINBURGH	1494	50	3·34	96·66	1494	107	7·16	92·84
GLASGOW	3472	439	12·64	87·36	3472	992	28·57	71·43

land), while 26·7 per cent. affixed their mark; whereas, of the women in England, only 62·4 per cent. were able to sign their names, while 37·6 per cent. affixed their mark.

When the inhabitants of Glasgow and Edinburgh are compared in the same manner, it is seen that the state of elementary education is very much

---

TABLE XX.—MARRIAGES, 1859. Number of Men and Women who married in Scotland, and in its several Divisions and Counties, in 1859; together with the number and proportion of those who signed their names by Mark, and the proportion who signed their names in full.

	DIVISIONS AND COUNTIES.	MEN.				WOMEN.			
		Number of Males Married.	Number who signed by Mark.	Per centage who signed by Mark.	Per centage who signed their names in full.	Number of Females Married.	Number who signed by Mark.	Per centage who signed by Mark.	Per centage who signed their names in full.
	SCOTLAND . . .	21,201	2209	10·89	89·11	21,201	4707	22·20	77·80
	Insular Districts . . .	910	226	24·83	75·17	910	383	42·08	57·92
	Mainland-Rural Districts	10825	938	8·63	91·37	10825	1989	10·98	89·02
	Town Districts . . .	9466	1045	11·03	88·97	9466	2335	24·66	75·34
I.	NORTHERN DIVISION .	677	33	4·87	95·13	677	130	19·20	80·80
II.	NORTH-WESTERN DO. .	927	314	33·79	66·21	927	516	55·68	44·32
III.	NORTH-EASTERN DO. .	2333	60	2·57	97·43	2333	228	9·77	90·23
IV.	EAST MIDLAND DO. . .	3346	236	7·05	92·95	3346	578	17·28	82·72
V.	WEST MIDLAND DO. .	1544	237	15·34	84·66	1544	420	27·20	72·80
VI.	SOUTH-WESTERN DO. .	7954	1081	13·59	86·41	7954	2373	29·70	70·30
VII.	SOUTH-EASTERN DO. .	3083	170	5·51	94·49	3083	339	10·99	89·00
VIII.	SOUTHERN DO. . . .	1337	78	5·68	94·32	1337	123	9·19	90·81
1	Shetland	168	14	8·33	91·67	168	67	39·88	60·12
2	Orkney	191	5	2·61	97·39	191	14	7·32	92·68
3	Caithness	218	5	2·29	97·71	218	25	11·46	88·54
4	Sutherland	100	9	9·00	91·00	100	24	24·00	76·00
5	Ross and Cromarty . .	425	161	37·90	62·10	425	240	56·47	43·53
6	Inverness	502	153	30·47	69·53	502	276	54·98	45·02
7	Nairn	70	8	11·42	88·58	70	22	31·42	68·58
8	Elgin	249	16	6·42	93·58	249	39	15·66	84·34
9	Banff	321	7	2·11	97·89	321	31	9·65	90·35
10	Aberdeen	1460	26	1·77	98·23	1460	117	8·01	91·99
11	Kincardine	233	3	1·28	98·72	233	19	8·15	91·85
12	Forfar.	1452	151	10·39	89·61	1452	363	25·00	75·00
13	Perth	821	37	4·45	95·55	821	88	10·71	89·29
14	Fife	909	41	4·51	95·49	909	101	11·11	88·89
15	Kinross	44	–	0·00	100·00	44	3	6·81	93·19
16	Clackmannan	120	7	5·83	94·17	120	23	19·16	80·84
17	Stirling	646	89	13·77	86·23	646	151	23·37	76·63
18	Dumbarton	362	76	20·99	79·01	362	118	32·59	67·41
19	Argyll.	445	68	15·28	84·72	445	136	30·56	69·44
20	Bute	91	4	4·39	95·61	91	15	16·48	83·52
21	Renfrew	1317	204	15·48	84·52	1317	457	34·70	65·30
22	Ayr	1569	227	14·46	85·54	1569	460	29·31	70·69
23	Lanark	5068	650	12·82	87·18	5068	1456	28·72	71·28
24	Linlithgow	301	50	16·61	83·39	301	73	24·25	75·75
25	Edinburgh	2246	94	4·18	95·82	2246	214	9·52	90·48
26	Haddington.	245	21	8·57	91·43	245	39	15·91	84·09
27	Berwick	172	4	2·32	97·68	172	9	5·23	94·77
28	Peebles	62	–	0·00	100·00	62	1	1·61	98·39
29	Selkirk	57	1	1·75	98·25	57	3	5·26	94·74
30	Roxburgh	367	16	4·35	95·65	367	37	10·08	89·92
31	Dumfries.	480	16	3·33	96·67	480	36	7·50	92·50
32	Kirkcudbright. . . .	269	15	5·57	94·43	269	20	7·43	92·57
33	Wigtown	221	31	14·02	85·98	221	30	13·57	86·43

higher in Edinburgh than in Glasgow, as may be seen in Table XIX.; for while in Edinburgh 96·66 per cent. of the men were able to sign their names in the register, only 87·36 per cent. of the men were able to sign their names in Glasgow; and while in Edinburgh 92·84 per cent. of the women were able to sign their names, only 71·43 per cent. were able to write in Glasgow.

During the year 1859 an extremely rare occurrence took place—a man of 24 years of age married a girl of 11 years in the St Andrew's District of Edinburgh.

DEATHS.

61,714 Deaths were registered in Scotland during the year 1859, being in the proportion of 203 Deaths in every ten thousand persons of the population. The mean Death-rate for the four previous years was 206 Deaths in every ten thousand persons, so that the mortality of 1859 was rather under the average.

In England, during the same year, the population was cut off at the rate of 223 Deaths in every ten thousand persons; so that the Scottish Death-rate was much below the English. So far as our records go, it would appear that the Death-rate of the inhabitants of Scotland is constantly below that of the natives of England. Thus, a five years' average, 1855 to 1859 inclusive, shows that in Scotland the inhabitants died at the rate of 205 annually in every ten thousand persons; while in England, during the same period, the population was cut off at the rate of 220 annually in a like number of persons.

In former Reports it was pointed out that this higher Death-rate in England was mainly caused by the far greater number and proportion of Deaths caused by Convulsions during childhood. There would appear to be nothing to prevent the mortality from Convulsions in England to be brought down to the Scottish standard, when about 20,000 lives would be annually saved. The very object of these Reports is to point out tangible facts like this, in order that a remedy may be applied; and the National Association for the Promotion of Social Science, by issuing instructions for the guidance of mothers in nursing, feeding, and clothing their infants, would here find an immediate reward for their labours.

The same striking difference between the Death-rates which prevailed in former years among the inhabitants of the Insular, the Mainland-Rural, and Town Districts, was observed during 1859. Thus, in the Insular Districts the inhabitants were cut off at the rate of 162 in every ten thousand persons; in the Mainland-Rural, at the rate of 176 in every ten thousand persons; but in the Town Districts, at the very high rate of 252 in every ten thousand inhabitants.

During the five years, 1855 to 1859 inclusive, the mean annual Death-rates in these groups of Districts were, 149 Deaths in the Insular, 175 Deaths in the Mainland-Rural, and 263 Deaths in the Town Districts, in every ten thousand persons living in each District. This striking fact, then, shows the frightful waste of life which a Town residence entails; and as the relative proportions are much the same from year to year, the mean of the five years may be held, for all practical purposes, to be the expression of the relative mortality in each group of Districts. These general facts are exhibited in Tables II. and IV.

As it is interesting to know the relative Death-rate which prevails in the Eight Principal Towns of Scotland, Table XXV. is appended for the purpose of showing the Death-rate which prevailed each year since the Registration Act came into operation, and also the mean annual Death-rate in each of these Towns during the five years 1855 to 1859 inclusive. A five years' average gives a very fair idea of the relative mortality which prevails in each Town, more especially when it is seen that there is such a close correspondence in the Death-rate year by year. The numbers, therefore, which are given in the last column of that Table may be held to express in figures the relative sanitary condition of each Town, and in this respect are worthy the attention of the social economist.

One exception alone must be made to this statement. Leith, from its proximity to Edinburgh, sends a considerable number of patients to the Royal Infirmary in Edinburgh, who, dying there, and being entered on the Edinburgh registers, swell the mortality of that Town beyond its due bounds, while they far more than proportionally diminish the apparent mortality in Leith. Were due correction made for this, it would reduce the mean annual Edinburgh mortality to 2·30 Deaths in every 100 living, but increase that of Leith to about 2·40 Deaths annually in every 100 living.

Taking the numbers, however, as they stand in that Table, it would appear that Leith, Aberdeen, Edinburgh, and Perth have a mean Death-rate below the mean of the Town Districts of Scotland; that Dundee and Paisley have a mean Death-rate very closely approximating to that mean; while Glasgow and Greenock have a mean Death-rate very much higher than the mean of the Town Districts. Thus, the mean mortality of the five years proves, that of every ten thousand persons living in each Town, 215

TABLE XXI.—DEATHS, 1859. Population of Scotland at Different Ages in 1859, the Number of Deaths at the same Age, and the Proportion of Deaths to the Population at each Age.

AGES.	SCOTLAND, 1859.					
	POPULATION.		DEATHS.		Per Cent. of Deaths to the Population at each Age.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	45,557	43,837	6,461	5,062	14·182	11·547
— 2	41,664	40,272	2,843	2,714	6·823	6·739
— 3	42,005	40,614	1,508	1,503	3·590	3·685
— 4	40,616	39,610	976	1,005	2·403	2·537
— 5	39,969	38,403	700	723	1·751	1·882
Total under 5 Years	209,811	202,736	12,488	11,007	5·952	5·429
5—10	182,486	176,741	1,770	1,723	0·969	0·974
10—15	163,499	155,752	750	780	0·450	0·500
15—20	148,894	155,029	1,078	969	0·725	0·625
20—30	226,932	280,754	2,145	2,246	0·945	0·799
30—40	167,868	204,482	1,747	2,049	1·040	1·002
40—50	135,204	159,662	1,866	1,754	1·381	1·092
50—60	98,710	117,794	2,006	2,032	2·032	1·725
60—70	64,821	85,315	2,413	2,685	3·736	3·147
70—80	28,380	40,595	2,531	3,261	8·953	8·035
80—90	7,738	12,511	1,466	2,135	18·945	17·065
90—100	602	1,179	231	408	38 375	34·605
100 and above	30	57	13	26	43·333	45·614
Not stated	–	–	84	51	–	–
ALL AGES	1,434,975	1,592,607	30,588	31,126	2·1316	1·9544
BOTH SEXES	3,027,582		61,714		2·0383	

(or corrected, 240) died annually in Leith, 227 annually in Aberdeen, 240 (or corrected, 230) in Edinburgh, 248 in Perth, 262 in Dundee, 265 in Paisley, 296 in Glasgow, and 308 in Greenock.

No one can look at these numbers without becoming convinced that the site of each Town has a very great deal to do with its mortality. Of the above Eight Towns, Perth is perhaps the cleanest and least crowded Town, and has within it fewer of those elements which are commonly blamed as rendering a Town unhealthy; yet these statistics, in which every faith may be put, prove it to be more unhealthy than the low-lying and far from cleanly Town of Leith, with its population living in high lands of buildings, and in narrow streets and lanes, and which every sanitary inquirer would *a priori* declare must be an unhealthy Town. Even Edinburgh itself is more healthy than Perth, although its numerous low population is crowded into high piles of building which line narrow streets, and still more narrow lanes and closes which, from the habits of the people, are almost constantly more or less wet with filth, and exhale the most nauseous of odours.

There cannot be the slightest doubt that it is the site which renders Greenock pre-eminently the most unhealthy Town of Scotland.

In former Reports it was shown that males die in a much higher proportion than females. The same fact was strikingly manifested in 1859. Thus, while females only died at the rate of 195 during the year out of every ten thousand females living, 213 males died out of every ten thousand males in the population.

As has been clearly pointed out in former Reports, this higher male mortality is not caused, as is usually averred, by the more unhealthy occupations

---

TABLE XXII.—DEATHS, 1859. Population of the Insular Districts of Scotland at Different Ages in 1859; the Number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

AGES.	INSULAR DISTRICTS, 1859.					
	POPULATION.		DEATHS.		Per Cent. of Deaths to the Population at each Age.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	2,012	1,892	259	180	12·872	9·513
— 2	1,942	1,878	66	67	3·398	3·541
— 3	2,049	2,015	41	27	2·001	1·339
— 4	2,003	1,910	19	14	0·948	0·732
— 5	2,088	1,952	16	18	0·766	0·922
Total under 5 Years	10,094	9,647	401	306	3·972	3·171
5—10	9,570	9,254	40	45	0·417	0·486
10—15	8,777	8,458	21	33	0·239	0·390
15—20	7,598	8,330	45	38	0·592	0·456
20—30	10,330	14,509	115	101	1·113	0·696
30—40	7,710	11,017	64	91	0·830	0·825
40—50	6,460	8,803	69	77	1·067	0·874
50—60	5,627	7,056	71	105	1·261	1·522
60—70	4,681	6,089	113	138	2·414	2·266
70—80	2,331	3,155	151	208	6·477	6·592
80—90	811	1,310	111	188	13·687	14·351
90—100	85	157	30	38	35·294	24·204
100 and above	5	19	5	9	100·000	47·368
Not stated	–	–	16	4	–	–
ALL AGES	74,079	87,804	1,252	1,381	1·6901	1·5728
BOTH SEXES	161,883		2,633		1·6264	

of a great portion of the males, nor to their greater use and abuse of alcoholic drinks, of tobacco, etc., but is apparently an impressed law of nature, whereby the male is more liable to death than the female at all periods of life. This, as in former years, is strikingly exemplified in Table XXI., in which it will be seen that at all ages, from birth to extreme old age, the male is cut off in a higher proportion than the female; nay, that the difference is most striking while he is still a babe at the breast, and is treated in all respects as the female infant. Thus, in Scotland, in 1859, while only 1154 female infants under one year of age died out of every ten thousand female children of that age, 1418 males under one year died out of every ten thousand male infants of that age.

This lower female Death-rate was noticed in all the three great groups of Districts into which Scotland has been divided. Thus, in the Insular Districts, while females died in the proportion of 157 in every ten thousand females in the population, the proportion was 169 Deaths in every ten thousand males. In the Mainland-Rural Districts, only 173 in every ten thousand females died, but the proportion was 181 Deaths in every ten thousand males. In the Town Districts, only 236 females died during the year out of every ten thousand females, but the proportion amounted to 271 Deaths in every ten thousand males.

This lower Death-rate in the female at all ages has been remarked in Scotland ever since the Registration Act gave us the means of ascertaining the fact. It may therefore be considered as an established fact in so far as regards the Scottish people. The Scottish results, therefore, generally agree with the Swedish Tables of Mortality and probabilities of life, drawn up independently by Dr Price and by Mr Milne, with the Chester Tables, and

TABLE XXIII.—DEATHS, 1859. Population at Different Ages of the Mainland-Rural Districts of Scotland in 1859; the number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

AGES.	MAINLAND-RURAL DISTRICTS, 1859.					
	POPULATION.		DEATHS.		Per Cent. of Deaths to the Population at each Age.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	25,905	24,969	3,004	2,285	11·596	9·151
— 2	24,510	23,621	1,148	1,114	4·683	4·716
— 3	24,780	23,939	591	642	2·384	2·681
— 4	24,307	23,433	442	471	1·818	2·010
— 5	24,006	23,011	293	286	1·220	1·242
Total under 5 Years	123,508	118,973	5,478	4,798	4·435	4·025
5—10	110,737	106,235	891	885	0·804	0·833
10—15	100,056	94,119	427	450	0·426	0·478
15—20	88,428	86,808	573	506	0·647	0·582
20—30	124,357	147,230	1,074	1,109	0·863	0·753
30—40	93,340	110,271	785	926	0·841	0·839
40—50	77,890	88,938	862	815	1·106	0·916
50—60	59,922	68,042	992	979	1·655	1·434
60—70	41,496	51,442	1,364	1,453	3·287	2·824
70—80	19,442	26,234	1,606	1,983	8·260	7·558
80—90	5,540	8,521	1,038	1,425	18·736	13·284
90—100	426	787	171	268	40·140	34·053
100 and above	23	32	7	13	30·435	40·625
Not stated	–	–	49	32	–	–
ALL AGES	845,165	907,632	15,317	15,642	1·8123	1·7234
BOTH SEXES	1,752,797		30,959		1·7662	

with those drawn up by Mr Finlaison for the British Government, founded on the results of the mortality among the Government Life Annuitants and Tontines.

On the other hand, these Scottish Tables are opposed in this respect to the elaborate series of Tables drawn up by the Registrar-General of England, and commonly known as "The English Life Table," founded on the results of the Registration of Deaths in England from 1838 to 1844, and the Census of 1841. These English Tables, on the other hand, seem to show that the female in England dies at a higher rate than the male at all ages, from the end of the first year to the thirty-ninth year of life; and the whole of the elaborate calculations as to the value of annuities for the different sexes at the different ages of life, the premiums for insurance on life, etc., are founded on that supposition. It would be well to see whether the same facts are exhibited at the present day, when the entries on the registers are more to be trusted, and the value of giving accurate returns of the ages at the taking of the Census is better recognised. One would expect that the proportional Death-rate of male and female at the respective ages would be alike in both countries.

The baneful influence of a Town residence on human life is, however, shown most pointedly by looking at the extreme difference between the mortality of infants under one year of age in the Town and in the Mainland-Rural Districts. (Tables XXIII. and XXIV.)

In the Town Districts male infants under one year of age died during the year at the rate of 18·1 out of every 100 living at the same age; but in the Mainland-Rural Districts only 11·5 male infants died in every 100 living. The same was the case with the females. In the Town Districts

TABLE XXIV.—DEATHS, 1859. Population at Different Ages of the Town Districts of Scotland in 1859, the Number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

AGES.	TOWN DISTRICTS, 1859.					
	POPULATION.		DEATHS.		Per Cent. of Deaths to the Population at each Age.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	17,640	16,976	3,198	2,597	18·120	15·298
— 2	15,212	14,773	1,629	1,533	10·710	10·379
— 3	15,176	14,660	876	834	5·772	5·689
— 4	14,306	14,267	515	520	3·599	3·644
— 5	13,875	13,440	391	419	2·818	3·117
Total under 5 Years	76,209	74,116	6,609	5,903	8·672	7·964
5—10	62,179	61,252	839	793	1·349	1·294
10—15	54,666	53,175	302	297	0·552	0·558
15—20	52,868	59,891	460	425	0·870	0·709
20—30	92,245	119,015	956	1,036	1·036	0·870
30—40	66,818	83,194	898	1,032	1·343	1·240
40—50	50,853	61,921	935	862	1·842	1·360
50—60	33,161	42,696	943	948	2·843	2·220
60—70	18,644	27,784	936	1,094	5·020	3·937
70—80	6,607	11,206	774	1,070	11·714	9·548
80—90	1,387	2,680	317	522	22·855	19·477
90—100	91	235	30	102	32·967	43·404
100 and above	3	6	1	4	33·333	–
Not stated	–	–	19	15	–	–
ALL AGES	515,731	597,171	14,019	14,103	2·7189	2·3616
BOTH SEXES	1,112,902		28,122		2·5269	

15·2 female infants under one year of age died out of every 100 living at the same age; while in the Mainland-Rural Districts only 9·1 female infants died out of every 100 under one year of age.

No fact could more strikingly illustrate the advantage which would result to the public and to each family concerned, were every one, who had it in his power, to rear his children in the Country instead of in the Town.

But the other facts brought out in these Tables, XXIII. and XXIV., prove that at all periods of life the Country is more healthy than the Town, and that the chances of life are much greater in the Country than in the Town. Thus, take the active period of life, 20–30, it appears that in 1859 the male inhabitants of the Town were cut off at the rate of 103 in every ten thousand males, whereas in the Mainland-Rural Districts only 86 males died out of a like population. Between 30 and 40 years of life, 134 males died in the Town Districts in every ten thousand males; but in the Mainland-Rural Districts only 84 males died out of a like number living.

This, again, illustrates the advantage to health and life which would result from every adult, who could afford it, living in the Country, even though he carried on business in the Town; and the rapidity of locomotion by the railways puts it in the power of many to avail themselves of this longer lease of life, which a rural residence is now clearly proved to confer.

Tables XXVI. to XXXIII. show the mortality of the sexes at different ages in the Eight Principal Towns of Scotland; and, with the Tables given at pp. xxxiv to xli of last Report, complete a five years' summary of the facts relative to the mortality of the population of each of these Towns at different ages. These Tables merit the careful study of those philanthropists who devote time and attention to the amelioration of the evils which attend our social life.

Causes of Death.

As some misapprehension seems to exist regarding the difference between a *Statistical* and a *Scientific* Nosology (or Classification of Diseases), most people imagining them to be the same, a word of explanation seems requisite.

A *Scientific* Nosology being a purely theoretical Classification of Diseases, takes it for granted that every Disease is accurately known, and

Table XXV.—TOWN DEATHS, 1855–1859. Per Centage of Deaths to the Corrected Population of each of the Eight Principal Towns of Scotland, and the Mean Annual Mortality during Five Years.

	Per Centage of Deaths to Population.					
	1855.	1856.	1857.	1858.	1859.	Mean Annual Mortality.
Glasgow	2·99	2·84	3·08	3·05	2·83	2·96
Edinburgh	2·57	2·49	2·26	2·49	2·19	2·40
Dundee	2·53	2·84	2·57	2·64	2·53	2·62
Aberdeen	2·28	2·26	2·34	2·20	2·28	2·27
Paisley	2·76	2·30	3·02	2·67	2·49	2·65
Greenock	3·38	3·03	3·06	2·59	3·34	3·08
Leith	1·96	2·39	2·17	2·26	1·98	2·15
Perth	2·19	2·19	3·10	2·67	2·24	2·48

can be referred to its exact Species. Hence, in such a classification, every Disease is arranged under the primary affection, and not under the secondary complications which may arise in the course of the Disease. No vague terms, therefore, are used in a *Scientific* Nosology, as it assumes that every Disease can be referred to its proper Class and Species.

A *Statistical* Nosology, on the other hand, must be a practical one, and it must be so drawn up as to give *an accurate abstract of all the Causes of Death entered on the Register Books.* It, therefore, takes as its basis the most intelligent Scientific Nosology on which its framers can lay their hands, and adopts as its leading principle the rule, that every Disease causing Death must be tabulated under the *primary* Disease, and not under its secondary complications. That is to say, a case of Consumption proving fatal by an attack of Pneumonia supervening a week or two before the Death, is tabulated as Consumption, and not as Pneumonia. In like manner, a case of Measles, terminating fatally by an attack of Bronchitis, or Convulsions, is tabulated as Measles, and not as Bronchitis or Convulsions. *In so far*, then, there is no difference between a *Scientific* and a *Statistical* Classification of Diseases.

But as a Statistical Nosology has to deal with *facts* and not with theories, and as the Statistical Tables must exhibit the whole Deaths on the Registers, arranged so far as possible under their proper heads, *it requires to make additions to almost every Class of Diseases, in order that all those whose definitions are too imperfectly given in the Registers, to enable them to be referred to their exact Species*, may be tabulated under their proper Class. Hence, for instance, after exhausting all the known specific Diseases of the Brain, as Cephalitis, Apoplexy, Epilepsy, etc., the Statistical Nosology requires to add the vague term "Diseases of the Brain," meaning thereby all the Diseases of the Brain and Nervous System, so indefinitely returned in the Register Books that they could not be referred to any of the particular

TABLE XXVI.—GLASGOW, 1859. Population and Deaths at Different Ages in 1859, and the per Centage of Deaths to the Population at each Age.

AGES.	POPULATION, 1859.		DEATHS.		Per Cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	6,492	6,149	1,360	1,088	20·94	17·69
— 2	5,300	5,210	776	726	14·64	13·93
— 3	5,115	5,072	416	356	8·13	7·02
— 4	4,787	4,849	231	232	4·82	4·78
— 5	4,621	4,475	168	191	3·63	4·27
Total under 5 Years	26,315	25,756	2,951	2,593	11·21	10·06
5—10	20,396	20,180	342	324	1·67	1·60
10—15	18,180	17,877	118	108	0·64	0·60
15—20	19,148	21,400	167	166	0·87	0·78
20—30	35,515	43,888	373	413	1·05	0·94
30—40	24,679	29,226	322	387	1·30	1·32
40—50	17,789	20,501	339	333	1·90	1·62
50—60	10,379	13,005	312	333	3·00	2·56
60—70	5,233	7,700	276	346	5·27	4·49
70—80	1,492	2,662	154	260	10·32	9·76
80—90	282	538	70	109	24·82	20·26
90—100	18	55	9	18	50·00	32·72
100 and above	–	3	0	2	–	66·66
Not stated	–	–	3	4	–	–
ALL AGES	179,426	202,791	5,436	5,396	3·02	2·66
BOTH SEXES	382,217		10,832		2·83	

species. The same happens with Lung Disease, Stomach Disease, Kidney Disease, etc. etc.

But there are other Diseases which prove fatal where the primary cause has not been ascertained, either from there being no medical attendant present, or from the medical attendant being himself at a loss as to the primary affection. Dropsy is of this nature. In a Statistical Nosology, therefore, such a Disease must have a place. But the Deaths tabulated under that term are those only in which the organ primarily affected was not distinguished; otherwise, had it been designated "Dropsy from Diseased Heart," or from "Diseased Kidney," it would have been tabulated under Heart Disease, or Kidney Disease, and not under Dropsy.

The same principle applies to all other Diseases and Classes of Disease. For most practical purposes it is only important to know the total number of Deaths in a population caused by certain Classes of Disease—say, for instance, Diseases of the Respiratory Organs. Were a purely *Scientific* Classification followed, a great mass of Lung Diseases, whose names were not accurately defined in the Register Books, would be thrown out and put under "causes not ascertained, or too ill defined to be referred to their class." In such a faulty Classification, the population would seem to be much more free from affections of the Respiratory Organs than they were in reality; but by converting the *Scientific* into a *Statistical* Nosology, and adding these vague terms at the end of every Class, all the Deaths from *each Class of Diseases*, at all events, are accurately ascertained, and true conclusions as to the relative freedom from, or susceptibility to, certain Classes of Disease arrived at.

Both in England and in Scotland, therefore, their Statistical Nosologies contain the same vague terms. In no other manner could the Tables of Diseases be *correct abstracts of the causes of death entered on the Register Books.*

The medical practitioners, however, could do much to diminish the

TABLE XXVII.—EDINBURGH, 1859. Population and Deaths at Different Ages in 1859, and the per Centage of Deaths to the Population at each Age.

AGES.	POPULATION, 1859.		DEATHS.		Per Cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	2,190	2,307	377	325	17·21	14·08
— 2	1,967	1,981	136	143	6·90	7·21
— 3	1,940	1,890	72	69	3·71	3·64
— 4	1,817	1,879	42	46	2·31	2·44
— 5	1,900	1,741	23	24	1·21	1·37
Total under 5 Years	9,814	9,798	650	607	6·62	6·19
5—10	8,549	8,452	55	70	0·64	0·82
10—15	7,929	7,772	33	33	0·41	0·42
15—20	7,932	9,647	58	48	0·73	0·49
20—30	14,460	19,420	168	151	1·16	0·78
30—40	9,784	13,341	168	173	1·71	1·29
40—50	7,358	10,207	173	133	2·36	1·30
50—60	5,022	7,408	158	159	3·14	2·14
60—70	2,981	4,903	168	188	5·63	3·81
70—80	1,165	2,015	147	190	12·61	9·42
80—90	215	457	56	89	26·04	19·47
90—100	10	40	2	24	20·00	60·00
100 and above	–	1	–	–	–	–
Not stated	–	–	–	2	–	–
ALL AGES	75,219	93,461	1,836	1,867	2·44	1·99
BOTH SEXES	168,680		3,703		2·19	

numbers which at present require to be tabulated under the above vague terms, by specifying in every case the primary Disease, as well as the secondary complications.

Of the 61,714 Deaths registered in Scotland during the year 1859, the Cause of Death was assigned in 58,208 cases, leaving only a fraction more than 5½ per cent. of the cases in which no Cause of Death was mentioned. Nearly an exact half of these were children under one year of age, who had not had the benefit of medical attendance.

Class I. *Zymotic Diseases.*

The Zymotic (or Epidemic and Contagious) Class of Diseases cut off 14,640 persons in Scotland during the year 1859, thus constituting 25·15 per cent. of the specified Causes of Death. Allowing for the proportion in which the Causes of Death were not specified, this would indicate that, in every hundred thousand of the population, 512 had died from the Zymotic Class of Diseases during the year 1859. This is a proportion considerably higher than the mean of the four previous years, when only 499 died annually from the Zymotic Class of Diseases in every hundred thousand persons.

It is the common belief—founded, too, on general observation—that the years when Epidemics prevail, are those when the mean mortality rises above the average. The ascertained facts relative to Scotland in 1859, however, prove that Epidemics may be more than usually prevalent, and that, notwithstanding this, the mortality may be considerably below its average; for in 1859 the mean annual mortality was lower than that of the four previous years, but yet the Epidemic mortality, which embraced a fourth of the total Deaths, was greatly above its average. This fact, then, proves that the mere fact of Epidemics prevailing does not of itself prove a year to be necessarily unhealthy, seeing that the atmospheric agencies,

Table XXVIII.—DUNDEE, 1859. Population and Deaths at Different Ages, and the per Centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per Cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,432	1,312	239	245	16·69	18·67
— 2	1,115	1,119	124	152	11·12	13·58
— 3	1,256	1,109	62	61	4·93	5·50
— 4	1,089	1,068	42	49	3·85	4·58
— 5	1,054	1,070	36	39	3·41	3·64
Total under 5 Years	5,946	5,678	503	546	8·46	9·61
5—10	4,995	4,912	63	59	1·26	1·20
10—15	4,445	4,397	19	24	0·42	0·54
15—20	4,030	5,393	41	50	1·01	0·92
20—30	6,746	10,885	71	83	1·05	0·76
30—40	4,939	7,013	56	71	1·13	1·01
40—50	3,842	5,128	66	76	1·71	1·48
50—60	2,752	3,481	76	83	2·75	2·38
60—70	1,354	2,032	92	86	6·79	4·23
70—80	448	734	55	66	12·27	8·99
80—90	79	175	24	37	30·36	21·14
90—100	11	14	3	9	27·27	64·35
100 and above	1	1	–	1	–	100·00
Not stated	–	–	6	3	–	–
All Ages	39,588	49,743	1,075	1,194	2·71	2·40
Both Sexes	89,331		2,269		2·53	

though favouring the development of certain Epidemics, may yet be so favourable to the general health, that the saving of life and lessened mortality from all the ordinary Diseases may more than counterbalance the extra Deaths from the Epidemic maladies.

During the year 1859 the mortality from the Zymotic Diseases in England considerably exceeded that of Scotland, amounting to 537 Deaths in every hundred thousand persons of the population—making the English Tables corresponding with the Scottish as to the Diseases classed under the heading Zymotic.

Density of population always favours the spread of Epidemic Diseases; and this may account for the fact, that in years when Epidemics prevail the mortality thereof is higher in England than in Scotland. In Scotland itself this element is conspicuously seen in the very different mortality caused by these Diseases in the Town and in the Rural Districts. Thus, in the Insular Districts, where the population is excessively scattered, only 296 Deaths from the Zymotic Class of Diseases occurred in every hundred thousand inhabitants; in the Mainland-Rural Districts, where the population is much more dense, and is here and there collected into villages and small towns, the Deaths from the Zymotic Class amounted to 418 in every hundred thousand persons; whereas in the Town Districts, where the inhabitants are crowded together, the Zymotic Class of Diseases proved fatal to 689 persons in every hundred thousand inhabitants. The crowding, however, is merely one, but a very important, element of the unhealthiness of the Towns.

Of the Eight Principal Towns, Greenock suffered most severely from these Epidemic Diseases during 1859, losing 130 in every ten thousand inhabitants. Glasgow lost 80, Dundee 74, Paisley 60, Aberdeen 52, Perth 42, Edinburgh 40, and Leith 32, out of every ten thousand of the respective populations.

TABLE XXIX.—ABERDEEN, 1859. Population and Deaths at Different Ages, and the per Centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per Cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,029	990	167	113	16·23	11·41
— 2	925	875	73	51	7·88	5·82
— 3	945	927	42	49	4·44	5·28
— 4	901	890	20	29	2·21	3·25
— 5	879	833	22	23	2·52	2·76
Total under 5 Years	4,679	4,515	324	265	6·92	5·86
5—10	4,198	4,014	59	37	1·38	0·92
10—15	3,814	3,873	23	19	0·60	0·49
15—20	3,338	3,817	30	26	0·86	0·67
20—30	4,950	7,440	37	60	0·74	0·80
30—40	3,703	5,602	47	64	1·26	1·14
40—50	3,162	4,446	46	49	1·46	1·10
50—60	2,353	3,433	74	63	3·14	1·83
60—70	1,406	2,431	63	83	4·48	3·41
70—80	619	1,173	82	128	13·24	10·91
80—90	153	340	23	57	15·03	16·76
90—100	11	31	2	10	18·18	32·25
100 and above	–	1	–	–	–	–
Not stated	–	–	4	1	–	–
ALL AGES	32,386	41,116	814	862	2·51	2·09
BOTH SEXES	73,502		1,676		2·28	

Of the 14,640 Deaths by the Zymotic Class of Diseases, 7038 were males and 7602 females; being in the proportion of 522 male Deaths, and 504 female Deaths from these Diseases in every hundred thousand of the respective sexes. In former Reports it was pointed out that the proportion of males cut off by the Zymotic Diseases, though higher than that of the females, was in reality relatively lower than the respective Deaths of the sexes from all causes. Thus the sexes in the general population were cut off at the rate of 2131 males for every 1954 females in every hundred thousand persons of each sex. Had the Zymotic Diseases cut off the respective sexes in the same proportion, then 549 males ought to have died for every 504 females; whereas the males were only cut off at the rate of 522, or in a lower relative proportion than from all other Diseases.

Of the individual Zymotic Diseases, Small-pox caused 682 Deaths; being in the low proportion of 24 Deaths in every hundred thousand inhabitants during the year,—a proportion below the average of the four preceding years, which gave 34 Deaths from Small-pox annually in a like population.

Measles caused 972 Deaths, being in the proportion of 33 Deaths in every hundred thousand persons; also a proportion below that of the four previous years, when Measles caused 42 Deaths annually in a like population.

Scarlatina was the most fatal Epidemic during the year, and cut off 3614 persons; being in the proportion of 126 Deaths in every hundred thousand persons. During the four previous years the average annual number of Deaths from Scarlatina, in a like population, amounted to 89 only; so that the year 1859 was one when this Disease was especially prevalent and fatal. England, during the same year, exhibited a like high mortality from Scarlatina,—being in the proportion of 102 persons from that Disease in every hundred thousand persons; so that Scarlatina may be said to have been the leading Epidemic both in England and Scotland during the year 1859.

This, like almost every other Disease, was most fatal in the Town Dis-

TABLE XXX.—PAISLEY, 1859. Population and Deaths at Different Ages, and the per Centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per Cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	772	766	104	109	13·41	14·22
— 2	669	648	69	51	10·31	7·87
— 3	712	631	35	36	4·91	5·70
— 4	643	632	19	23	2·95	3·63
— 5	611	571	22	27	3·60	4·72
Total under 5 Years	3,407	3,248	249	246	7·30	7·57
5—10	2,781	2,842	43	30	1·54	1·05
10—15	2,498	2,440	18	13	0·72	0·53
15—20	2,171	2,645	21	22	0·96	0·83
20—30	3,563	4,739	39	36	1·09	0·76
30—40	2,665	3,283	39	40	1·46	1·21
40—50	2,139	2,554	38	38	1·78	1·48
50—60	1,461	1,834	47	45	3·21	2·45
60—70	909	1,235	39	50	4·29	4·04
70—80	368	550	41	51	11·14	9·27
80—90	82	124	14	23	17·07	18·54
90—100	12	9	2	1	16·66	11·11
100 and above	–	–	–	–	–	–
Not stated	–	–	–	–	–	–
ALL AGES	22,056	25,503	590	595	2·67	2·33
BOTH SEXES	47,559		1,185		2·49	

tricts. Thus, in every hundred thousand persons living respectively in the Insular, the Mainland-Rural, and the Town Districts, there died from Scarlatina during the year, 26 in the Insular, 106 in the Mainland-Rural, and 170 in the Town Districts.

Diphtheria caused 415 Deaths in Scotland during the year, being at the rate of 14 Deaths in every hundred thousand persons. As remarked in last Report, this Disease first showed itself in Scotland in 1857, as it did also in England, and increased and spread along with an Epidemic of Scarlatina. It is very important to note this fact, inasmuch as these two Diseases seem to be most intimately related, if not varieties of one another, and so far as yet traced, seem to be under the same yet unknown atmospheric agencies. Thus, in Scotland at least—for the Disease was not distinguished in the English Tables till 1859—when the Epidemic of Scarlatina was not widely extended nor very fatal, the cases of Diphtheria were few, but in proportion as the Epidemic of Scarlatina increased in prevalence and fatality, so did Diphtheria. Thus, in 1857, the Deaths from Scarlatina amounted to 2235, those from Diphtheria to 76. In 1858 the Scarlatina Deaths numbered 2671, and those from Diphtheria rose to 294. In 1859 the Deaths from Scarlatina increased to 3614, while the Deaths from Diphtheria rose to 415. From a supplemental Table published by the Registrar-General of England in 1863, it appears that Diphtheria in England manifested a like rise during these years, inasmuch as only 310 Deaths therefrom were recorded in 1857, while 4836 Deaths occurred in 1858, and 9587 Deaths from Diphtheria in 1859. From these facts, then, it seems reasonable to conclude that the same unknown atmospheric agencies which favour the development and spread of Scarlatina, also favour the development and spread of Diphtheria; and the same cannot be said of any two of the other Epidemics, so far as yet observed, if we except Diarrhœa and Cholera, which differ in degree rather than in kind.

TABLE XXXI.—GREENOCK, 1859. Population and Deaths at Different Ages, and the per Centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per Cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	747	670	190	123	25·43	18·35
— 2	578	575	82	99	14·18	17·21
— 3	627	582	54	56	8·61	9·62
— 4	597	590	52	40	8·71	6·78
— 5	547	555	28	33	5·11	5·94
Total under 5 Years	3,096	2,972	406	351	13·11	11·81
5—10	2,482	2,412	51	72	2·05	2·98
10—15	2,095	1,986	16	10	0·76	0·50
15—20	2,045	1,997	22	15	1·07	0·75
20—30	4,006	4,181	39	35	0·97	0·83
30—40	2,924	3,198	44	41	1·50	1·28
40—50	2,085	2,247	35	30	1·67	1·33
50—60	1,201	1,408	39	38	3·24	2·69
60—70	638	929	30	44	4·70	4·52
70—80	220	335	23	43	10·45	12·23
80—90	36	89	8	25	22·22	28·09
90—100	4	8	1	5	25·00	62·50
100 and above	1	1	–	–	–	–
Not stated	–	–	–	–	–	–
ALL AGES	20,833	21,763	714	709	3·42	3·25
BOTH SEXES	42,596		1,423		3·34	

The close analogy between Scarlatina and Diphtheria is still further manifested by the fact, that though both by preference attack children under 10 years of age, the fatal forms of Scarlatina (viz., Scarlatina Anginosa, and Scarlatina or Cynanche Maligna) and of Diphtheria appear more frequently among the elder children of a family, while the younger branches often experience a less deadly form of these maladies.

Hooping-cough, which is always one of the fatal Diseases of childhood, caused 2660 Deaths in Scotland during the year; being in the proportion of 93 Deaths in every hundred thousand persons. Hooping-cough is almost the only Epidemic Disease which proves more fatal to the female than to the male. Thus, while in 1859 males were only cut off in the proportion of 90 in every hundred thousand males, 95 females died out of an equal female population. This remarkable peculiarity in Hooping-cough is constant. Thus, from the five years' Registrations, 1855 to 1859 inclusive, it appears that only 63 males died annually from Hooping-cough out of every hundred thousand males, but 78 females in a like female population.

Like most Epidemics, the mortality from Hooping-cough was greatest in the Town Districts. Thus, in every hundred thousand persons in each of the respective Districts, 30 died from Hooping-cough in the Insular, 53 in the Mainland-Rural, but 162 in the Town Districts. In some of the Principal Towns, however, where Hooping-cough raged with severity, this proportion was greatly exceeded; Glasgow losing in the proportion of 242, and Greenock 272 by that Epidemic, in a like population.

Croup cut off 921 persons in Scotland during the year, or very nearly the same number as Measles; being in the proportion of 32 Deaths in every hundred thousand persons. Croup agrees with the other Epidemics, in that it is more fatal to the males than to the females; in an equal number of either sex, 35 males dying by that Disease for every 29 females.

The comparative mortality of the Bowel Complaints, Diarrhœa, Dysen-

TABLE XXXII.—LEITH, 1859. Population and Deaths at Different Ages, and the per Centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per Cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	563	520	74	69	13·14	13·26
— 2	541	565	36	33	6·65	5·84
— 3	477	479	21	19	4·40	3·96
— 4	478	472	6	4	1·25	0·84
— 5	467	433	6	2	1·28	0·46
Total under 5 Years	2,526	2,369	143	127	5·66	5·36
5—10	2,000	1,988	12	18	0·60	0·90
10—15	1,800	1,638	7	8	0·38	0·48
15—20	1,585	1,660	11	3	0·69	0·18
20—30	3,619	3,228	27	25	0·74	0·77
30—40	2,483	2,534	24	37	0·96	1·46
40—50	1,659	1,909	27	27	1·62	1·41
50—60	972	1,254	29	25	2·98	1·99
60—70	536	843	29	33	5·41	3·91
70—80	194	344	18	39	9·27	11·33
80—90	35	80	8	18	22·85	22·50
90—100	1	2	–	2	–	100·00
100 and above	–	–	–	–	–	–
Not stated	–	–	1	1	–	–
ALL AGES	17,410	17,849	336	363	1·93	2·03
BOTH SEXES	35,259		699		1·98	

tery, and Cholera, are year by year so closely regulated by the height to which the temperature rises during the summer and autumn months, that they might almost be reckoned a kind of meter or gauge by which the mean highest temperature of the year might be estimated. When the mean monthly temperature progressively increases through June, July, and August, and attains a maximum mean temperature in August of, or near, 60° Fahr., then these Bowel Complaints become frequent, and the mortality therefrom rises high. This was notably the case in Scotland in 1857. When, however, the maximum mean monthly temperature is attained in June or July, and the mean temperature of August is 2° or 3° below 60° Fahr., Bowel Complaints are much less prevalent and fatal. This was the case in 1859. The highest mean monthly temperature was attained in July, viz., 59°; while the mean temperature of June had only been 56°·6, and that of August 57°·8. The consequence was, that in 1859 only 1273 Deaths occurred from Diarrhœa, 469 from Dysentery, and 146 from Cholera; or in the respective proportions of 44, 16, and 5 Deaths in every hundred thousand persons of the population. In 1857, when the mean temperature went on increasing, and attained its maximum of 60° in August, the respective proportion of Deaths from each of these Diseases was 73, 33, and 6, in a like population.

The fact of the summer and autumnal Bowel Complaints being thus proved to be mainly dependent on the amount of temperature, naturally explains how it happens that by far the most speedy and successful treatment of such complaints is effected by the very simple means of freely using, as a diet drink, water pleasantly acidulated with sulphuric acid, which gratefully cools, while it restores tone to the system, and rapidly arrests the Disease.

Typhus, in its varied forms, was the third most fatal of the Zymotic

---

Table XXXIII.—PERTH, 1859. Population and Deaths at Different Ages, and the per Centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per Cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	341	327	54	50	15·83	15·29
— 2	314	311	23	22	7·32	7·07
— 3	307	292	4	4	1·30	1·37
— 4	329	301	6	5	1·82	1·66
— 5	277	280	3	1	1·08	0·35
Total under 5 Years	1,568	1,511	90	82	5·74	5·42
5—10	1,302	1,344	7	15	0·53	1·11
10—15	1,239	1,219	3	8	0·24	0·65
15—20	1,208	1,270	9	7	0·74	0·55
20—30	1,936	2,400	19	26	0·98	1·08
30—40	1,486	1,857	19	22	1·27	1·19
40—50	1,137	1,445	23	15	2·02	1·03
50—60	815	1,110	23	21	2·82	1·89
60—70	519	857	28	33	5·31	3·85
70—80	231	377	36	34	15·58	9·02
80—90	62	94	13	24	20·96	25·53
90—100	3	5	1	1	33·33	20·00
100 and above	–	–	–	–	–	–
Not stated	–	–	1	–	–	–
All Ages	11,506	13,489	272	288	2·36	2·14
Both Sexes	24,995		560		2·24	

Diseases in Scotland during 1859; causing 2436 Deaths, or in the proportion of 85 Deaths in every hundred thousand persons in the population. This was a proportion considerably lower than the average of the four pre-

TABLE XXXIV.—DEATHS, 1859. Proportion of Deaths from different Diseases in every hundred thousand persons of the Population, and of either Sex, in Scotland and in its Three Great Groups of Districts, the Insular, the Mainland-Rural, and the Town Districts, during 1859; allowance being made for the Causes of Death not specified.

1859.	Scotland.			Insular Districts.			Mainland-Rural Districts.			Town Districts.		
	Proportion of Deaths in every 100,000 living.			Proportion of Deaths in every 100,000 living.			Proportion of Deaths in every 100,000 living.			Proportion of Deaths in every 100,000 living.		
DISEASES.	Both Sexes.	Males.	Female.	Both Sexes.	Males.	Female.	Both Sexes.	Males.	Female.	Both Sexes.	Males.	Female.
All Causes . . .	2038	2131	1954	1626	1690	1572	1766	1812	1723	2526	2718	2361
1. Zymotic Class . . .	512	522	504	296	328	273	418	412	421	689	722	658
2. Uncertain Seat . .	85	70	98	85	85	86	81	67	94	91	73	105
3. Tubercular Class .	348	367	331	238	238	238	279	286	272	471	516	428
4. Nervous System . .	167	190	145	83	101	69	141	156	127	218	258	183
5. Organs of Circulation	81	86	77	29	28	29	72	79	66	100	106	96
6. Respiratory Organs	226	246	206	147	152	144	123	192	169	312	347	282
7. Organs of Digestion	160	178	145	100	118	86	144	159	130	195	217	175
8. Urinary Organs . .	24	37	13	16	28	6	23	35	12	28	42	16
9. Generative Organs .	17	–	33	21	–	38	15	–	29	21	–	39
10. Locomotive Organs .	9	10	8	14	9	18	9	9	9	8	12	5
11. Skin, etc.	2	2	2	1	2	–	1	2	1	2	3	2
12. Malformation . . .	5	6	4	4	4	4	3	4	3	6	8	5
13. Premature Debility .	97	114	82	47	52	42	77	91	65	134	160	110
14. Atrophy	16	16	16	7	8	6	13	13	13	22	21	22
15. Age	207	166	243	442	386	487	232	192	270	141	102	174
16. Sudden Deaths . .	3	3	2	7	8	6	2	2	1	3	4	3
17. Violent Deaths . .	71	109	38	76	134	29	67	104	33	78	116	46
Small-pox	24	25	22	5	5	4	10	11	9	46	50	42
Measles	33	37	31	46	49	43	27	30	24	43	47	39
Scarlatina	126	133	120	26	36	17	106	110	103	170	181	160
Diphtheria	14	12	16	1	1	2	17	14	21	11	11	10
Hooping-cough . .	93	90	95	30	25	34	53	52	55	162	161	162
Croup	32	35	29	34	36	31	30	32	27	34	40	31
DIARRHŒA . .	44	48	41	26	25	25	36	38	34	60	68	52
Dysentery	16	15	16	5	4	6	14	13	15	20	25	19
Cholera	5	5	4	2	5	–	4	5	4	5	7	4
Influenza	10	9	10	55	62	47	10	10	11	3	2	4
Infantile Fever . .	2	2	2	1	–	2	2	2	1	2	2	3
TYPHUS	85	84	85	43	51	37	81	77	86	96	101	93
Metria	6	–	11	4	–	7	5	–	10	7	–	13
Erysipelas	8	9	9	4	4	3	7	6	7	11	14	9
Dropsy	35	32	39	52	48	55	34	30	37	36	33	39
Cancer	35	23	46	26	29	23	34	23	45	36	21	50
Scrofula	15	19	12	11	14	7	14	16	11	18	23	14
Tabes Mesenterica .	21	23	19	8	8	7	11	17	17	29	34	25
PHTHISIS . . .	251	254	248	194	195	205	303	199	207	332	350	316
Hydrocephalus . .	76	70	50	23	20	17	44	51	37	90	109	75
Apoplexy	39	44	35	13	16	10	35	37	32	50	59	43
Paralysis	49	49	49	29	35	25	49	49	53	52	52	51
Epilepsy	6	7	5	3	1	4	5	6	4	8	9	7
Convulsions . . .	26	32	20	8	12	4	15	19	15	44	56	35
BRONCHITIS . .	113	114	111	63	66	62	84	83	87	160	171	152
Pneumonia . . .	66	80	53	14	17	11	52	63	42	94	117	75
Teething	34	38	31	4	4	3	22	24	20	58	66	51
Enteritis	29	34	25	16	22	10	25	30	21	36	41	33
All Liver Diseases .	29	33	24	22	25	18	28	30	24	31	37	26
CHILDBIRTH . .	11	–	22	17	–	31	9	–	17	14	–	27
Burns and Scalds .	10	10	10	11	8	12	9	8	10	12	13	11
Drowning	14	26	4	42	82	9	15	25	5	10	19	3
Fracture & Contusion	25	43	8	11	22	2	24	42	7	28	48	10

vious years, which indicated a mean proportion of 995 Deaths annually in every hundred thousand persons.

Of the other Zymotic Diseases, Influenza caused 294 Deaths; Erysipelas, 247; Metria, 175; Syphilis, 90, of which 70 were congenital;

TABLE XXXV.—DEATHS, 1859. Proportion of Deaths from different Diseases in every ten thousand Deaths from Specified Causes, in Scotland and in its Three Great Groups of Districts, the Insular, the Mainland-Rural, and the Town Districts, in 1859; distinguishing the proportional mortality in both Sexes, and in the Males and Females.

1859.	Scotland.			Insular Districts.			Mainland-Rural Districts.			Town Districts.		
DISEASES.	Proportion in every 10,000 Specified Causes.			Proportion in every 10,000 Specified Causes.			Proportion in every 10,000 Specified Causes.			Proportion in every 10,000 Specified Causes.		
	Both Sexes.	Males.	Female.	Both Sexes.	Males.	Female.	Both Sexes.	Males.	Female.	Both Sexes.	Males.	Female.
1. Zymotic Class	2515	2450	2578	1824	1932	1736	2362	2281	2447	2728	2666	2789
2. Uncertain Seat	417	331	503	530	502	553	464	375	550	360	272	447
3. Tubercular Class	1709	1725	1694	1466	1412	1515	1580	1581	1580	1865	1900	1830
4. Nervous System	819	893	747	516	601	442	800	860	742	863	950	778
5. Organs of Circulation	397	405	389	178	167	186	412	437	388	399	390	408
6. Respiratory Organs	1117	1184	1078	909	897	919	1020	1061	982	1236	1277	1195
7. Organs of Digestion	789	837	742	621	700	553	817	882	755	772	800	744
8. Urinary Organs	123	178	70	100	167	42	135	198	74	112	158	68
9. Generative Organs	86	–	170	132	–	246	85	–	168	84	–	166
10. Locomotive Organs	46	50	42	91	59	119	53	52	54	35	48	22
11. Skin, etc.	11	11	10	9	19	–	10	11	10	11	11	11
12. Malformation	24	28	21	31	29	34	22	25	19	26	31	21
13. Premature Debility	475	539	416	291	315	272	440	505	377	529	591	469
14. Atrophy	80	75	84	45	49	42	74	73	76	88	79	97
15. Age	1015	782	1242	2727	2288	3106	1318	1062	1567	559	377	738
16. Sudden Deaths	15	17	13	45	49	42	13	16	11	14	15	13
17. Violent Deaths	352	515	194	475	808	186	383	513	194	311	428	195
Small-pox	117	121	112	36	39	34	61	66	56	182	185	179
Measles	166	174	159	287	295	280	154	166	143	170	173	166
Scarlatina	620	624	617	159	217	110	605	611	598	674	667	681
Diphtheria	71	59	82	13	9	17	101	78	122	44	43	45
Hooping-cough	456	423	489	192	157	221	301	277	323	646	595	689
Croup	158	167	149	200	217	204	171	181	161	140	147	133
DIARRHŒA	218	228	210	159	157	161	203	207	199	239	253	225
Dysentery	80	74	86	36	29	42	84	76	92	79	76	83
Cholera	25	27	22	18	39	–	28	28	28	22	26	18
Influenza	30	46	54	338	374	306	61	56	66	15	11	20
Infantile Fever	12	12	12	9	–	17	13	15	11	11	9	13
TYPHUS	418	398	439	269	305	238	463	428	497	382	371	394
Metria	30	–	59	27	–	51	32	–	63	28	–	56
Erysipelas	42	44	40	27	29	25	39	35	43	46	53	38
Dropsy	176	151	200	325	286	357	195	169	220	144	122	166
Cancer	172	107	235	164	177	153	197	129	264	146	79	212
Scrofula	76	89	64	68	88	51	79	93	66	74	86	62
Tabes Mesenterica	104	111	99	50	49	51	96	98	94	117	127	107
PHTHISIS	1232	1192	1271	1233	1153	130	1152	1102	1201	1315	1288	1342
Hydrocephalus	295	333	260	114	118	110	251	286	291	357	397	317
Apoplexy	195	207	182	82	98	68	109	206	189	200	217	184
Paralysis	243	234	252	182	207	161	282	271	292	206	195	217
Epilepsy	32	35	29	22	9	34	30	35	25	34	36	32
Convulsions	129	152	106	54	78	34	89	105	73	177	207	148
BRONCHITIS	554	539	569	398	394	400	486	461	510	639	631	646
Pneumonia	326	380	274	91	108	76	297	349	246	375	432	320
Teething	171	182	159	27	29	25	124	133	116	231	246	217
Enteritis	145	160	131	100	138	68	146	169	125	148	154	142
All Liver Diseases	139	158	127	137	157	119	159	176	143	125	139	111
CHILDBIRTH	57	–	112	109	–	204	52	–	103	58	–	115
Burns and Scalds	52	47	56	68	49	85	54	46	61	48	48	48
Drowning	72	121	24	261	493	51	85	142	30	43	72	15
Fracture & Contusion	124	205	44	73	138	17	140	236	45	111	177	45

Infantile Fever, 72; Purpura, 31; Worms, 30; Noma, 12; and Ague, the result of the Disease caught abroad, 1 Death.

Class II. *Diseases of Uncertain Seat.*

The Diseases of Uncertain Seat cut off 2433 persons in Scotland during the year, or in the proportion of 85 Deaths in every hundred thousand persons. Of the Diseases under this class, Dropsy and Cancer are the chief; and during the year 1027 died from Dropsy, and 1004 from Cancer, being in the proportion of 35 Deaths by each of these Diseases in every hundred thousand persons of the population. Cancer is one of those Diseases to which females are more liable than males; 310 males, but 694 females, having fallen victims to that painful malady during the year. Taking the five years' annual mortality from that Disease, it would appear that two females die from Cancer for every one male; inasmuch as 22 males, but 44 females, died annually in Scotland from that Disease in every hundred thousand of each sex, during the years 1855 to 1859 inclusive.

Of the other Diseases belonging to this class, Mortification cut off 148; Abscess, 113; Ulcer, 26; Fistula, 12; Gout, 12; and Hæmorrhage, the seat being undefined, 91.

Class III. *Tubercular Diseases.*

The Tubercular Class of Diseases, as a Class, form the second of the most fatal Classes of Diseases to which the inhabitants of Scotland are liable. During the year 1859, that Class of Diseases proved fatal to 9951

Table XXXVI.—TOWN DEATHS, 1859. Per Centage of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland in 1859.

DISEASES.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
Total Deaths	2·833	2·195	2·539	2·280	2·491	3·340	1·982	2·240
Zymotic Class	0·808	0·401	0·743	0·525	0·603	1·305	0·325	0·429
Tubercular Class	0·531	0·413	0·460	0·463	0·487	0·518	0·289	0·412
Brain, etc., Diseases	0·197	0·229	0·242	0·224	0·227	0·213	0·190	0·236
Heart, etc., Diseases	0·077	0·141	0·099	0·110	0·054	0·115	0·121	0·144
Respiratory Organs	0·388	0·298	0·244	0·262	0·220	0·352	0·170	0·176
Digestive Organs	0·229	0·171	0·169	0·161	0·231	0·166	0·138	0·164
Urinary Organs	0·022	0·038	0·030	0·046	0·029	0·035	0·008	0·036
Small-pox	0·052	0·099	0·002	0·023	0·004	0·072	0·124	0·004
Measles	0·040	0·007	0·120	0·012	0·052	0·016	0·005	0·000
Scarlatina	0·201	0·023	0·117	0·053	0·170	0·624	0·031	0·040
Diphtheria	0·006	0·005	0·012	0·054	0·006	0·004	0·022	0·000
Hooping-cough	0·242	0·079	0·155	0·149	0·159	0·272	0·022	0·164
Croup	0·031	0·016	0·066	0·046	0·035	0·056	0·028	0·032
Diarrhœa, Dysentery, Cholera	0·094	0·051	0·096	0·073	0·065	0·096	0·031	0·088
Typhus and Infantile Fever	0·103	0·075	0·137	0·074	0·096	0·122	0·039	0·060
Dropsy	0·037	0·017	0·047	0·032	0·069	0·028	0·022	0·032
Cancer	0·028	0·051	0·030	0·065	0·018	0·039	0·034	0·044
Phthisis	0·381	0·285	0·324	0 280	0·365	0·368	0·170	0·304
Apoplexy	0·042	0·043	0·054	0·044	0·065	0·046	0·051	0·092
Paralysis	0·033	0·060	0·051	0·061	0·075	0·056	0·059	0·076
Convulsions	0·054	0·036	0·083	0·055	0·014	0·037	0·028	0·032
Bronchitis	0·203	0·156	0·087	0·159	0·115	0·192	0·087	0·092
Pneumonia	0·129	0·068	0·092	0·050	0·069	0·105	0·065	0·056
Teething	0·074	0·029	0·077	0·039	0·063	0·082	0·028	0·056

persons, being in the proportion of 348 Deaths in every 100,000 persons of the general population. Of these 9951 persons, 4956 were males, and 4995 females; being in the proportion of 367 male Deaths, and 331 female Deaths, in every 100,000 of each sex respectively.

It would thus appear that the proportion of males cut off by the Tubercular Class of Diseases is somewhat higher in proportion to the female Deaths from the same Class, than occurs in the general population from all causes. Thus, taking the mean annual average of Deaths from the Tubercular Class of Diseases for the five years, 1855 to 1859 inclusive, it is found that 375 males died for every 336 females in every 100,000 of the respective sexes; whereas, had the sexes been cut off in the same proportion as from all causes, only 367 males ought to have died for the 336 females.

Were our inquiries to stop here, the above proportion would mislead us, and induce the false conclusion that it was the more unhealthy occupation of many of the males (as masons, miners, grinders, etc.) which led to the greater development and fatality from that Class of Diseases among the males. But this conclusion would be entirely erroneous; for the excess of male Deaths, even in this Class, was caused by the far greater fatality of Hydrocephalus to the male,—a disease essentially of childhood.

The Tubercular Class, being essentially diseases of debility, is pre-eminently that which exhibits a disproportionately high mortality in the Town Districts. Thus, of every hundred thousand persons living in each of the respective Districts, only 238 died from the Tubercular Class of Diseases in the Insular, and 279 in the Mainland-Rural; while in the Town Districts the proportion rose to 471 Deaths. In the Principal Towns this high proportion was exceeded by that occurring in Paisley, Greenock, and Glasgow, seeing that 487 died in Paisley, 518 in Greenock, and 531 in Glasgow, in proportion to every hundred thousand persons in each of these Towns.—(See Table XXXVI.)

Phthisis, or Consumption, is the most fatal of the maladies belonging to the Tubercular Class. During the year 1859, the Deaths from Consumption numbered 7172, of which 3424 occurred among males, and 3748 among females. This gives the proportion of 251 Deaths in every hundred thousand persons of both sexes, or of 254 male and 248 female Deaths in every hundred thousand of the respective sexes. In England, during the same year, the population died from Consumption at the rate of 257 in every hundred thousand persons, so that the mortality from that Disease was higher in England than in Scotland.

The influence of a Town residence on the fatality of Consumption was strikingly manifested in the different rates at which the people died from that Disease in the different Districts of Scotland. Thus in every hundred thousand persons in each of the different Districts, only 194 died from Consumption in the Insular, 303 in the Mainland-Rural, but 332 in the Town Districts.

It has just been noticed, that in 1859 the males were cut off by Consumption in the proportion of 254 for every 248 females in every hundred thousand of the respective sexes. This is a proportion very much below the ordinary proportion of males to females who die from all causes. This fact is most satisfactorily established by taking the average annual Deaths of the sexes from Consumption for the five years 1855 to 1859 inclusive. By this it appears, that in these five years there died annually in the proportion of 254 males for every 241 females. But had the sexes been cut off by Consumption in the same proportion as they die from all causes, then

only 228 females ought to have died for the 254 males; so that females were cut off by Consumption at a much higher rate than by all causes.

Attention was specially directed to this fact in last Report, as well as to the very different mortality from this Disease in Town and in Country Districts, for the purpose of cautioning sanitary inquirers respecting the conclusions which they drew from isolated facts, when a high mortality from Consumption, which they ascribed as due to a particular trade, ought perhaps more justly to be ascribed to peculiarity of sex or to a Town residence.

Of the Eight Principal Towns, the mortality from Consumption was highest in Glasgow, and lowest in Leith. Thus, taking the proportion in every hundred thousand persons in each Town, it would appear that in 1859 only 170 persons died from Consumption in Leith, 280 in Aberdeen, 285 in Edinburgh, 304 in Perth, 324 in Dundee, 365 in Paisley, 368 in Greenock, but 381 in Glasgow.

Of the other Tubercular Class of Diseases, Scrofula cut off 447, Tabes Mesenterica 610, and Hydrocephalus 1722 persons in Scotland during the year; being in the respective proportions of 15, 21, and 76 Deaths in every hundred thousand persons of the population. In Hydrocephalus, the relative proportion of male Deaths so greatly preponderated, that 70 male occurred for every 50 female Deaths in every hundred thousand of each sex.

Class IV. *Diseases of the Brain and Nervous System.*

Diseases of the Brain and Nervous System proved fatal to 4770 persons in Scotland during 1859, of whom 2567 were males, and 2203 females. This gives the proportion of 167 Deaths from that Class of Diseases in every hundred thousand persons of the population, or 190 male and 145 female Deaths in every hundred thousand of the respective sexes.

This Class of Diseases, like most of the others, proves most fatal in the Town Districts. Thus, of every hundred thousand persons in each District, 83 were cut off by this Class of Diseases in the Insular, 141 in the Mainland-Rural, and 218 in the Town Districts. Of the Eight Principal Towns of Scotland, Leith, and after it Glasgow, exhibited the lowest mortality from Affections of the Brain; Dundee, and after it Perth, the highest.

Of the individual Diseases belonging to this Class, Paralysis cut off 1415 persons, Apoplexy 1135, undefined Brain Disease 794, Convulsions 753, Cephalitis 321, Epilepsy 187, Tetanus 60, Delirium Tremens 50, and Chorea 3. Most of the persons labouring under Insanity die from the effects of other Diseases, as Phthisis, etc., and are tabulated under them; but in 52 cases Insanity was mentioned as the sole cause of Death.

Class V. *Diseases of the Heart and Organs of the Circulation.*

2314 persons died from Diseases of the Heart and Organs of the Circulation during the year, of whom 1166 were males, and 1148 females; being in the proportion of 81 Deaths in every hundred thousand persons of both sexes, or 86 male and 77 female Deaths in a like number of the respective sexes.

Of the individual Diseases under this Class, Heart Disease cut off 2162, Pericarditis 77, and Aneurism 75 persons.

Class VI. *Diseases of the Respiratory Organs.*

Diseases of the Respiratory Organs cut off 6505 persons in Scotland

during 1859, of whom 3324 were males, and 3181 females; being in the proportion of 227 Deaths in every hundred thousand persons of both sexes, or 246 male and 206 female Deaths in a like population of each sex.

This Class of Diseases closely resembles the Zymotic and Tubercular Classes of Diseases in this, that the population of the Town Districts is cut off by them in twice the proportion of the inhabitants of the Rural Districts. Thus, in every hundred thousand persons in each of the several Districts, the inflammatory Diseases of the Respiratory Organs cut off 147 in the Insular, 123 in the Mainland-Rural, but 312 in the Town Districts.

These inflammatory affections of the Respiratory Organs were much more fatal to the inhabitants of England during 1859 than they were to those of Scotland, seeing that the English were cut off by them at the rate of 306 Deaths in every hundred thousand persons during the year.

Of the individual Diseases belonging to this Class, Bronchitis is by far the most fatal in Scotland, and caused 3228 Deaths during the year; being in the proportion of 113 Deaths in every hundred thousand persons of the population. In England, during the same year, Bronchitis cut off in the proportion of 132 persons in every hundred thousand persons, so that it was much more fatal than in Scotland.

Pneumonia proved fatal to 1900 persons in Scotland, causing death in the proportion of 66 persons in every hundred thousand during the year. In England, however, during the same year, 125 died from that Disease in a like population.

Of the other Diseases belonging to this Class, Asthma cut off 566, Lung Disease, not otherwise specified, 353, Pleurisy 302, and Laryngitis 156 persons.

The remaining classes of Disease do not seem to require special notice in this Report, as the results so very closely correspond with those of former years. A few remarks may be offered on the Deaths from Childbearing and the Violent Deaths.

A five years' average appears to prove that in Scotland 483 women die annually in Childbirth, either immediately, as a consequence of Floodings, Convulsions, Exhaustion, etc.; or shortly after, from Metria (Childbed Fever), or other incidental causes. Taking the annual number of Births, and correcting them by abstracting the cases where twins and triplets were born by the same mother, we procure the exact number of women who bore living children during the year; and, making this correction, it appears that in Scotland one of every 313 women who bear children dies annually from that natural operation of nature.

The total number of Births is not procured for England. It would be unfair, therefore, to compare its mortality in this respect, as deduced from the official Tables of Births, with that of Scotland. But if the proper correction be made for the number of Births which escape being registered, and allowance be made for twin and triplet Births, then it would appear that the mortality of women in Childbirth was lower than in Scotland, inasmuch as such corrected statistics would show that in England only one woman died annually in Childbirth in every 220 women. The very much smaller proportion of the population of Scotland who have the benefit of medical assistance seems quite sufficient to account for this difference: the care of the woman in childbed being entrusted, in a large proportion of cases, to ignorant old women, who may do well enough when all goes on naturally, but through whose unskilfulness the woman must perish should anything unusual occur.

That this is the true explanation, is rendered apparent from the fact that the Insular Districts of Scotland, which are almost destitute of medical practitioners, furnish as high a proportion of Deaths in Childbed as the Town Districts themselves; whereas the Mainland-Rural Districts, where medical aid is for the most part procurable, yield a mortality one-third lower than that which occurs in the Town or Insular Districts.

Class XVII. *Violent Deaths.*

2054 Violent Deaths occurred during the year 1859 in Scotland, or in the proportion of 71 Deaths in every hundred thousand persons of the general population. It is perfectly surprising with what regularity these Deaths occur year after year. Yet these are a class of Deaths which we should *a priori* infer should be capable of being completely arrested by proper care. They include Deaths from falls, from various accidents, from the clothes catching fire, from the accidental explosion of fire-arms, from the overturn of boats, etc. Yet year after year the proportion of such Deaths is steadier than that of any other class of the ordinary Diseases which cause death. Thus, the mean average proportion of the five years, 1855 to 1859 inclusive, was 71 Violent Deaths annually in every hundred thousand persons, and during three years of that period the annual proportion of Deaths was 71, very slightly varying the other two years.

As might be expected, men are cut off by these accidents in a much higher proportion than females; for of the 2054 Deaths, 1480 occurred among males, but only 574 among females. To this, one exception alone occurred, the female being more liable than the male to suffer from the clothes catching fire; so that, while only 137 males suffered from Burns and Scalds during the year, 166 females died from like injuries.

722 persons, of whom 590 were males, and 132 females, died during the year from Fractures and Contusions; 421 from Drowning, of whom 350 were males, and 71 females; 303 from Burns and Scalds, of whom 137 were males, and 166 females; 101 from Intemperance, of whom 65 were males, and 36 females; 100 from Wounds, of whom 79 were males, and 21 females; 88 from Suffocation; 58 from Hanging; 52 from Poison, etc.

Of the above 2054 Violent Deaths, 153 were suicidal. Of these suicides, 59 occurred by Hanging, 31 by Cut-throat, 25 by Drowning, 22 by Poison of different kinds, 8 by Gunshot Wounds, 1 by Precipitation before a railway train. In one case the nature of the wound was not stated;

Table XXXVII.—Showing the Influence of SEASON on the Number of BIRTHS in 1859. The Months equalized; and the Births corrected to 30 days in each Month.

MONTHS.	Number of Births.	MONTHS.	Number of Births.
JANUARY . . .	8190	JULY	8489
FEBRUARY . . .	8775	AUGUST . . .	8584
MARCH	9077	SEPTEMBER . . .	8361
APRIL	9377	OCTOBER . . .	8470
MAY	9436	NOVEMBER . . .	8559
JUNE	9431	DECEMBER . . .	8541

and in six cases it was only noticed that the person had committed suicide, but the necessary particulars were not given.

The accompanying Tables show the 15 Diseases which proved most fatal in Scotland and in England during the year 1859, arranged in the order of their respective fatality, with the proportion in which they proved fatal in every hundred thousand persons of the respective populations. These Tables are interesting as showing the peculiarities with regard to the Diseases which prove most fatal in each country.

The Fifteen most fatal Diseases in SCOTLAND in 1859.

Diseases.	Proportion of Deaths to 100,000 living.
Phthisis	251
Old Age	207
Scarlatina	126
Bronchitis	113
Hooping-cough	93
Typhus and Infantile Fever	87
Heart, etc., Disease	81
Hydrocephalus	76
Pneumonia	66
Diarrhœa, Dysentery, & Cholera	65
Paralysis	49
Apoplexy	39
Dropsy	35
Cancer	35
Teething	34

The Fifteen most fatal Diseases in ENGLAND in 1859.

Diseases.	Proportion of Deaths to 100,000 living.
Phthisis	257
Old Age	139
Convulsions	133
Bronchitis	133
Pneumonia	125
Diarrhœa, Dysentery, & Cholera	105
Scarlatina	102
Heart, etc., Disease	87
Typhus & Infantile Fever	81
Measles	49
Diphtheria	49
Paralysis	47
Hooping-cough	46
Apoplexy	44
Dropsy	41

INFLUENCE OF EXTERNAL AGENCIES.

The influence of external agencies on the Births and Marriages was so fully commented on in last Report, that it seems to be unnecessary to do more than repeat the corresponding Tables for 1859, and state that all the remarks made with regard to the influence of these agencies on the Births and Marriages of former years apply with equal force to those of 1859. The Tables, however, drawn up on the same principle as those of former years, put it in every one's power to satisfy himself of the accuracy of the conclusions, by comparing the facts which are published year by year.

TABLE XXXVIII.—Showing the Influence of the Civil Terms of Whitsunday and Martinmas, also of the Idle Winter Months, on the Number of Marriages in 1859. The Months equalized; and the Marriages corrected to 30 days in each Month.

MONTHS.	Number of Marriages.	MONTHS.	Number of Marriages.
JANUARY	2269	JULY	1933
FEBRUARY	1409	AUGUST	1387
MARCH	1174	SEPTEMBER	1178
APRIL	1151	OCTOBER	1411
MAY	1037	NOVEMBER	2106
JUNE	2909	DECEMBER	2857

In our four previous Reports, as well as in the Quarterly Reports issued on the completion of each Quarter's Registrations, and in the Supplements which are published at the close of each year, the subject of the influence of external agencies on the Deaths has been prominently noticed. In these it has been proved, by a reference to facts, that the mean temperature is that external agent which exerts the most potent influence on the mortality for good and for evil. In these Reports it has been demonstrated that, independent of Epidemics, supply of food, or all other circumstances, the mortality increases in severity with the fall of temperature below 45°, and bears almost a constant ratio to the descent of temperature, the coldest weather, if continued for any length of time, being almost invariably that in which the greatest number of Deaths occurs.

Grand mistakes, however, may be made in reading, or rather in interpreting, Statistical Tables, if they be not read in sequence, or if the fact be forgotten, that the influence of neither cold nor heat is *immediate*, but that the Diseases induced by the heat or by the cold must have time to run their course, and the Deaths arising therefrom be registered. It consequently often happens, that if intensely cold weather occurs within twelve or fourteen days of the end of a month, and continues till its close, most of the

---

TABLE XXXIX.—Showing the Revenue, Exports and Imports, the Quantity of Grains, Tea, Sugar, etc., imported into the United Kingdom; the average Price of the Chief Articles of Food in England; the Price of the 4lb. Loaf in Scotland, etc., during the years 1858, 1859, and 1860.

		1858.	1859.	1860.
Nett Revenue of United Kingdom, . .	£	63,522,525	60,961,315	66,651,121
Expenditure, ...	£	66,019,870	60,147,914	65,063,741
Real Value of Total Imports, . . .	£	164,583,832	179,182,355	210,648,643
Real Value of Total Exports, . . .	£	139,782,779	155,692,975	165,670,653
Wheat imported, ...	Qrs.	4,241,719	4,000,922	5,880,958
All other Grains imported, ...	Qrs.	5,946,546	5,317,761	7,125,662
Wheat Flour imported, ...	Cwts.	3,856,127	3,328,324	5,086,220
All other kinds of Flour imported, . .	Cwts.	9,869	3,835	71,344
Eggs imported, ...	No.	134,685,000	148,631,000	167,695,200
Butter imported, ...	Cwts.	387,566	425,663	840,112
Cheese imported, ...	Cwts.	364,087	406,547	583,283
Potatoes imported, ...	Cwts.	1,721,953	588,910	560,762
Rice imported, ...	Cwts.	3,692,023	1,450,090	1,535,575
Tea imported, ...	lbs.	75,432,535	75,077,451	88,946,532
Coffee imported, ...	lbs.	60,697,265	65,353,030	82,767,746
Cocoa imported, ...	lbs.	10,338,404	6,006,759	9,009,839
Raw Sugar imported, ...	Cwts.	9,010,796	9,098,544	8,817,277
Tobacco imported (total), ...	lbs.	62,217,705	50,671,265	51,663,625
Wine imported, ...	Galls.	5,791,636	8,195,513	12,475,001
Wool imported, ...	lbs.	126,738,723	133,284,634	148,396,577
Cotton (Raw) imported, ...	lbs.	1,034,342,176	1,225,989,072	1,390,938,752
Hemp, etc., imported, ...	Cwts.	886,631	1,059,119	792,388
Jute imported, ...	Cwts.	738,085	1,061,288	816,787
Quantity of Coal raised in Scotland, .	Tons	8,926,249	10,300,000	?
——— Iron Ore raised in do., . .	Tons	2,312,000	2,225,000	?
——— Pig Iron made in do., . .	Tons	925,500	960,550	?
Cod and Ling taken on Coasts of do., .	Cwts.	151,754	171,553	167,918
Herrings taken on do., ...	Barrels	675,105	528,355	721,190
Average Price of Wheat in England, .	per Qr.	44s. 2d.	43s. 10d.	53s. 3d.
——— Barley, ...	per Qr.	34s. 8d.	33s. 6d.	36s. 7d.
——— Oats, ...	per Qr.	24s. 6d.	23s. 3d.	24s. 5d.
——— Rye, ...	per Qr.	32s. 3d.	32s. 5d.	36s. 4d.
——— Beans, ...	per Qr.	41s. 11d.	42s. 3d.	44s. 8d.
——— Pease, ...	per Qr.	42s. 11d.	39s. 9d.	40s. 6d.
Savings' Banks, Scotland—Number of Accounts,		123,315	132,597	139,114
Savings' Banks, do.—Amount of Deposits, £		1,960,902	2,210,710	2,414,073
Number of Paupers in Scotland, ...		124,227	122,013	120,906
Number of Ascertained Scottish Emigrants, .		11,815	10,182	8,733

Deaths actually induced by that cold only occur after the month has closed, and are consequently registered the following month. Bearing this in remembrance, see how 1859 stands with regard to the general law of mean temperature.

The month of December 1858 had the low mean temperature of 39°·9; that of November 1858 having been half a degree lower, or 39°·4. The two closing months of the previous year had therefore a mean temperature very closely approaching that of January 1859, which was 39°·6. See, then, the effect of continued and steady low temperature for three months: In November 1858 the corrected Deaths were 9226 in every hundred thousand Deaths at all seasons. In December the slight rise of half a degree of mean temperature coming early in the winter, allowed the Deaths to decrease to 9218. But the continued cold began to exert its usually baneful influence, and in January 1859, though the mean temperature was only 3-10ths of a degree lower, the Deaths rose to 9466; and even the rise of 9-10ths of a degree of mean temperature in February was not sufficient to counteract the continued weakening effect of the cold, for during that month the Deaths rose to 9659. During March, however, the mean temperature started up 2½ degrees, and the sun's cheering rays again returning, caused the Deaths to fall to 9003. April, however, proved a more wintry and colder month: the mean temperature, notwithstanding the sun's greater power, was more than a degree below that of March, and this lower mean temperature was indicated by an increase of the Deaths to 9127. After this the mean temperature rose; and as no unusual long-continued high temperature occurred, whereby the beneficial effect of warmth might be counteracted, the Deaths steadily declined month by month till they reached their lowest point in October, when they numbered 6917, with the mean temperature of 45°·8.

From this point the increase of Deaths and the fall of temperature bore the closest relation to each other. The mean temperature of November was 39°·4, and the Deaths increased to 8558; and the mean temperature of December being 34° only, the Deaths rose to 9679.

It is from not attending to the sequence of the months, and the varying influences which a rise or fall of mean temperature has on the months which follow, that many of those who presume to write on the influence of atmospheric agencies on the mortality, fail to arrive at just conclusions. For instance, in Table XL., where the above facts are exhibited, they would confuse the mortality of February with that of December, just as if the mortality of the one month, though almost similar in amount, were at all under the same relative conditions as that of the other. The mortality of February, though almost identical in number of Deaths, occurred under a mean temperature 6½ degrees higher than that of December; but it occurred in a population previously weakened by three months' continuance of a mean temperature of 39°·5, so that the effect of a descent of mean temperature at once from 39°·4 to 34° was as fatal to the population as a simple continuance of less severe cold for three months' duration.

From this it will be apparent that very false results may be arrived at from taking the mean average of mortality of months in different years, and comparing that with the mean temperature. Rough guesses may be arrived at by such means, but we fail to eliminate the exact influence of each element of the weather.

In former Reports it was pointed out that in Scotland, when the mean temperature begins to rise above 55° and approach 60°, Bowel Complaints, as Diarrhœa, Dysentery, and Cholera, begin to prevail, and prove fatal in

greater numbers than at other seasons. It is not often, however, that the mean temperature in Scotland rises so high as to permit the Deaths from these Diseases seriously to affect the general mortality. It is almost alone when the summer mean temperature rises above 55° in June, and continues increasing through July and August, so that the mean temperature of these months is 60°, or nearly so, that the increasing number of Deaths from these diseases has a marked effect on the general mortality.

As the whole Deaths in Scotland are not abstracted in such a form as to show the fatality of the individual Diseases in different months, it must suffice to show the influence of rise of temperature on the mortality from these Bowel Complaints in the Eight Principal Towns of Scotland during 1859; and attention is especially called to the fact already adverted to, that, from the heat not *immediately* causing Death by these Diseases, but only inducing Disease which takes some time to prove fatal, the mortality caused by the heat is thrown into a month when the cause no longer exists. Thus the mean temperature of the Eight Towns during the warmer months of the year 1859 was 52°·4 in May, 58°·4 in June, 59°·9 in July, 58°·4 in August, and 53°·6 in September. The Deaths from the Bowel Complaints, which averaged 40 monthly during the colder months, rose to 49 in June, to 101 in July, to 122 in August, and only fell to 101 in September. Nay, the persons affected with these complaints during the warm weather continued to drop off even during October, so that 57 Deaths from these Diseases occurred in the Eight Towns during that month.

Though mean temperature, then, be the most important of the external agencies which affect the general mortality, it must not be forgotten that there are other agencies whose influences for good or evil are very powerful in affecting the number of Deaths, and which, if present, cause the influence of low temperature on the Deaths to be more deadly than ever. Thus, if the labouring classes, from depression in trade, are thrown in large numbers out of work, and are consequently unable to feed and clothe themselves, so as to enable them to resist the atmospheric vicissitudes, they die in

TABLE XL.—Showing the Influence of Temperature on the Deaths in Scotland during 1859. Each Month is equalized to 30 days, and the Deaths corrected to correspond. The numbers given show the Corrected Deaths each month for Scotland and its Three Great Groups of Districts, and Proportion of Monthly Deaths.

MONTHS.	Mean Monthly Temperature.	Number of DEATHS Corrected to 30 Days in each Month.				Per Centage of Corrected Deaths during each Month, to the Yearly Deaths.			
		SCOTLAND.	Insular Districts	Mainland Districts	Town Districts	SCOTLAND.	Insular Districts	Mainland Districts	Town Districts
JANUARY .	39°·6	5,768	246	2,888	2,634	9·466	9·451	9·446	9·489
FEBRUARY .	40°·5	5,886	234	3,010	2,642	9·659	8·990	9·846	9·517
MARCH . .	43°·0	5,486	256	2,728	2,502	9·003	9·835	8·923	9·013
APRIL . .	41°·9	5,562	305	2,852	2,405	9·127	11·717	9·329	8·663
MAY . . .	51°·9	5,092	245	2,682	2,165	8·360	9·412	8·773	7·799
JUNE . .	56°·6	4,734	220	2,424	2,090	7·769	8·451	7·929	7·529
JULY . .	59°·0	4,393	190	2,197	2,006	7·209	7·299	7·186	7·226
AUGUST . .	57°·8	4,364	176	2,210	1,978	7·161	6·762	7·229	7·125
SEPTEMBER .	52°·3	4,322	192	2,189	1,941	7·092	7·377	7·160	6·992
OCTOBER .	45°·8	4,215	146	2,061	2,008	6·917	5·609	6·742	7·333
NOVEMBER .	39°·4	5,215	192	2,474	2,549	8·558	7·376	8·092	9·183
DECEMBER .	34°·0	5,898	201	2,857	2,840	9·679	7·722	9·345	10·231
YEAR . .	46°·8	60,935	2,603	30,572	27,760	100·000	100·000	100·000	100·000

much larger numbers than they would do, were they able to nourish and clothe their bodies better, and thus enable them to resist the adverse atmospheric agencies. It is exactly the same with high price of provisions from bad harvests. But in both cases it is the mean temperature, or rather the cold, which is the influence most potent for evil, and which over-rides all the other causes.

But there are other atmospheric agencies which modify or assist the agency of mean temperature. Thus, the cold, arid, blighting easterly winds, which are the regular lower or terrestrial currents over Scotland from the beginning of March onwards till June, if they do not materially

TABLE XLI.—METEOROLOGY OF SCOTLAND for 1859, deduced from Observations made at 51 Stations of the Meteorological Society of Scotland, the particulars for each of these Stations having been published in the Quarterly Reports of the Registrar-General for 1859.

1859.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
Absolute Highest Temperature in shade	58·0	57·0	65·0	79·0	82·0	89·0	87·0	82·0	75·0	73·0	59·0	55·0	89·0
Absolute Lowest Temperature do. . .	17·1	11·0	17·0	18·0	22·8	32·0	33·3	34·8	29·0	10·5	17·0	0·0	0·0
Mean of Highest Daily Temperatures .	44·4	45·4	48·5	48·7	61·7	64·7	66·2	65·2	59·2	51·8	44·5	38·3	53·2
Mean of Lowest Daily Temperatures .	34·8	35·5	37·6	35·2	42·1	48·6	51·9	50·4	45·5	39·8	34·2	29·7	40·4
Mean Daily Range of Temperature . .	9·6	9·8	10·9	13·5	19·7	16·1	14·3	14·7	13·6	12·0	10·4	8·7	12·8
Mean Temperature	39·6	40·5	43·0	41·9	51·9	56·6	59·0	57·8	52·3	45·8	39·4	34·0	46·8
Mean of Black Bulb in Sun	54·6	59·3	65·1	71·0	91·8	95·3	92·0	91·1	83·4	70·1	56·1	46·4	73·0
Mean of Black Bulb at Night	30·8	30·8	32·9	28·8	34·1	42·7	45·9	44·7	38·4	35·0	27·8	24·3	34·6
Mean Temperature of Evaporation . .	38·1	38·7	40·5	39·3	47·9	51·8	55·4	54·4	49·7	43·7	37·5	32·9	44·1
Mean Dew-point Temperature . . .	36·0	36·8	38·1	36·0	43·7	48·5	52·4	51·4	47·0	42·0	35·6	30·8	41·5
Humidity of the Air	87	88	85	80	73	78	81	80	82	89	89	88	83
Elastic Force of Vapour . . (inches)	·212	·219	·230	·212	·286	·343	·396	·381	·323	·267	·210	·173	·271
Number of Days on which Rain fell . .	17	17	11	15	4	11	14	14	17	14	14	15	163
Amount of Rain, Sleet, and Snow (inches)	4·21	3·38	4·18	3·20	0·29	2·04	2·76	2·27	3·21	4·60	3·37	3·66	37·17
Mean Amount of Cloud	6·4	6·6	6·3	6·2	4·0	5·8	6·2	5·8	6·0	6·6	6·5	6·7	6·1
Hours of Sunshine	66	75	119	166	301	239	222	210	164	108	86	61	1817
Mean Barometer, corrected . (inches)	29·864	29·709	29·707	29·751	30·046	29·934	30·050	29·850	29·722	29·667	29·855	29·651	29·819
Easterly Winds—number of Days . .	1	3	3	10	14	12	8	2	6	11	6	7	83
Westerly Winds—number of Days . .	25	19	23	12	7	12	17	21	18	12	15	14	195

increase the Deaths from other Diseases, certainly have a powerful influence for evil on persons labouring under that most fatal of all Diseases, Consumption or Phthisis. Thus, in the Eight Principal Towns of Scotland, that Disease, though so far following the usual law of increase of Deaths with descent of temperature, in that the Deaths numbered 197 in October, 241 in November, and 283 in December 1859, also follow another law of amenability to the East Winds. Thus, the Deaths from Phthisis, which numbered 239 in January, and 242 in February, rose to 282 in March, to 291 in April, and to 285 in May; thus clearly proving that these dry arid winds exert a baneful influence on persons labouring under that Disease.

Even long-continued excess of moisture in the atmosphere appears to affect injuriously the natives of Scotland, apparently by relaxing the system, and rendering it both more liable to the attacks of Disease, and less able to throw it off when once it has made its invasion. This particular cause will be referred to more pointedly in after Reports, as it was only in years subsequent to 1859 that its effects were clearly traceable in the mortality of Scotland.

The weather during the year presented some of those strange anomalies for which the Scottish climate is so remarkable; for the year was remarkable for its contrasts, as being at one time one of the driest, at another one of the rainiest, and at a third period one of the coldest which has occurred for a great many years.

The fall of rain during the first four months of the year largely exceeded the average, and the humidity of the atmosphere was greater than usual. The following four months proved nearly the driest on record; the drought in many places of Scotland having been more intense than had been witnessed for a period of nearly thirty years. That period was again succeeded by weeks of heavy rain, with high tempestuous winds, followed up in the middle of October with intense frost of a week's continuance, and with heavy falls of snow, which latter, with longer or shorter interruptions of mild rainy weather and high winds, continued till the close of the year. The early frost in October was remarkable for its intensity while it lasted. The cold in December was remarkable for its continuance and severity, and for the lowness to which the temperature descended; and the damage which the intense cold did to all trees and shrubs over the kingdom, will never be forgotten.

With this explanation, the accompanying Table XLI., giving a complete review of the meteorology of the year, will convey all the information necessary for understanding the meteorological phenomena of Scotland month by month. It contains the abstract of the observations made at 51 stations over Scotland; and the particulars of each station may be found in the Quarterly Returns for the year 1859.

I have the honour to be,

SIR,

Your most obedient Servant,

JAMES STARK.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, *7th August* 1863.

Births, Deaths, and Marriages registered in Scotland during the Year 1859.

	1859.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Number of Statute Acres. *
		1851.	1861.	Males.	Fem.	Total	Mal.	Fem	Totl	Males.	Fem.	Total.			
	SCOTLAND - -	2,888,742	3,062,294	54628	51915	106543	5089	4626	9715	30588	31126	61714	21201	44829	19,639,377
	DIVISIONS.														
1	NORTHERN, . . .	127,035	130,422	1801	1672	3473	109	90	199	847	983	1830	677	1643	2,261,662
2	NORTH-WESTERN, .	175,735	167,329	2417	2380	4797	145	145	290	1298	1378	2676	927	2121	4,739,876
3	NORTH-EASTERN, .	348,366	366,783	6255	5836	12091	970	872	1842	3030	3237	6267	2333	5824	2,429,594
4	EAST-MIDLAND, .	515,966	523,822	8801	8381	17182	888	838	1726	5063	5373	10436	3346	6746	2,790,492
5	WEST-MIDLAND, .	241,447	242,507	4132	3853	7985	323	273	596	2448	2287	4735	1544	3250	2,693,176
6	SOUTH-WESTERN, .	881,092	1,008,253	20735	19732	40467	1549	1384	2933	12062	11911	23973	7954	16494	1,462,397
7	SOUTH-EASTERN, .	383,217	408,962	7013	6726	13739	655	548	1203	3848	3885	7733	3083	6006	1,192,524
8	SOUTHERN, . . .	215,884	214,216	3474	3335	6809	450	476	926	1992	2072	4064	1337	2745	2,069,696
	COUNTIES.														
	I. NORTHERN.														
1	Shetland, . . .	31,078	31,670	443	419	862	23	20	43	212	254	466	168	396	598,726
2	Orkney, . . .	31,455	32,395	405	380	785	16	13	29	213	270	483	191	302	
3	Caithness, . . .	39,782	42,200	633	614	1247	60	43	103	272	287	559	218	688	455,708
4	Sutherland, . . .	24,720	24,157	320	259	579	10	14	24	150	172	322	100	257	1,207,188
	II. NORTH-WESTERN.														
5	Ross and Cromarty, .	83,781	82,427	1193	1226	2419	52	47	99	636	663	1299	425	1120	2,016,375
6	Inverness, . . .	91,954	84,902	1224	1154	2378	93	98	191	662	715	1377	502	1001	2,723,501
	III. NORTH-EASTERN.														
7	Nairn, ...	8,076	8,347	114	126	240	15	10	25	65	78	143	70	97	137,500
8	Elgin (or Moray), . .	40,532	44,218	752	713	1465	94	87	181	330	368	698	249	767	340,000
9	Banff, ...	51,353	56,020	977	945	1922	165	152	317	479	485	964	321	958	439,219
10	Aberdeen, . . .	213,461	223,344	3865	3554	7419	635	554	1189	1884	1982	3866	1460	3553	1,260,625
11	Kincardine, . . .	34,944	34,854	547	498	1045	61	69	130	272	324	596	233	449	252,250
	IV. EAST-MIDLAND.														
12	Forfar, ...	193,627	206,750	3701	3559	7260	416	382	798	2321	2523	4844	1452	2416	568,750
13	Perth, ...	137,369	133,198	1960	1816	3776	208	199	407	1176	1232	2408	821	1368	1,814,063
14	Fife,*	153,789	155,021	2634	2521	5155	196	208	404	1317	1377	2694	909	2461	328,427
15	Kinross,* . . .	9,626	8,731	132	137	269	23	15	38	66	72	138	44	131	49,812
16	Clackmannan, . .	21,555	20,122	374	348	722	45	34	79	183	169	352	120	370	29,440
	V. WEST-MIDLAND.														
17	Stirling, . . .	83,802	88,138	1696	1561	3257	126	114	240	957	875	1832	646	1425	295,875
18	Dumbarton, . . .	46,995	54,179	1001	948	1949	87	68	155	559	519	1078	362	871	204,800
19	Argyll, ...	94,042	83,859	1218	1127	2345	92	74	166	784	701	1485	445	860	2,083,126
20	Bute, ...	16,608	16,331	217	217	434	18	17	35	148	192	340	91	94	109,375
	VI. SOUTH-WESTERN.														
21	Renfrew,* . . .	157,950	168,746	3434	3096	6530	241	207	448	2134	2099	4233	1317	2297	158,268
22	Ayr,*	189,973	199,063	4085	3886	7971	360	311	671	1951	1957	3908	1569	4063	735,262
23	Lanark,*	533,169	640,444	13216	12750	25966	948	866	1814	7977	7855	15832	5068	10134	568,867
	VII. SOUTH-EASTERN.														
24	Linlithgow,* . . .	30,590	39,045	802	796	1598	73	59	132	373	351	724	301	874	81,113
25	Edinburgh,* . . .	259,493	274,093	4633	4384	9017	414	342	756	2736	2759	5495	2246	3522	234,925
26	Haddington,* . . .	36,363	37,626	634	634	1268	63	64	127	268	298	566	245	702	179,142
27	Berwick,* . . .	36,165	36,488	577	540	1117	59	43	102	290	317	607	172	510	302,951
28	Peebles,* . . .	10,804	11,300	178	188	366	21	18	39	90	92	182	62	184	227,869
29	Selkirk,* . . .	9,802	10,410	189	184	373	25	22	47	91	68	159	57	214	166,524
	VIII. SOUTHERN.														
30	Roxburgh,* . . .	51,225	53,722	887	767	1654	95	88	183	425	424	849	367	805	428,494
31	Dumfries,* . . .	78,149	75,904	1244	1201	2454	162	179	341	718	726	1444	480	1010	702,953
32	Kirkcudbright,* . .	43,121	42,495	713	704	1417	107	89	196	414	447	861	269	556	610,343
33	Wigtown,* . . .	43,389	42,095	630	654	1284	86	120	206	435	475	910	221	374	327,906

* In all the Counties marked thus *, the number of Acres is given from actual survey by the Ordnance Staff; and these measurements were procured from the Ordnance Survey Office, through the kindness of Col. Sir Henry James. The measurements of the other Counties, with the exception of Shetland and Orkney, are taken from Major Dawson's estimate for the Census of 1851. In that estimate he included as land all the channels between the islands in Shetland and Orkney. These channels are excluded in the estimate given in the above Table.

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	I. NORTHERN.												
	1. Shetland.												
1	Bressay, etc.—(1) Bressay	906	915	14	13	27	1	1	2	6	4	10	3
	(2) Burra and Quarff,	906	890	13	12	25	–	–	–	4	5	9	2
2	Delting, . . .	2124	1975	28	23	51	1	2	3	17	21	38	9
3	Dunrossness, etc.—												
	(1) Dunrossness, .	c. 2005	2113	32	33	65	–	–	–	14	10	24	15
	(2) Sandwick and Cunningsburgh, . .	c. 2220	2337	33	34	67	1	2	3	19	18	37	11
	(3) Fair Isle, . .	280	380	9	11	20	–	–	–	–	1	1	5
4	Fetlar, etc.—												
	(1) Fetlar, . . .	658	548	7	10	17	–	–	–	9	6	15	2
	(2) North Yell, . .	998	932	7	14	21	–	1	1	14	12	26	3
5	Lerwick, . . .	3390	3631	42	36	78	5	1	6	25	40	65	30
6	Mid and South Yell, .	1741	1784	34	17	51	2	2	4	10	16	26	7
7	Nesting, etc.—												
	(1) Nesting, . .	c. 806	855	11	12	23	1	1	2	5	6	11	9
	(2) Lunnasting, . .	c. 830	880	13	9	22	2	–	2	4	7	11	7
	(3) Whalsay and Skerries	784	848	15	14	29	2	–	2	3	7	10	6
8	Northmavine, . .	2534	2585	33	28	61	2	3	5	17	20	37	11
9	Sandsting and Aithsting,	2603	2670	36	41	77	1	1	2	17	9	26	16
10	Tingwall, etc.—												
	(1) Tingwall, . .	c. 1654	1554	22	21	43	–	1	1	12	20	32	10
	(2) Whiteness & Weesdale	c. 1220	1143	19	15	34	–	5	5	9	10	19	1
11	Unst, ...	2977	3060	34	36	70	2	–	2	14	27	41	13
12	Walls, etc.—(1) Walls, .	c. 1280	1365	21	24	45	1	–	1	5	8	13	5
	(2) Sandness, .	c. 563	606	13	8	21	2	–	2	5	5	10	2
	(3) Papa-Stour, .	359	366	3	5	8	–	–	–	2	1	3	–
	(4) Foula, . .	240	233	4	3	7	–	–	–	1	1	2	1
	Total,	31078	31670	443	419	862	23	20	43	212	254	466	168
	2. Orkney.												
13	Birsay, ...	1749	1774	25	16	41	–	1	1	9	9	18	15
14	Deerness, . . .	786	813	11	8	19	1	–	1	2	8	10	5
15	Eday and Pharay, . .	1016	979	17	13	30	–	1	1	5	9	14	4
16	Evie and Rendall, . .	1446	1408	22	11	33	–	1	1	9	8	17	10
17	Firth and Stennes, . .	1327	1493	20	17	37	1	–	1	10	7	17	7
18	Harray, . . .	750	819	11	2	13	–	–	–	1	10	11	2
19	Holm and Paplay, .	749	834	10	6	16	1	1	2	2	5	7	1
20	Hoy and Græmsay, .	615	556	4	6	10	–	1	1	2	3	5	3
21	KIRKWALL & ST OLA (incl. Burgh), . .	3990	4422	54	62	116	2	5	7	52	55	107	36
22	North Ronaldshay, .	526	532	9	8	17	1	–	1	2	3	5	5
23	Orphir, . . .	1157	1133	21	18	39	–	–	–	3	11	14	4
24	Rousay and Egilsay, .	1215	1152	17	12	29	–	–	–	6	8	14	8
25	St Andrews, . .	926	868	8	5	13	1	–	1	2	9	11	3
26	Sanday, . . .	2004	2145	20	24	44	–	–	–	20	15	35	8
27	Sandwick, . . .	1107	1225	16	11	27	1	–	1	6	6	12	2
28	Shapinshay, . . .	899	973	16	17	33	–	–	–	6	11	17	8
29	South Ronaldshay and Burray, . . .	3086	3282	42	41	83	5	1	6	19	22	41	23
30	Stromness, . . .	2770	2540	24	27	51	2	1	3	15	20	35	12
31	Stronsay, . . .	1211	1228	13	21	34	–	–	–	6	8	14	9
32	Walls, etc.—(1) Walls, .	1278	1254	8	14	22	–	–	–	7	10	17	4
	(2) Flotta, .	389	420	6	4	10	–	–	–	2	4	6	1
33	Westray & Papa-Westray,	2459	2545	31	37	68	1	1	2	27	29	56	21
	Total,	31455	32395	405	380	785	16	13	29	213	270	483	191

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	3. Caithness.												
34	Bower,	1658	1746	26	24	50	1	1	2	10	9	19	10
35	Canisbay,	2437	2730	32	54	86	2	4	6	10	12	22	12
36	Dunnet,	1868	1861	21	24	45	1	1	2	11	9	20	20
37	Halkirk,	2918	2864	33	34	67	6	4	10	14	20	34	13
38	Latheron,	8224	8571	131	118	249	7	6	13	44	53	97	41
39	Olrig,	1873	2059	28	19	47	2	4	6	7	19	26	6
40	Reay,	2506	2476	29	20	49	1	–	1	9	16	25	6
41	Thurso,	5096	5561	77	73	150	8	7	15	55	38	93	29
42	Watten,	1351	1491	20	22	42	–	2	2	4	10	14	5
43	WICK—												
	(1) Burgh of Wick,	6796	7505	148	149	297	16	10	26	77	72	149	65
	(2) Landward,	5055	5336	88	77	165	16	4	20	31	29	60	11
	Total,	39782	42200	633	614	1247	60	43	103	272	287	559	218
	4. Sutherland.												
44	Assynt—(1) Kirkton,	c. 510	553	10	8	18	1	–	1	2	6	8	–
	(2) Stoer,	c. 2479	2625	28	30	58	–	2	2	20	20	40	11
45	Clyne,	1933	1886	20	14	34	–	–	–	11	8	19	10
46	Criech—(1) Bonar,	c. 2134	1982	23	20	43	2	–	2	9	24	33	8
	(2) Rosehall,	c. 580	539	6	5	11	–	1	1	3	6	9	2
47	DORNOCH (incl. Burgh),	2981	2885	42	33	75	1	2	3	19	13	32	16
48	Durness,	1152	1109	17	17	34	1	–	1	7	8	15	4
49	Eddrachillis—(1) Scourie,	c. 700	727	9	6	15	–	–	–	5	3	8	2
	(2) Kinlochbervie,	c. 876	914	18	6	24	–	–	–	11	2	13	3
50	Farr—(1) Kirkton,	c. 1313	1251	13	14	27	1	2	3	9	14	23	3
	(2) Strathy,	c. 890	852	10	9	19	–	–	–	6	4	10	2
51	Golspie,	1529	1615	24	20	44	–	1	1	3	3	6	10
52	Kildonan,	2288	2132	32	27	59	–	2	2	16	18	34	14
53	Lairg,	1162	961	7	6	13	1	–	1	7	4	11	3
54	Loth,	640	610	6	5	11	–	–	–	2	5	7	1
55	Rogart,	1535	1439	16	10	26	1	1	2	8	18	26	7
56	Tongue,	2018	2077	39	29	68	2	3	5	12	16	28	4
	Total,	24720	24157	320	259	579	10	14	24	150	172	322	100
	II. NORTH-WESTERN.												
	5. Ross and Cromarty.												
	Mainland.												
57	Alness,	1240	1178	16	13	29	1	1	2	16	5	21	7
58	Applecross—												
	(1) Applecross,	c. 1130	1064	17	11	28	1	–	1	6	1	7	3
	(2) Shieldaig,	c. 1579	1480	33	13	46	2	1	3	14	6	20	5
59	Avoch,	2029	1788	28	19	47	1	–	1	14	11	25	5
60	Contin,	1562	1509	15	25	40	–	2	2	16	10	26	10
61	CROMARTY (incl. Burgh)	2727	2300	33	33	66	1	2	3	31	28	59	12
62	DINGWALL (incl. Burgh)	2364	2412	28	37	65	1	2	3	15	17	32	11
63	Edderton,	890	836	7	13	20	3	1	4	8	2	10	4
64	Fearn,	2122	2083	39	33	72	1	–	1	19	13	32	11
65	Fodderty,	2342	2247	28	29	57	5	3	8	14	24	38	16
66	Gairloch—												
	(1) Northern District,	c. 1822	1927	36	30	66	–	–	–	11	17	28	7
	(2) Southern District,	c. 3340	3522	32	47	79	1	–	1	19	23	42	17
67	Glenshiel,	573	485	6	7	13	1	1	2	2	5	7	1
68	Killearnan,	1794	1494	14	38	52	–	3	3	8	13	21	15

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
69	Kilmuir-Easter,	1437	1295	15	22	37	–	2	2	10	10	20	8
70	Kiltearn,	1538	1634	24	17	41	1	3	4	9	15	24	3
71	Kincardine,	1896	1746	20	21	41	1	1	2	8	9	17	10
72	Kintail,	1009	890	11	9	20	3	–	3	4	6	10	8
73	Knockbain,	3005	2485	31	33	64	1	1	2	20	23	43	9
74	Lochalsh,	2299	2413	27	27	54	1	2	3	19	15	34	13
75	Lochbroom—												
	(1) Lochbroom,	*c.* 3540	3577	55	54	109	3	2	5	27	41	68	27
	(2) Coigach,	*c.* 1273	1285	25	10	35	–	1	1	14	6	20	1
76	Lochcarron,	1612	1592	18	24	42	–	1	1	12	20	32	13
77	Logie-Easter,	965	932	17	13	30	2	1	3	9	9	18	5
78	Nigg,	1457	1253	11	16	27	–	1	1	5	12	17	9
79	Resolis,	1551	1568	22	24	46	3	–	3	12	14	26	6
80	Rosemarkie (incl. Burgh of FORTROSE),	1776	1545	22	26	48	–	2	2	14	21	35	11
81	Rosskeen,	3699	3766	57	41	98	3	–	3	30	30	60	15
82	TAIN (incl. Burgh),	3574	3294	42	41	83	4	4	8	24	30	54	17
83	Tarbat,	2151	2269	29	37	66	–	3	3	24	33	57	11
84	Urquhart & Logie-Wester,	3153	3147	37	42	79	4	–	4	11	26	37	6
85	Urray,	2621	2355	32	26	58	–	–	–	11	14	25	16
	Insular.												
*a*86	Barvas,	4189	4609	85	94	179	–	1	1	46	33	79	29
*b*86	Carloway			37	53	90	1	1	2	19	26	45	16
87	Lochs,	4256	4901	56	82	138	2	2	4	22	22	44	16
88	STORNOWAY,	8057	8668	156	130	286	4	3	7	77	57	134	37
89	Uig,	3209	2878	32	36	68	1	–	1	16	16	32	15
	Total,	83781	82427	1193	1226	2419	52	47	99	636	663	1299	425
	6. INVERNESS. *Mainland.*												
90	Alvie,	914	833	6	6	12	–	1	1	6	7	13	5
91	Ardersier (incl. Fort-George),	1337	1239	17	13	30	1	2	3	20	18	38	29
92	Boleskine & Abertarff—												
	(1) Boleskine,	*c.* 936	813	12	11	23	2	3	5	6	5	11	8
	(2) Fort-Augustus or Abertarff,	*c.* 1070	930	10	11	21	2	–	2	4	7	11	4
93	Cromdale and Inverallan,	3990	3943	66	57	123	12	8	20	21	28	49	22
94	Croy and Dalcross,	1777	1873	19	28	47	1	1	2	9	12	21	9
95	Daviot and Dunlichty,	1857	1741	15	16	31	–	–	–	8	12	20	11
96	Dores,	1650	1506	18	24	42	–	1	1	4	5	9	2
97	Glenelg—												
	(1) Glenelg,	*c.* 1070	800	10	6	16	1	–	1	3	9	12	3
	(2) Knoydart,	*c.* 770	574	7	9	16	2	1	3	7	3	10	1
	(3) North Morar,	*c.* 630	469	9	4	13	–	–	–	3	3	6	11
98	INVERNESS (including Burgh),	16496	16162	251	207	458	16	17	33	176	171	347	101
99	Kilmonivaig—												
	(1) Glengarry,	*c.* 710	625	3	8	11	–	1	1	2	4	6	2
	(2) Lochaber,	*c.* 1873	1651	18	13	31	1	–	1	10	11	21	7
100	Kilmorack,	3007	2852	30	25	55	2	2	4	23	18	41	12
101	Kiltarlity,	2965	2839	35	32	67	4	2	6	20	21	41	11
102	Kingussie and Insh,	2201	2033	27	34	61	4	11	15	13	15	28	5
103	Kirkhill,	1730	1757	18	17	35	1	2	3	9	9	18	9
104	Laggan,	1223	986	7	12	19	–	3	3	8	7	15	3
105	Moy and Dalarossie,	1018	1026	10	20	30	–	–	–	8	5	13	1
106	Petty,	1784	1671	19	25	44	2	3	5	17	9	26	7

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
107	Urquhart, etc.—												
	(1) Urquhart, . .	c. 2585	2294	36	26	62	3	–	3	14	21	35	11
	(2) Glenmoriston, .	c. 695	617	7	6	13	1	1	2	1	9	10	3
	Insular.												
108	Barra, ...	1873	1853	38	25	63	1	–	1	14	11	25	12
109	Bracadale, . . .	1597	1335	17	16	33	1	2	3	4	5	9	7
110	Duirinish, . . .	5330	4775	79	67	146	3	5	8	31	45	76	23
111	Harris—(1) Harris, .	3663	3769	72	63	135	3	5	8	33	33	66	31
	(2) Bernera, .	477	336	3	6	9	–	1	1	4	3	7	2
	(3) St Kilda, .	110	78	1	2	3	–	–	–	2	1	3	–
112	Kilmuir—(1) Kilmuir, .	c. 1743	1561	24	25	49	2	1	3	18	17	35	20
	(2) Stenscholl,	c. 1464	1311	22	22	44	2	–	2	18	8	26	10
113	North Uist, . . .	3918	3959	60	63	123	4	7	11	28	33	61	20
114	Portree—(1) Portree, .	2805	2579	38	44	82	3	6	9	16	21	37	12
	(2) Rasay, .	752	580	5	15	20	–	–	–	3	7	10	6
115	Sleat, ...	2531	2330	41	37	78	2	2	4	18	18	36	13
116	Small Isles, . . .	916	567	12	4	16	–	–	–	4	7	11	3
117	Snizort, ...	c. 3071	2613	37	42	79	5	3	8	17	22	39	10
118	South Uist—												
	(1) Benbecula, . .	1762	1544	27	26	53	1	2	3	16	20	36	10
	(2) Howmore, . .	c. 2040	1763	25	19	44	2	1	3	11	12	23	17
	(3) Boisdale, . .	c. 2371	2051	30	29	59	4	1	5	8	22	30	10
119	Strath, ...	3243	2664	43	39	82	5	3	8	25	21	46	19
	Total,	91954	84902	1224	1154	2378	93	98	191	662	715	1377	502
	III. NORTH-EASTERN.												
	7. Nairn.												
120	Ardclach, . . .	1278	1330	18	16	34	2	1	3	5	7	12	10
121	Auldearn, . . .	1480	1328	16	22	38	4	2	6	10	9	19	9
122	Cawdor, ...	1202	1203	11	15	26	1	–	1	9	8	17	5
123	NAIRN (incl. Burgh), .	4116	4486	69	73	142	8	7	15	41	54	95	46
	Total,	8076	8347	114	126	240	15	10	25	65	78	143	70
	8. Elgin (or Moray).												
124	Abernethy & Kincardine,	1871	1928	23	23	46	4	3	7	9	16	25	7
125	Alves, ...	919	1010	16	11	27	1	–	1	11	4	15	1
126	Bellie, ...	2017	1967	24	34	58	2	3	5	21	18	39	10
127	Birnie, ...	427	411	5	5	10	–	–	–	3	2	5	3
128	Boharm, ...	1368	1412	26	21	47	5	3	8	13	12	25	10
129	Dallas, ...	1226	1102	17	18	35	3	2	5	3	7	10	9
130	Drainy, ...	1856	3028	58	61	119	4	3	7	21	25	46	21
131	Duffus, ...	2983	3308	68	57	125	10	5	15	20	22	42	24
132	Duthil, etc.—												
	(1) Duthil, . . .	c. 1493	1609	34	24	58	4	4	8	6	11	17	8
	(2) Rothiemurchus, .	c. 295	319	3	7	10	–	2	2	3	2	5	–
133	Dyke, ...	1369	1247	26	16	42	1	1	2	9	8	17	6
134	Edinkillie, . . .	1343	1303	13	20	33	1	2	3	9	15	24	7
135	ELGIN (incl. Burgh), .	8231	9866	156	120	276	25	17	42	76	68	144	41
136	New Spynie, . . .	445	518	37	43	80	3	7	10	18	22	40	11
137	FORRES (incl. Burgh), .	4069	4112	67	68	135	10	7	17	30	52	82	23
138	Kinloss, .	1370	1315	17	24	41	1	3	4	5	8	13	6
139	Knockando,	1771	1736	22	26	48	–	6	6	9	9	18	15
140	Rafford, . .	1020	1055	14	17	31	1	4	5	8	12	20	4
141	Rothes, ...	2022	2407	45	48	93	9	7	16	20	22	42	13

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
142	St Andrews Lhanbryde,	1208	1344	24	19	43	3	2	5	8	11	19	12
143	Speymouth, . . .	685	689	13	12	25	2	–	2	10	4	14	5
144	Urquhart, . . .	2544	2532	44	39	83	5	6	11	18	18	36	13
	Total,	40532	44218	752	713	1465	94	87	181	330	368	698	249
	9. Banff.												
145	Aberlour, . . .	1447	1665	27	18	45	5	6	11	6	10	16	11
146	Alvah, ...	1402	1467	20	21	41	2	6	8	7	4	11	5
147	BANFF—(1) Burgh, .	6084	6791	119	105	224	17	12	29	66	76	142	44
	(2) Landward,	869	949	18	18	36	3	5	8	4	5	9	3
148	Botriphnie, . . .	713	867	7	15	22	2	–	2	12	4	16	3
149	Boyndie, . . .	1564	1711	33	30	63	3	9	12	15	8	23	11
150	CULLEN (Burgh), .	1697	1821	27	33	60	3	5	8	17	18	35	13
151	Deskford, . . .	917	1031	21	16	37	4	2	6	7	6	13	2
152	Enzie, ...	c. 1872	2072	35	33	68	7	6	13	16	22	38	10
153	Fordyce, . . .	3807	4145	89	74	163	14	17	31	39	45	84	21
154	Forglen, ...	695	783	11	7	18	–	1	1	5	4	9	3
155	Gamrie, ...	2758	3019	55	57	112	7	8	15	20	27	47	16
156	Grange, ...	1851	1909	38	30	68	10	3	13	19	14	33	18
157	Inveravon—												
	(1) Inveravon, . .	c. 894	868	11	15	26	–	2	2	6	6	12	3
	(2) Auchbreck, .	c. 1820	1771	30	15	45	14	1	15	21	15	36	7
158	Inverkeithny, . . .	835	880	17	18	35	2	1	3	6	4	10	2
159	Keith, ...	4986	5943	101	109	210	19	27	46	55	54	109	37
160	Kirkmichael, etc.—												
	(1) Kirkmichael, .	c. 568	551	6	5	11	1	–	1	11	11	22	3
	(2) Tomintoul, . .	c. 990	960	14	13	27	4	1	5	11	9	20	3
161	Marnoch, . . .	2994	3289	58	79	137	13	18	31	29	30	59	15
162	Mortlach, . . .	2804	3095	48	34	82	6	4	10	23	24	47	17
163	Ordiquhill, . . .	644	764	19	10	29	4	–	4	2	3	5	8
164	Rathven (incl. Buckie),	c. 4664	4922	110	99	209	17	10	27	49	46	95	37
165	Rothiemay, . . .	1413	1414	12	25	37	2	3	5	10	15	25	9
166	St Fergus, . . .	1597	1608	25	27	52	4	2	6	13	14	27	8
167	Seafield (pt. of CULLEN),	c. 1468	1725	26	39	65	2	3	5	10	11	21	12
	Total,	51353	56020	977	945	1922	165	152	317	479	485	964	321
	10. Aberdeen.												
168	ABERDEEN (Burgh)—												
	(1) St Nicholas, . .	41465	41962	765	744	1509	123	130	253	498	508	1006	323
	(2) Old Machar (Burghal)	30503	31938	469	433	902	75	56	131	316	354	670	213
	(3) Do. (Landward),	1254	1298	13	16	29	1	1	2	4	7	11	4
169	Aberdour, . . .	1857	1997	39	30	69	8	3	11	13	7	20	5
170	Aboyne, ...	1108	1160	21	10	31	5	2	7	4	7	11	13
171	Alford, ...	1143	1264	23	19	42	5	5	10	11	16	27	9
172	Auchindoir, . . .	1369	1593	33	32	65	6	5	11	8	19	27	7
173	Auchterless, . . .	1837	2010	41	48	89	6	11	17	6	15	21	9
174	Belhelvie, . . .	1692	1807	22	22	44	4	3	7	11	12	23	10
175	Birse, ...	1533	1284	18	16	34	2	4	6	9	5	14	3
176	Bourtie, . . .	529	547	14	5	19	2	–	2	4	3	7	3
177	Cabrach, . . .	750	794	9	15	24	3	7	10	6	3	9	2
178	Cairney, ...	1565	1490	18	20	38	3	7	10	9	7	16	7
179	Chapel of Garioch, . .	2102	2023	40	28	68	7	6	13	13	13	26	9
180	Clatt, ...	543	511	7	5	12	2	1	3	2	–	2	1
181	Cluny, ...	1149	1254	17	19	36	4	6	10	9	8	17	17
182	Coull, ...	734	792	12	10	22	3	–	3	6	6	12	6
183	Crathie and Braemar, .	1788	1574	18	20	38	1	3	4	10	11	21	8
184	Crimond, . . .	893	892	12	19	31	3	6	9	4	7	11	7

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
185	Cruden,	2479	2743	50	36	86	8	9	17	21	18	39	20
186	Culsamond,	1042	1165	29	18	47	6	–	6	5	4	9	9
187	Daviot,	601	614	13	9	22	3	–	3	3	2	5	2
188	Drumblade,	949	926	10	16	26	2	3	5	13	6	19	3
189	Drumoak,	948	996	8	20	28	1	3	4	3	4	7	7
190	Dyce,	470	585	11	11	22	1	1	2	4	6	10	1
191	Echt,	1206	1287	11	16	27	3	2	5	6	7	13	5
192	Ellon,	3324	3913	78	47	125	11	4	15	19	22	41	19
193	Fintray,	1080	1003	19	15	34	3	2	5	10	9	19	4
194	Forgue,	2626	2686	61	41	102	11	14	25	22	14	36	12
195	Foveran,	1638	1891	26	28	54	6	4	10	9	8	17	11
196	Fraserburgh,	4447	4511	117	87	204	21	10	31	42	35	77	30
197	Fyvie,	3927	4344	69	71	140	11	13	24	30	29	59	41
198	Gartly,	990	1029	11	18	29	2	3	5	11	5	16	2
199	Glass,	972	1049	17	13	30	6	2	8	8	8	16	6
200	Glenbucket,	542	552	12	13	25	2	4	6	3	7	10	4
201	Glenmuick, Tullich, and Glengairn,	1984	1668	27	30	57	9	6	15	14	16	30	9
202	Huntly,	4061	4329	74	68	142	14	7	21	41	42	83	22
203	Insch,	1519	1565	32	24	56	4	6	10	15	8	23	7
204	INVERURY (including part of Burgh),	c. 2649	2668	62	57	119	11	13	24	22	22	44	19
205	Keig,	772	811	15	18	33	–	1	1	4	5	9	5
206	Keith-hall,	920	933	10	10	20	–	–	–	8	3	11	6
207	Kemnay,	680	832	16	16	32	3	2	5	3	5	8	2
208	Kildrummy,	643	590	12	7	19	–	1	1	5	6	11	–
209	Kincardine O'Neil,	2098	2186	33	30	63	6	5	11	17	17	34	11
210	King-Edward,	2749	2843	48	37	85	12	7	19	29	20	49	19
211	Kinnellar,	590	691	13	8	21	2	–	2	3	5	8	4
212	Kinnethmont,	1108	1187	15	23	38	2	1	3	19	13	32	9
213	KINTORE, and part of Burgh (incl. Burgh of Inverury),	1342	1895	31	33	64	5	4	9	18	17	35	17
214	Leochel-Cushnie,	1068	1173	15	20	35	3	3	6	5	10	15	15
215	Leslie,	559	577	9	8	17	–	–	–	1	6	7	2
216	Logie-Buchan,	724	762	12	16	28	2	3	5	3	3	6	4
217	Logie-Coldstone,	889	932	13	11	24	1	4	5	9	6	15	5
218	Longside,	2952	3008	51	43	94	8	7	15	17	32	49	18
219	Lonmay,	1964	2142	42	27	69	5	3	8	16	15	31	17
220	Lumphanan,	1088	1251	19	17	36	1	4	5	9	10	19	6
221	Methlic,	1997	2157	34	33	67	4	3	7	12	15	27	9
222	Midmar,	1166	1091	22	19	41	2	3	5	7	8	15	6
223	Monquhitter,	2295	2580	50	41	91	13	10	23	17	13	30	17
224	Monymusk,	940	988	18	17	35	2	2	4	12	12	24	7
225	New Deer,	3973	4385	69	64	133	14	5	19	22	31	53	25
226	Newhills,	3325	3463	54	57	111	7	5	12	21	24	45	24
a227	New Machar,	c. 1338	1556	22	29	51	3	4	7	8	14	22	10
b227	New Pitsligo,			54	40	94	13	9	22	18	20	38	15
228	Old Deer,	4743	5174	81	74	155	14	10	24	23	41	64	34
229	Old Meldrum,	2002	2343	42	33	75	5	5	10	15	19	34	20
230	Oyne,	919	1127	21	24	45	3	3	6	9	15	24	5
231	Peterculter,	1351	1410	23	29	52	4	4	8	9	12	21	8
232	PETERHEAD—												
	(1) Burgh,	7298	9796	156	170	326	14	11	25	74	75	149	45
	(2) Landward,	2131		40	28	68	3	4	7	17	12	29	22
233	Pitsligo,	1801	1890	38	36	74	3	2	5	13	14	27	17
234	Premnay,	793	916	24	18	42	5	5	10	7	10	17	10
235	Rathen,	2368	2554	58	44	102	5	4	9	25	19	44	10
236	Rayne,	1550	1514	22	19	41	4	3	7	8	12	20	10

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Total	Mal.	Fem	Total.	
237	Rhynie,	1017	1061	16	22	38	4	3	7	10	8	18	8
238	Skene,	1862	1831	37	21	58	4	4	8	14	16	30	19
239	Slains,	1232	1266	24	17	41	–	2	2	4	9	13	6
240	Strathdon,	1531	1459	22	12	34	2	3	5	14	11	25	8
241	Strichen,	2283	2472	48	43	91	16	12	28	16	22	38	10
242	Tarland,	1197	1246	22	19	41	2	3	5	15	12	27	10
243	Tarves,	2469	2509	44	31	75	6	4	10	20	13	33	15
244	Tough,	891	874	19	16	35	5	3	8	7	7	14	3
245	Towie,	758	839	10	9	29	2	3	5	3	6	9	3
246	Tullynessle and Forbes,	930	957	15	13	28	4	3	7	5	11	16	3
247	Turriff,	3584	3693	61	58	119	16	10	26	25	36	61	39
248	Tyrie,	2830	3043	15	7	22	3	2	5	10	3	13	4
249	Udny,	c. 1473	1623	22	28	50	5	3	8	14	9	23	9
	Total,	213461	223344	3865	3554	7419	635	554	1189	1884	1982	3866	1460
	11. Kincardine.												
250	Arbuthnot,	1002	932	6	11	17	1	1	2	10	8	18	8
251	Banchory-Devenick,	3078	2919	47	48	95	7	9	16	20	30	50	15
252	Banchory-Ternan,	2462	2947	60	40	100	4	6	10	20	28	48	18
253	Benholm,	1641	1574	22	25	47	1	3	4	10	15	25	10
254	BERVIE (incl. Burgh),	1459	1561	28	26	54	3	5	8	14	8	22	13
255	Dunnottar,	1949	1828	20	36	56	1	8	9	15	20	35	18
256	Durris,	962	1109	19	16	35	2	2	4	3	6	9	7
257	Fettercairn,	1741	1700	30	26	56	4	1	5	13	20	33	12
258	Fetteresso,	5720	5527	77	72	149	11	8	19	33	52	85	37
259	Fordoun,	2386	2297	35	28	63	2	3	5	23	26	49	11
260	Garvock,	457	458	7	5	12	1	–	1	3	1	4	2
261	Glenbervie,	1239	1219	10	17	27	–	1	1	14	18	32	7
262	Kinneff and Catterline,	1069	1054	18	18	36	–	1	1	7	7	14	12
263	Laurencekirk,	2125	2110	33	27	60	5	4	9	18	19	37	19
264	Maryculter,	1055	1055	14	13	27	2	2	4	12	7	19	3
265	Marykirk,	2232	2068	36	29	65	7	4	11	24	25	49	13
266	Nigg,	1841	2074	45	32	77	4	5	9	18	12	30	9
267	St Cyrus,	1579	1552	25	16	41	5	3	8	11	10	21	12
268	Strachan,	947	870	15	13	28	1	3	4	4	12	16	7
	Total,	34944	34854	547	498	1045	61	69	130	272	324	596	233
	IV. EAST-MIDLAND.												
	12. Forfar.												
269	Aberlemno,	1116	1054	10	20	30	3	2	5	8	9	17	6
270	Airlie,	856	845	14	15	29	1	2	3	7	9	16	7
271	Arbirlot,	990	960	12	20	32	4	–	4	12	6	18	16
272	ARBROATH (including Burgh),	17233	17831	310	314	624	32	31	63	188	197	385	157
273	Auchterhouse,	686	706	11	11	22	1	1	2	5	5	10	6
274	Barry,	2175	2465	46	27	73	3	5	8	21	24	45	16
275	BRECHIN (incl. Burgh),	8210	8810	147	140	287	25	21	46	118	119	237	66
276	Carmylie,	1240	1286	28	16	44	3	1	4	11	8	19	5
277	Careston,	207	225	7	4	11	2	1	3	1	2	3	1
278	Cortachy and Clova,	722	653	8	12	20	1	1	2	6	4	10	2
279	Coupar-Angus,	2685	2642	45	44	89	5	6	11	36	43	79	9
280	Craig (incl. part of MONTROSE Burgh),	1934	2177	42	39	81	–	2	2	16	16	32	22
281	Dun,	522	552	11	9	20	2	–	2	4	8	12	3

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
282	DUNDEE (Burgh)—												
	(1) First District,	c.39960	44064	834	866	1700	73	83	156	488	595	1083	372
	(2) Second District,	c.34835	40813	818	777	1595	87	93	180	523	537	1060	308
	(3) Third (or Lochee) Dis.	c. 5232	6787	127	104	231	12	16	28	64	62	126	43
283	Dunnichen,	1884	1932	32	29	61	7	2	9	24	20	44	11
284	Eassie and Nevay,	706	748	15	18	33	2	2	4	1	5	6	2
285	Edzell,	1084	1025	15	11	26	3	–	3	3	7	10	2
286	Farnell,	650	703	12	8	20	3	1	4	9	8	17	2
287	Fearn,	392	439	4	12	16	1	2	3	5	3	8	1
288	FORFAR (incl. Burgh),	11009	10838	182	176	358	33	29	62	167	159	326	66
289	Glammis,	2152	1980	28	28	56	4	2	6	15	23	38	11
290	Glenisla,	1050	1008	10	13	23	1	1	2	5	3	8	8
291	Guthrie,	469	476	4	8	12	–	3	3	3	5	8	4
292	Inverarity,	948	961	11	13	24	–	–	–	5	5	10	9
293	Inverkeillor,	1871	1792	30	31	61	4	2	6	13	18	31	14
294	Kettins,	995	962	17	11	28	–	1	1	8	13	21	5
295	Kingoldrum,	429	473	4	5	9	1	–	1	1	1	2	3
296	Kinnell,	826	816	11	15	26	2	2	4	8	9	17	10
297	Kinnettles,	460	447	9	7	16	–	–	–	1	5	6	4
298	Kirkden,	1763	1862	35	39	74	3	3	6	15	15	30	11
299	Kirriemuir (incl. Town),	7617	7359	130	123	253	32	31	63	75	85	160	61
300	Lethnott and Navar,	408	446	10	4	14	2	–	2	2	3	5	–
301	Liff, Benvie, and Invergowrie,	1467	1430	19	20	39	1	3	4	15	17	32	6
302	Lintrathen,	926	898	10	13	23	1	2	3	9	4	13	5
303	Lochlee,	615	495	7	6	13	1	2	3	3	6	9	–
304	Logie-Pert,	1609	1483	17	16	33	–	1	1	14	10	24	3
305	Lunan,	279	259	1	4	5	–	1	1	3	1	4	1
306	Lundie,	450	442	5	7	12	1	–	1	5	1	6	2
307	Mains, etc.—(1) Mains,	1299	1392	28	11	39	4	–	4	10	16	26	4
	(2) Strathmartine,	735	789	14	14	28	2	–	2	8	9	17	2
308	Marytown,	366	417	15	5	20	1	–	1	4	3	7	2
309	Menmuir,	693	796	17	13	30	1	1	2	11	7	18	4
310	Monifieth (including part of Broughty-Ferry),	4267	5052	95	89	184	5	5	10	61	52	113	30
311	Monikie,	1317	1460	23	21	44	1	1	2	4	13	17	7
312	MONTROSE (incl. part of Burgh),	16037	15668	258	225	483	29	12	41	219	255	474	65
313	Murroes,	643	763	12	9	21	–	–	–	6	6	12	2
314	Newtyle,	1141	1139	17	20	37	2	–	2	9	11	20	5
315	Oathlaw,	424	399	10	2	12	3	–	3	2	4	6	4
316	Panbride,	1372	1299	16	20	36	3	2	5	9	16	25	11
317	Rescobie,	711	747	11	8	19	–	1	1	6	5	11	5
318	Ruthven,	503	265	5	7	12	1	–	1	2	1	3	–
319	St Vigeans,	2591	2553	47	41	88	3	3	6	21	22	43	11
320	Stracathro,	505	546	7	9	16	1	1	2	5	3	8	3
321	Tannadice,	1517	1438	24	17	41	2	1	3	18	24	42	12
322	Tealing,	844	883	14	13	27	2	–	2	9	6	15	5
	Total,	193627	206750	3701	3559	7260	416	382	798	2321	2523	4844	1452
	13. Perth.												
323	Aberdalgie,	343	295	3	4	7	–	–	–	3	–	3	2
324	Aberfeldy,	c. 2702	2402	29	32	61	2	1	3	18	22	40	11
325	Aberfoyle,	514	565	21	13	34	–	1	1	12	8	20	7
326	Abernethy,	2026	1960	36	24	60	5	1	6	8	13	21	8
327	Abernyte,	275	310	4	5	9	–	–	–	1	5	6	–
328	Alyth (incl. Town),	3152	3422	47	48	95	11	5	16	36	27	63	11

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
329	Auchterarder (including Town),	4160	4208	83	55	138	13	10	23	38	39	77	19
330	Auchtergaven,	3232	2562	42	32	74	8	5	13	24	20	44	24
331	Balquhidder,	874	746	14	7	21	1	3	4	2	5	7	2
332	Bendochy,	773	769	10	11	21	–	1	1	1	2	3	4
333	Blackford,	c. 2012	2084	37	22	59	4	–	4	11	15	26	12
334	Blair-Athol,	c. 1951	1553	24	19	43	–	2	2	11	11	22	5
335	Blairgowrie (including Town),	4297	4657	65	68	133	8	14	22	53	47	100	35
336	Callander,	1716	1676	26	19	45	3	3	6	21	22	43	13
337	Caputh,	2000	1772	22	14	36	2	1	3	8	13	21	7
338	Cargill,	1629	1647	24	21	45	3	4	7	6	14	20	10
339	Clunie,	723	699	13	11	24	1	–	1	6	7	13	3
340	Collace,	581	534	7	7	14	1	2	3	5	6	11	6
341	Comrie,	2463	2226	34	31	65	3	4	7	21	32	53	13
342	Crieff (incl. Town),	4504	4490	66	73	139	10	8	18	47	49	96	20
343	CULROSS (incl. Burgh),	1487	1423	15	21	36	2	1	3	10	7	17	3
344	Dowally,	c. 531	486	4	4	8	–	–	–	7	4	11	4
345	Dron,	394	376	7	4	11	–	–	–	2	1	3	2
346	Dull,	c. 855	753	8	4	12	1	1	2	6	7	13	3
347	Dunbarney,	1066	1035	11	16	27	1	1	2	9	8	17	14
348	Dunblane,	c. 3213	3096	40	47	87	5	3	8	28	28	56	19
349	Dunkeld,	c. 1199	1086	14	14	28	–	2	2	15	10	25	5
350	Dunning,	2206	2084	31	34	65	5	6	11	15	29	44	13
351	Errol,	2796	2759	45	47	92	4	7	11	22	29	51	19
352	Findo-Gask,	405	399	4	7	11	–	1	1	3	1	4	1
353	Forgandenny,	828	739	13	11	24	3	1	4	4	3	7	4
354	Forteviot,	638	595	10	6	16	1	–	1	4	2	6	2
a355	Fortingall,	c. 1409	1244	12	6	18	1	–	1	7	18	25	6
b355	Foss,	c. 432	381	5	3	8	1	–	1	2	3	5	1
356	Fowlis-Easter,	300	317	7	7	14	2	–	2	1	1	2	–
357	Fowlis-Wester,	1321	1276	12	11	23	1	1	2	9	15	24	6
358	Glendovan,	128	138	2	–	2	–	–	–	3	–	3	1
359	Inchture,	745	659	9	10	19	1	4	5	10	–	10	–
360	Kenmore,	c. 1718	1515	14	21	35	2	2	4	5	10	15	9
361	Killin,	c. 1817	1681	28	22	50	4	4	8	30	18	48	5
362	Kilmadock,	3659	3312	59	50	109	10	6	16	27	33	60	24
363	Kilspindie,	684	665	10	9	19	–	–	–	6	4	10	2
364	Kincardine,	1993	1778	26	21	47	3	3	6	24	18	42	7
365	Kinclaven,	881	758	7	4	11	3	–	3	6	4	10	5
366	Kinfauns,	650	657	7	7	14	1	1	2	5	–	5	4
367	Kinloch-Rannoch,	c. 1303	1147	14	18	32	1	2	3	4	11	15	6
368	Kinnaird,	370	318	4	5	9	–	–	–	3	2	5	–
369	Kinnoull,	771	796	14	7	21	3	1	4	7	8	15	6
370	Kirkmichael—												
	(1) Kirkmichael,	1280	1224	11	10	21	4	2	6	5	7	12	2
	(2) Glenshee,			5	5	10	–	–	–	–	2	2	2
371	Lecropt,	442	538	7	8	15	–	–	–	5	2	7	5
372	Lethendy and Kinloch,	556	542	5	7	12	–	–	–	3	2	5	3
373	Little Dunkeld,	c. 2140	2089	31	21	52	1	1	2	19	21	40	8
374	Logie (including part of STIRLING),	2551	3483	33	38	71	2	2	4	30	29	59	25
375	Logiealmond,	c. 959	815	3	11	14	–	3	3	5	5	10	3
376	Logierait,	c. 2109	1902	23	25	48	3	4	7	13	17	30	11
377	Longforgan,	1787	1823	40	30	70	2	4	6	13	18	31	9
378	Madderty,	593	536	6	7	13	–	–	–	4	3	7	7
379	Meigle,	978	1122	17	15	32	–	4	4	12	5	17	4
380	Methven,	c. 2394	2290	36	36	72	4	5	9	19	20	39	15
381	Moneydie,	321	252	2	7	9	1	1	2	1	4	5	1

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
382	Monzie,	*c.* 569	461	4	1	5	–	–	–	1	1	2	1
383	Monzievaird,	790	782	12	9	21	1	–	1	4	4	8	5
384	Moulin,	*c.* 1772	1605	21	13	34	–	3	3	16	9	25	8
385	Muckhart,	685	615	7	6	13	1	1	2	4	2	6	2
386	Muthill,	*c.* 2972	2808	44	45	89	5	4	9	37	34	71	15
387	PERTH—												
	(1) Burgh,	23835	26094	421	393	814	30	36	66	272	288	560	238
	(2) Landward,	835		11	11	22	1	1	2	2	3	5	6
388	Port of Menteith,	1419	1375	12	26	38	2	2	4	9	10	19	8
389	Rattray,	2336	2261	24	27	51	1	2	3	18	26	44	11
390	Redgorton,	*c.* 1955	1596	21	23	44	3	2	5	12	12	24	12
391	Rhynd,	338	297	6	5	11	1	–	1	3	6	9	1
392	St Madoes,	288	280	3	5	8	–	–	–	2	2	4	1
393	St Martins,	983	904	14	11	25	1	1	2	7	4	11	3
*a*394	Scone,	2332	2153	30	27	57	5	1	6	15	17	32	14
*b*394	Tenandry,	*c.* 681	595	6	5	11	–	2	2	4	8	12	–
395	Tibbermore,	1469	1182	11	19	30	2	3	5	8	5	13	8
396	Trinity-Gask,	597	488	8	8	16	2	–	2	4	3	7	1
397	Tulliallan (including Kincardine),	3043	2410	46	28	74	6	2	8	22	31	53	9
398	Weem,	*c.* 230	215	1	2	3	–	1	1	1	1	2	–
	Total,	137369	133198	1960	1816	3776	208	199	407	1176	1232	2408	821
	14. Fife.												
399	Abbotshall,	688	808	13	7	20	1	1	2	3	3	6	1
400	Abdie,	*c.* 1353	1257	20	17	37	5	1	6	9	11	20	7
401	Aberdour,	1945	1874	26	35	61	3	4	7	11	9	20	10
402	ANSTRUTHER-EASTER (Burgh),	1161	1155	24	23	47	2	3	5	11	9	20	6
403	ANSTRUTHER-WESTER (incl. Burgh),	443	438	6	7	13	1	1	2	7	6	13	1
404	Arngask,	689	705	15	10	25	–	1	1	2	7	9	3
405	Auchterderran,	3210	3457	92	75	167	4	3	7	29	26	55	19
406	AUCHTERMUCHTY (incl. Burgh),	3704	3285	50	52	102	5	8	13	20	28	48	15
407	Auchtertool,	517	609	12	11	23	–	2	2	6	2	8	3
408	Ballingry,	568	736	25	21	46	5	1	6	12	7	19	7
409	Balmerino,	945	815	13	8	21	3	–	3	5	13	18	3
410	Beath,	1252	2390	61	55	116	3	4	7	28	20	48	3
411	BURNTISLAND (incl. Burgh),	3158	3670	71	62	133	5	2	7	35	37	72	27
412	Cameron,	1207	1362	16	24	40	–	4	4	9	10	19	9
413	Carnbee,	1129	1157	22	23	45	1	1	2	4	6	10	7
414	Carnock,	3191	2925	69	66	135	8	3	11	31	30	61	14
415	Ceres,	2833	2723	40	44	84	5	4	9	25	17	42	9
416	Collessie,	1520	1530	24	26	50	3	4	7	12	10	22	8
417	CRAIL (incl. Burgh),	1903	1931	30	28	58	1	2	3	14	27	41	18
418	Criech,	386	377	6	4	10	–	1	1	4	1	5	3
419	Cults,	915	800	19	17	36	2	–	2	12	10	22	10
420	CUPAR (incl. Burgh),	7427	6750	101	86	187	11	5	16	48	94	142	50
421	Dairsie,	708	638	12	9	21	2	1	3	5	4	9	4
422	Dalgetty,	1513	1569	31	21	52	–	2	2	10	9	19	7
423	Dunbog,	*c.* 409	414	10	11	21	2	1	3	1	2	3	4
424	DUNFERMLINE—												
	(1) Burgh,	13836	13506	221	211	432	12	12	24	102	93	195	131
	(2) Landward,	*c.* 7602	7609	154	154	308	9	11	20	66	71	137	27
425	Dunino,	289	370	7	5	12	–	2	2	4	1	5	1
426	DYSART (incl. Burgh),	8739	8842	139	161	300	5	9	14	90	79	169	39

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
427	Elie,	843	826	15	5	20	1	1	2	4	10	14	4
428	FALKLAND (incl. Burgh)	3102	2937	52	43	95	5	5	10	29	51	80	12
429	Ferry-Port-on-Craig,	2238	2013	29	26	55	1	2	3	25	22	47	7
430	Flisk,	c. 157	230	3	4	7	–	–	–	–	1	1	–
431	Forgan,	1125	1326	19	16	35	–	–	–	7	7	14	10
432	INVERKEITHING (incl. Burgh),	c. 2748	3196	43	52	95	3	4	7	23	17	40	23
433	Kemback,	956	896	7	19	26	–	1	1	9	7	16	3
434	Kennoway,	2257	2012	33	24	57	3	2	5	17	18	35	8
435	Kettle,	2601	2474	29	34	63	3	2	5	19	9	28	10
436	KILCONQUHAR (incl. EARLSFERRY),	2489	2431	35	39	74	1	3	4	16	15	31	12
437	Kilmany,	662	656	11	10	21	2	2	4	3	4	7	3
438	KILRENNY (including Burgh),	2194	2534	40	49	89	2	–	2	21	19	40	11
439	KINGHORN (including Burgh),	2455	2349	41	40	81	6	4	10	29	31	60	13
440	Kinglassie,	1186	1266	22	23	45	–	3	3	14	14	28	6
441	Kingsbarns,	893	937	13	17	30	1	–	1	6	7	13	7
442	KIRKCALDY (including Burgh),	10636	11117	207	174	381	11	17	28	93	89	182	60
443	Largo,	2800	2626	45	45	90	5	9	14	18	23	41	8
444	Leslie (incl. Town),	3800	4332	48	52	100	8	10	18	47	61	108	28
445	Leuchars,	1991	1903	28	19	47	5	1	6	15	10	25	10
446	Logie,	467	410	11	8	19	2	–	2	1	3	4	6
447	Markinch,	5843	5375	74	78	152	7	6	13	48	65	113	41
448	Monimail,	1102	1054	18	11	29	1	1	2	8	7	15	4
449	Moonzie,	198	179	4	–	4	1	–	1	1	1	2	–
450	NEWBURGH (including Burgh),	2986	2693	39	34	73	7	2	9	24	38	62	10
451	Newburn,	375	374	6	5	11	2	1	3	–	4	4	1
452	PITTENWEEM (incl. Burgh),	1473	1710	24	19	43	1	1	2	20	9	29	7
453	ST ANDREWS and ST LEONARDS (incl. Bur.)	7327	7605	111	113	224	5	13	18	70	69	139	62
454	St Monance (or Abercrombie),	1241	1498	29	29	58	1	1	2	11	12	23	12
455	Saline,	1792	1610	35	31	66	3	2	5	16	7	23	11
456	Scoonie (incl. Leven),	3115	3257	50	67	117	3	8	11	23	26	49	20
457	Strathmiglo,	2509	2261	31	38	69	2	7	9	17	11	28	12
458	Torryburn,	1341	1229	28	21	49	1	1	2	13	10	23	4
459	Wemyss,	5647	6003	125	103	228	5	6	11	55	58	113	38
	Total,	153789	155021	2634	2521	5155	196	208	404	1317	1377	2694	909
	15. Kinross.												
460	Cleish,	659	649	13	6	19	2	–	2	5	2	7	1
461	Fossoway and Tulliebole,	1621	1584	21	35	56	1	1	2	11	11	22	11
462	Kinross (incl. Town),	3227	2649	41	39	80	7	8	15	18	23	41	13
463	Orwell,	2569	2399	30	36	66	7	4	11	22	24	46	6
464	Portmoak,	1550	1450	27	21	48	6	2	8	10	12	22	13
	Total,	9626	8731	132	137	269	23	15	38	66	72	138	44
	16. Clackmannan.												
465	Alloa (incl. Town),	9493	8867	164	154	318	14	16	30	82	74	156	56
466	Clackmannan,	5802	4425	101	84	185	15	7	22	41	40	81	29
467	Dollar,	1574	1776	22	19	41	3	4	7	18	14	32	7

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
468	Tillicoultry (including Town),	4686	5054	87	91	178	13	7	20	42	41	83	28
	Total,	21555	20122	374	348	722	45	34	79	183	169	352	120
	V. WEST-MIDLAND.												
	17. Stirling.												
469	Airth,	1319	1194	15	15	30	–	1	1	14	13	27	9
470	Alva (incl. Town),	3204	3283	68	53	121	10	7	17	29	28	57	15
471	Baldernock,	801	718	11	7	18	1	2	3	7	7	14	4
472	Balfron,	1900	1517	28	40	68	1	4	5	20	20	40	18
473	Bothkennar,	1179	1722	30	27	57	1	1	2	18	12	30	8
474	Buchanan,	632	705	14	9	23	2	–	2	8	6	14	4
475	Campsie (including Lennoxtown),	6918	6483	123	92	215	7	7	14	46	44	90	62
476	Denny (incl. Town),	4754	4988	89	82	171	7	4	11	45	46	91	31
477	Drymen,	1481	1619	37	38	75	–	3	3	18	20	38	8
478	Dunipace,	1472	1731	31	39	70	3	1	4	10	16	26	12
479	FALKIRK—(1) Burgh,	8752	9030	170	152	322	12	8	20	126	112	238	69
	(2) Landward,	7686	7996	147	172	319	7	13	20	77	84	161	75
480	Fintry,	823	685	6	13	19	1	1	2	13	12	25	5
481	Gargunnock,	754	728	9	12	21	–	1	1	4	5	9	4
482	Killearn,	1176	1171	19	26	45	1	–	1	17	18	35	6
483	Kilsyth (incl. Town),	5346	6112	140	117	257	15	16	31	83	69	152	32
484	Kippen,	1892	1722	27	29	56	2	1	3	17	17	34	7
485	Larbert,	4606	4999	119	87	206	10	3	13	53	39	92	25
486	Muiravonside,	2647	2660	66	50	116	2	3	5	22	30	52	14
487	Polmont,	3764	4111	72	90	162	4	4	8	33	27	60	24
488	St Ninians (including Bannockburn),	7630	6648	106	89	195	12	9	21	74	75	149	27
489	Slamannan,	1655	2916	67	81	148	2	4	6	25	25	50	25
490	STIRLING (incl. Burgh),	12401	14012	264	214	478	22	20	42	179	137	316	150
491	Strathblane,	1010	1388	38	27	65	4	1	5	19	13	32	12
	Total,	83802	88138	1696	1561	3257	126	114	240	957	875	1832	646
	18. Dumbarton.												
492	Arrochar,	562	629	7	9	16	–	–	–	7	4	11	3
493	Bonhill (includ. Alexandria),	7819	9059	173	137	310	20	11	31	98	85	183	57
494	Cardross (incl. Renton),	3402	4168	92	65	157	10	7	17	47	48	95	33
495	Cumbernauld,	3778	3513	61	79	140	8	8	16	39	29	68	19
496	DUMBARTON (Burgh),	5445	8268	164	171	335	6	4	10	73	86	159	55
497	Kilmaronock,	1033	1085	20	16	36	2	–	2	7	4	11	8
498	Kirkintilloch,	8426	8179	179	161	340	22	19	41	91	82	173	58
499	Luss,	907	831	9	9	18	–	–	–	3	9	12	3
500	New, or East, Kilpatrick,	4286	4910	103	95	198	8	5	13	45	39	84	45
501	Old, or West, Kilpatrick	5921	5577	109	106	215	7	7	14	80	69	149	27
502	Roseneath,	1044	1626	8	16	24	–	–	–	11	12	23	7
503	Row,	4372	6334	76	84	160	4	7	11	58	52	110	47
	Total,	46995	54179	1001	948	1949	87	68	155	559	519	1078	362
	19. Argyll. *Mainland.*												
504	Ardchattan,	1525	1381	18	18	36	2	2	4	13	10	23	2
505	Ardnamurchan—												
	(1) Aharacle,	c. 1791	1544	21	17	38	3	1	4	13	8	21	10
	(2) Arisaig,	c. 1555	1343	17	8	25	–	–	–	8	4	12	6
	(3) Sunart (or Strontian)	c. 875	759	10	11	21	–	–	–	10	8	18	2
	(4) Western District,	c 1225	1054	14	7	21	3	2	5	2	3	5	8

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
506	Ballachulish and Corran of Ardgour,	c. 1125	919	19	14	33	–	1	1	4	6	10	5
507	CAMPBELTOWN (incl. Burgh),	9381	8149	126	116	242	5	8	13	78	65	143	48
508	Craignish,	756	618	6	6	12	–	–	–	5	2	7	1
509	Cumlodden,	1095	1033	19	16	35	1	–	1	7	9	16	3
510	Dunoon and Kilmun,	4518	5461	70	78	148	5	2	7	51	59	110	28
511	Glassary,	c. 1860	1769	34	22	56	–	–	–	10	16	26	9
512	Glenorchy and Inishail,	1450	1307	26	15	41	–	–	–	11	16	27	8
513	INVERARAY (including Burgh),	1755	1650	20	19	39	–	1	1	16	10	26	8
514	Inverchaolain,	474	424	6	7	13	–	2	2	7	1	8	–
515	Kilbrandon & Kilchattan,	c. 2571	2053	27	25	52	3	–	3	13	16	29	4
516	Kilcalmonell, etc.—												
	(1) Kilcalmonell,	c. 930	742	10	13	23	–	–	–	12	10	22	3
	(2) Kilberry,	689	583	8	7	15	–	1	1	7	4	11	3
517	Kilchrenan, etc.—												
	(1) Kilchrenan,	494	385	2	2	4	–	1	1	4	7	11	4
	(2) Dalavich,	282	230	4	2	6	–	–	–	2	4	6	1
518	Kilfinan,	1695	1891	27	26	53	1	2	3	20	13	33	9
519	Killean and Kilchenzie,	2219	1890	38	24	62	–	2	2	14	9	23	8
520	Kilmalie,	c. 4110	3353	46	39	85	6	2	8	38	42	80	16
521	Kilmartin,	1144	949	12	22	34	2	1	3	5	3	8	11
522	Kilmodan,	500	433	7	6	13	–	–	–	3	7	10	4
523	Kilmore and Kilbride—												
	(1) OBAN,	3131	2962	35	23	58	6	5	11	33	25	58	22
	(2) Kilmore & Kilbride,			7	6	13	–	–	–	17	4	21	10
524	Kilninver, etc.—												
	(1) Kilninver,	449	314	8	5	13	2	–	2	2	3	5	2
	(2) Kilmelford,	265	486	7	12	19	–	–	–	1	3	4	2
525	Lismore, etc.—												
	(1) Lismore,	c. 1167	1023	7	17	24	1	1	2	11	9	20	1
	(2) Appin,	c. 940	825	11	8	19	–	1	1	6	3	9	2
	(3) Glencoe & Ballachulish,	c. 1510	1324	25	21	46	–	–	–	12	7	19	–
	(4) Duror,	c. 480	423	5	4	9	1	–	1	1	6	7	10
526	Lochgilphead,	c. 3263	3312	34	47	81	1	–	1	21	22	43	25
527	Lochgoilhead & Kilmorich,	834	702	5	14	19	–	–	–	6	10	16	3
528	Morvern,	1547	1226	14	16	30	1	2	3	14	9	23	7
529	Muckairn,	788	729	12	7	19	–	1	1	4	10	14	4
530	North Knapdale,	1666	1327	23	11	34	2	3	5	12	10	22	5
531	Saddell, etc.—												
	(1) Saddell,	791	739	9	12	21	1	1	2	10	3	13	3
	(2) Skipness,	c. 705	533	8	7	15	–	–	–	5	10	15	3
532	Southend,	1406	1214	22	18	40	1	–	1	7	8	15	9
533	South Knapdale,	565	654	8	8	16	–	–	–	7	3	10	2
534	Stralachlan, etc.—												
	(1) Stralachlan,	397	309	4	5	9	1	2	3	5	2	7	1
	(2) Strachur,	518	563	8	8	16	2	–	2	6	5	11	3
535	Tarbert,	c. 1828	1661	35	35	70	–	2	2	22	12	34	8
	Insular.												
536	Bowmore (or Kilarrow),	3469	2701	37	35	72	10	3	13	32	28	60	12
537	Gigha,	547	467	8	–	8	–	–	–	4	3	7	3
538	Iona,	c. 900	743	12	12	24	1	–	1	5	8	13	5
539	Jura, etc.—(1) Jura,	c. 868	858	13	18	31	–	4	4	7	7	14	4
	(2) Colonsay,	837	598	12	11	23	1	2	3	3	8	11	2
540	Kilchoman,	c. 2865	2377	36	36	72	7	4	11	29	30	59	14
541	Kildalton,	c. 2450	2187	37	27	64	1	3	4	22	6	28	9

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
542	Kilfinichen & Kilvickeon,	c. 2171	1792	24	24	48	5	2	7	16	16	32	16
543	Kilmeny, . . .	1413	1268	16	19	35	6	3	9	17	10	27	7
544	Kilninian and Kilmore, .	c. 1890	1641	12	19	31	–	2	2	10	11	21	10
545	Kinlochspelvie, . .	c. 420	428	6	5	11	–	–	–	4	2	6	1
546	Oa, ...	c. 860	769	14	13	27	–	2	2	4	6	10	2
547	Portnahaven, . . .	c. 1277	1059	23	16	39	3	–	3	17	14	31	5
548	Salen, ...	c. 634	604	4	8	12	–	–	–	7	5	12	5
549	Tobermory, . . .	c. 1804	1566	15	24	39	1	–	1	21	22	43	11
550	Torosay, . . .	c. 550	557	14	5	19	3	1	4	6	5	11	4
551	Tyree, etc.—(1) Tyree, .	3709	3217	54	42	96	3	2	5	22	18	40	9
	(2) Coll, .	1109	781	7	9	16	1	–	1	3	6	9	3
	Total,	94042	83859	1218	1127	2345	92	74	166	784	701	1485	445
	20. Bute.												
552	Cumbraes, . . .	1275	1256	15	19	34	–	3	3	16	13	29	5
553	Kilbride, . . .	c. 2340	2253	32	22	54	2	–	2	18	22	40	10
554	Kilmory, . . .	c. 2724	2515	22	33	55	2	3	5	12	23	35	10
555	Kingarth, . . .	1007	905	9	14	23	–	-	–	9	16	25	6
556	Lochranza, . . .	c. 883	824	12	16	28	2	2	4	7	5	12	3
557	North Bute, . . .	c. 1235	1351	16	19	35	–	–	–	8	10	18	11
558	ROTHESAY (Burgh), .	c. 7144	7227	111	94	205	12	9	21	78	103	181	46
	Total,	16608	16331	217	217	434	18	17	35	148	192	340	91
	VI. SOUTH-WESTERN.												
	21. Renfrew.												
559	Abbey—												
	(1) Abbey District—(portion of Burgh of PAISLEY), . .	16351	15889	315	316	631	28	29	57	164	186	350	206
	(2) Do. (Landward), .	c. 4867	5670	124	120	244	5	3	8	73	47	120	40
	(3) Johnstone District,	c. 7363	8142	192	195	387	16	7	23	103	132	235	85
560	Cathcart, . . .	2916	3782	74	67	141	3	–	3	25	25	50	35
561	Eaglesham, . . .	2524	2328	36	24	60	3	2	5	19	13	32	22
562	Eastwood, . . .	9243	11314	243	211	454	25	11	36	124	118	242	84
563	Erskine, ...	1232	1457	22	28	50	–	1	1	11	12	23	6
564	GREENOCK (Burgh)—												
	(1) New, or Middle, .	9414	9446	229	181	410	19	14	33	160	175	335	43
	(2) East, . . .	7704	12135	279	231	510	12	6	18	177	155	332	63
	(3) Old, or West, . .	20318	22313	436	392	828	20	20	40	377	379	756	225
565	Houston and Killellan, .	2753	2490	53	48	101	6	4	10	27	28	55	16
566	Inchinnan, . . .	649	619	11	16	27	1	–	1	5	5	10	1
567	Innerkip—(1) Innerkip, .	c. 1026	1188	14	15	29	–	3	3	10	7	17	4
	(2) Gourock,	c. 1992	2307	29	28	57	2	–	2	22	24	46	9
568	Kilbarchan (incl. Town),	5474	6348	121	135	256	9	9	18	69	60	129	44
569	Kilmalcolm, . . .	1399	1455	18	20	38	3	–	3	17	13	30	11
570	Lochwinnoch, . .	4153	3821	69	45	114	6	8	14	51	31	82	16
571	Mearns, ...	3704	3547	66	71	137	4	14	18	43	36	79	26
572	Neilston (including part of Barrhead), . .	12233	11013	188	168	356	14	19	33	80	88	168	57
573	PAISLEY (Bur., part of)—												
	(1) High, . . .	14643	14900	315	300	615	18	16	34	171	168	339	114
	(2) Low, . . .	7205	6712	143	106	249	13	11	24	116	87	203	45
	(3) Middle, . . .	9904	9926	187	168	355	21	16	37	139	154	293	67
574	PORT-GLASGOW (incl. Burgh), . . .	7017	7294	182	146	328	10	10	20	111	106	217	77
575	RENFREW (incl. Burgh),	3866	4650	88	65	153	3	4	7	40	50	90	21
	Total,	157950	168746	3434	3096	6530	241	207	448	2134	2099	4233	1317

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	22. Ayr.												
576	Ardrossan,	5581	6776	121	116	237	12	8	20	54	59	113	71
577	Auchinleck,	3697	4213	104	89	193	6	5	11	41	38	79	24
578	AYR (incl. Burgh),	18845	19659	367	357	724	35	24	59	213	198	411	157
579	Ballantrae,	1801	1483	21	20	41	1	5	6	14	12	26	9
580	Barr,	907	910	12	13	25	1	1	2	11	7	18	3
581	Beith,	6425	5775	115	118	233	10	11	21	43	57	100	40
582	Colmonell,	2934	2588	42	38	80	6	3	9	18	11	29	16
583	Coylton,	1542	1604	31	21	52	3	1	4	12	13	25	7
584	Craigie,	793	730	13	12	25	3	1	4	8	7	15	6
585	Dailly,	2413	2050	37	36	73	4	4	8	14	15	29	23
586	Dalmellington,	2910	4194	106	101	207	7	3	10	31	37	68	19
587	Dalry,	8865	11156	281	293	574	21	12	33	135	122	257	83
588	Dalrymple,	1096	1325	22	29	51	4	–	4	6	9	15	5
589	Dreghorn,	1828	3283	84	76	160	4	6	10	30	25	55	19
590	Dundonald,	4555	4694	73	92	165	4	4	8	42	42	84	34
591	Dunlop,	1115	1038	14	13	27	2	–	2	5	7	12	6
592	Fenwick,	1741	1532	17	22	39	1	1	2	16	10	26	16
593	Galston (incl. Town),	4392	5254	102	93	195	8	10	18	46	41	87	30
594	Girvan (incl. Town),	8588	7053	171	167	338	24	33	57	70	72	142	72
595	IRVINE (incl. Burgh),	8463	8607	164	152	316	17	13	30	80	103	183	71
596	Kilbirnie (incl. Town),	5484	5265	119	116	235	5	4	9	47	36	83	40
597	KILMARNOCK (incl. part of Burgh),	21287	23556	545	494	1039	45	40	85	270	286	556	218
598	Kilmaurs,	3144	3526	69	68	137	4	3	7	34	33	67	27
599	Kilwinning,	6359	7717	164	161	325	16	11	27	83	77	160	51
600	Kirkmichael,	3262	2823	64	58	122	8	10	18	25	30	55	21
601	Kirkoswald,	2242	2060	42	21	63	3	2	5	9	11	20	10
602	Largs,	3715	3620	58	50	108	–	3	3	45	48	93	20
603	Loudoun,	4720	4840	115	85	200	5	6	11	60	54	114	37
604	Mauchline,	2470	2303	36	46	82	1	5	6	24	22	46	17
605	Maybole,	7615	6713	140	112	252	20	11	31	54	66	120	56
606	Monkton and Prestwick,	1960	1937	41	28	69	4	1	5	16	14	30	16
607	Muirkirk,	3423	3270	60	69	129	6	4	10	21	23	44	18
608	New Cumnock,	2759	2891	59	43	102	5	5	10	13	17	30	29
609	Ochiltree,	1787	1676	30	23	53	4	1	5	19	7	26	12
610	Old Cumnock,	3777	3721	64	69	133	7	9	16	35	32	67	36
611	Riccarton (incl. part of KILMARNOCK Burgh)	4583	5629	134	124	258	10	7	17	71	60	131	47
612	St Quivox and Newton-upon-Ayr,	2231	1870	40	43	83	4	5	9	16	20	36	21
613	Sorn,	4174	4042	74	74	148	7	4	11	38	40	78	37
614	Stair,	820	743	9	15	24	–	–	–	4	1	5	9
615	Stevenston (incl. Town and part of Saltcoats),	3811	5452	145	117	262	13	12	25	80	62	142	45
616	Stewarton (incl. Town),	4572	4449	78	80	158	10	8	18	37	73	110	31
617	Straiton,	1540	1544	27	32	59	4	3	7	11	10	21	17
618	Symington,	902	855	12	18	30	–	1	1	7	5	12	7
619	Tarbolton,	2824	2669	36	40	76	5	5	10	23	31	54	25
620	West Kilbride,	2021	1968	27	42	69	1	6	7	20	14	34	11
	Total,	189973	199063	4085	3886	7971	360	311	671	1951	1957	3908	1569
	23. Lanark.												
621	Avondale (incl. Strathaven),	6451	6125	101	94	195	12	8	20	45	49	94	61
622	Barony—(1) Maryhill,	c. 4007	6734	154	128	282	11	3	14	85	80	165	28
	(2) Springburn,	c. 6386	8911	178	220	398	12	18	30	197	178	375	37
	(3) Shettleston,	c. 6564	6914	123	149	272	10	9	19	71	70	141	43
623	Biggar,	2049	1999	37	37	74	4	3	7	21	30	51	16
624	Blantyre,	2848	3092	47	47	94	3	2	5	23	28	51	15

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
625	Bothwell—												
	(1) Bothwell,	c. 5583	7059	162	141	303	4	4	8	89	56	145	30
	(2) Holytown,	c. 9700	10844	244	241	485	10	9	19	110	107	217	51
626	Cadder—												
	(1) Western District,	c. 2550	3023	69	55	124	1	1	2	25	23	48	9
	(2) Eastern District,	c. 2464	2925	62	58	120	4	7	11	24	27	51	10
627	Cambuslang,	3306	3647	67	65	132	1	5	6	24	29	53	26
628	Cambusnethan,	8621	14601	364	355	719	16	19	35	143	139	282	100
629	Carluke (incl. Town),	6283	6176	146	154	300	8	12	20	54	48	102	47
630	Carmichael,	805	836	10	17	27	2	1	3	6	1	7	5
631	Carmunnock,	710	734	11	12	23	1	–	1	2	4	6	2
632	Carnwath,	3551	3584	74	71	145	11	10	21	28	34	62	30
633	Carstairs,	1066	1345	23	25	48	–	2	2	6	8	14	5
634	Covington & Thankerton,	548	532	8	8	16	–	–	–	4	4	8	4
635	Crawford—												
	(1) Crawford,	c. 730	694	6	12	18	1	–	1	6	7	13	5
	(2) Leadhills,	c. 940	896	15	12	27	4	2	6	7	9	16	12
636	Crawfordjohn,	1111	980	11	8	19	2	3	5	7	3	10	3
637	Culter,	472	665	5	9	14	2	1	3	7	8	15	5
638	Dalserf—(1) Larkhall,	c. 2670	3629	72	69	141	9	10	19	31	37	68	32
	(2) Dalserf,	c. 913	1247	20	28	48	2	5	7	11	6	17	8
639	Dalziel,	2262	5438	151	141	292	3	4	7	51	43	94	25
640	Dolphington,	305	260	1	4	5	–	–	–	3	1	4	–
641	Douglas,	2611	2490	39	47	86	7	4	11	25	27	52	15
642	Dunsyre,	312	312	3	4	7	–	1	1	4	1	5	–
643	East Kilbride,	3760	4064	67	66	133	4	1	5	36	33	69	24
644	GLASGOW (Burgh)—												
	(1) Central,	c. 43270	49678	1053	905	1958	102	61	163	752	811	1563	546
	(2) High,	c. 42005	48119	975	968	1943	67	76	143	980	808	1788	247
	(3) Bridgeton,	c. 38385	45485	895	847	1742	47	42	89	493	551	1044	262
	(4) Calton,	c. 33310	36625	951	919	1870	174	150	324	535	545	1080	526
	(5) Clyde,	c. 32800	29975	618	583	1201	45	47	92	498	470	968	230
	(6) Blythswood,	c. 21405	28697	439	423	862	25	26	51	272	282	554	536
	(7) Milton,	c. 26240	33360	664	706	1370	49	45	94	416	421	837	258
	(8) Anderston,	c. 30035	40945	823	824	1647	54	46	100	513	518	1031	222
	(9) Tradeston,	c. 27163	38600	767	739	1506	39	29	68	435	416	851	384
	(10) Hutchesontown,	c. 34484	44019	926	922	1848	44	41	85	542	574	1116	261
645	Glassford,	1955	1938	33	32	65	2	3	5	31	31	62	12
646	Govan (Landward)—												
	(1) Govan,	c. 6238	13725	269	265	534	10	10	20	136	131	267	63
	(2) Partick,	c. 7852	14859	279	251	530	5	7	12	150	152	302	91
647	HAMILTON (incl. Burgh),	11740	14047	322	247	569	24	21	45	162	133	295	139
648	LANARK (incl. Burgh),	8243	7891	135	135	270	11	13	24	68	99	167	71
649	Lesmahagow,	7746	9266	174	174	348	17	16	33	83	78	161	51
650	Libberton,	800	836	9	9	18	1	–	1	8	7	15	5
651	New Monkland—												
	(1) Burgh of AIRDRIE,	14435	12922	299	305	604	19	22	41	155	126	281	126
	(2) Landward,	8766	7632	182	153	335	14	8	22	84	67	151	42
652	Old Monkland—												
	(1) Western District,	c. 6646	6932	177	126	303	6	4	10	75	65	140	24
	(2) Middle District,	c. 13168	15303	337	334	671	19	21	40	154	135	289	130
	(3) Eastern District,	c. 7519	7308	150	167	317	5	12	17	62	80	142	11
653	Pettinain,	428	407	6	9	15	–	1	1	3	4	7	7
654	RUTHERGLEN (incl. Burgh),	7954	9335	191	188	379	8	7	15	112	124	236	88
655	Shotts,	5982	7343	171	146	317	7	4	11	68	79	147	45
656	Stonehouse,	2781	3267	72	66	138	8	4	12	25	31	56	26
657	Symington,	536	528	9	7	16	–	1	1	5	8	13	5
658	Walston,	497	480	5	6	11	1	3	4	9	10	19	4

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
659	Wandell and Lamington,	369	380	4	4	8	–	–	–	3	4	7	–
660	Wiston and Roberton, .	839	786	11	13	24	1	2	3	3	5	8	8
	Total,	533169	640444	13216	12750	25966	948	866	1814	7977	7855	15832	5068
	VII. SOUTH-EASTERN.												
	24. Linlithgow.												
661	Abercorn, . . .	977	965	11	17	28	2	2	4	3	6	9	7
662	Bathgate, . . .	4533	10134	245	227	472	13	15	28	103	99	202	73
663	Borrowstounness, .	5192	5698	131	124	255	9	9	18	77	57	134	54
664	Carriden, . . .	1724	1821	40	40	80	7	4	11	18	25	43	14
665	Dalmeny, . . .	768	804	13	15	28	1	1	2	4	6	10	4
666	Ecclesmachen, . .	289	309	5	9	14	1	–	1	1	2	3	2
667	Kirkliston, . . .	2029	1907	35	35	70	2	2	4	18	18	36	13
668	LINLITHGOW—												
	(1) Burgh, . . .	4213	3843	73	84	157	9	10	19	34	40	74	38
	(2) Landward (St Michael's Dist.), . .	1902	1941	32	31	63	5	1	6	22	20	42	16
669	Livingstone, . . .	1289	1366	25	21	46	7	3	10	10	6	16	7
670	QUEENSFERRY (Burgh),	1195	1391	22	24	46	2	3	5	24	12	36	11
671	Torphichen, . . .	1356	1848	39	42	81	3	2	5	14	12	26	16
672	Uphall, ...	1331	1507	20	21	41	2	1	3	14	13	27	8
673	Whitburn, . . .	3792	5511	111	106	217	10	6	16	31	35	66	38
	Total,	30590	39045	802	796	1598	73	59	132	373	351	724	301
	25. Edinburgh.												
674	Borthwick, . . .	1614	1742	22	37	59	1	5	6	12	14	26	10
675	Carrington, . . .	710	681	10	19	29	2	1	3	3	1	4	3
676	Cockpen, . . .	3228	2902	45	56	101	4	3	7	19	24	43	24
677	Colinton, . . .	2676	2656	48	46	94	5	3	8	17	20	37	16
678	Corstorphine, . . .	1499	1579	30	24	54	6	2	8	17	9	26	6
679	Cramond, . . .	2547	2695	51	42	93	–	–	–	25	25	50	12
680	Cranston, . . .	1235	1035	18	16	34	1	3	4	9	8	17	7
681	Crichton, . . .	1387	1304	31	27	58	2	1	3	17	8	25	5
682	Currie, ...	2190	2248	42	35	77	2	2	4	20	9	29	13
683	Dalkeith (incl. Town),	6521	7114	139	103	242	11	5	16	86	71	157	62
684	Duddingston—												
	(1) Burgh of PORTOBELLO, . . .	3559	4366	66	56	122	10	5	15	31	29	60	32
	(2) Landward, . .	904	857	21	9	30	3	1	4	10	3	13	3
685	EDINBURGH (Burgh)—												
	(1) St George (incl. Landward of St Cuthbert), . . .	c. 38540	42068	578	577	1155	48	28	76	412	451	863	276
	(2) St Andrew . .	c. 37435	38731	468	426	894	23	20	43	287	297	584	396
	(3) Canongate (incl. Landward), . .	c. 29230	30169	572	555	1127	28	30	58	580	491	1071	222
	(4) St Giles, . . .	c. 29245	29679	665	651	1316	144	127	271	299	337	636	342
	(5) Newington, . .	c. 27198	29797	515	474	989	30	22	52	258	291	549	258
686	Fala and Soutra, . .	434	382	5	7	12	–	1	1	1	3	4	8
687	Glencross, . . .	1138	1217	19	8	27	2	3	5	7	6	13	4
688	Heriot, ...	352	407	7	8	15	1	–	1	1	3	4	1
689	Inveresk (incl. Burgh of MUSSELBURGH), .	8653	9518	148	154	302	16	15	31	86	92	178	60
690	Kirknewton and East-Calder, ...	1630	1549	23	34	57	2	5	7	13	17	30	14

Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
Lasswade,	5821	5688	116	90	206	6	8	14	51	54	105	40
LEITH (Burgh)—												
(1) North Leith,	c. 9494	11562	182	170	352	4	7	11	89	86	175	82
(2) South Leith (incl. Landward),	c.22725	24467	445	431	876	24	15	39	247	277	524	240
Liberton,	3528	3510	58	47	105	8	3	11	27	24	51	15
Mid-Calder,	1474	1389	23	23	46	5	2	7	5	12	17	6
Newbattle,	2518	2837	62	54	116	7	4	11	24	13	37	14
Newton,	1780	1553	30	26	56	2	2	4	10	12	22	8
Penicuik,	3003	3249	60	52	112	5	5	10	25	37	62	26
Ratho,	1718	1659	30	28	58	4	2	6	11	6	17	1
Stow,	1973	2171	46	35	81	3	7	10	18	6	24	14
Temple,	1414	1385	24	22	46	2	1	3	7	15	22	13
West-Calder,	2120	1927	34	42	76	3	4	7	12	8	20	13
Total,	259493	274093	4633	4384	9017	414	342	756	2736	2759	5495	2246
26. Haddington.												
Aberlady,	1099	1019	11	13	24	2	1	3	7	10	17	3
Athelstaneford,	971	902	10	18	28	–	3	3	5	4	9	5
Bolton,	373	332	3	10	13	–	–	–	1	4	5	1
Dirleton,	1634	1540	25	23	48	3	1	4	12	9	21	10
DUNBAR (incl. Burgh),	4415	4944	93	79	172	5	8	13	31	26	57	32
Garvald,	869	891	13	12	25	2	4	6	2	4	6	5
Gladsmuir,	1780	1945	34	36	70	1	4	5	18	16	34	10
HADDINGTON (incl. Burgh),	5525	5548	104	82	186	10	4	14	44	50	94	54
Humbie,	925	997	16	19	35	3	1	4	6	4	10	–
Innerwick,	1012	937	15	10	25	1	–	1	11	10	21	6
Morham,	249	281	3	8	11	–	–	–	–	2	2	3
NORTH BERWICK (incl. Burgh),	1643	2071	35	32	67	9	3	12	20	16	36	6
Oldhamstocks,	692	615	13	17	30	1	3	4	2	7	9	2
Ormiston,	811	915	15	19	34	2	6	8	8	9	17	8
Pencaitland,	1175	1187	24	23	47	3	3	6	13	14	27	3
Prestonkirk,	1894	1960	38	32	70	4	3	7	12	21	33	14
Prestonpans,	2123	2080	31	33	64	4	1	5	19	22	41	16
Salton,	697	712	8	8	16	3	1	4	1	2	3	8
Spott,	595	555	7	4	11	2	–	2	2	1	3	4
Stenton,	719	692	7	9	16	–	–	–	1	4	5	3
Tranent (incl. Town),	4158	4647	83	102	185	3	10	13	40	48	88	35
Whitekirk & Tynninghame	1131	1113	18	19	37	3	3	6	5	5	10	8
Whittinghame,	671	710	14	8	22	1	1	2	4	2	6	1
Yester (or Gifford),	1202	1033	14	18	32	1	4	5	4	8	12	8
Total,	36363	37626	634	634	1268	63	64	127	268	298	566	245
27. Berwick.												
Abbey St Bathans,	155	179	6	–	6	2	–	2	–	–	–	2
Ayton,	1959	2014	40	30	70	4	–	4	17	9	26	10
Bunkle and Preston,	715	756	8	13	21	1	–	1	4	3	7	1
Channelkirk,	728	671	21	6	27	3	–	3	2	9	11	1
Chirnside,	1384	1502	23	14	37	5	–	5	9	11	20	10
Cockburnspath,	1196	1194	13	14	27	–	3	3	10	7	17	7
Coldingham,	3188	3241	54	54	108	9	2	11	41	33	74	18
Coldstream,	3245	2823	42	37	79	6	3	9	29	32	61	12
Cranshaws,	127	134	5	1	6	–	–	–	–	–	–	–
Dunse (incl. Town),	3407	3595	54	46	100	5	5	10	29	41	70	23
Earlston,	1819	1825	22	27	49	3	1	4	8	15	23	9

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
737	Eccles,	1892	1861	22	38	60	2	4	6	12	11	23	9
738	Edrom,	1474	1592	20	20	40	–	1	1	7	6	13	6
739	Eyemouth,	1488	1804	28	31	59	1	–	1	16	13	29	8
740	Fogo,	604	559	9	7	16	–	–	–	4	4	8	2
741	Foulden,	430	431	9	6	15	–	1	1	4	3	7	1
742	Gordon,	983	931	18	18	36	3	2	5	5	11	16	5
743	Greenlaw,	1378	1370	21	23	44	1	5	6	7	10	17	6
744	Hume,	406	420	9	8	17	3	–	3	2	5	7	2
745	Hutton,	1102	1067	8	14	22	1	1	2	6	10	16	7
746	Ladykirk,	561	564	6	6	12	–	–	–	9	8	17	1
747	Langton,	484	502	8	7	15	–	–	–	4	6	10	4
748	LAUDER (incl. Burgh),	2154	2198	37	44	81	1	2	3	17	17	34	7
749	Legerwood,	587	599	13	11	24	1	–	1	3	5	8	1
750	Longformacus,	411	448	7	10	17	1	1	2	4	7	11	4
751	Merton,	692	729	10	8	18	2	3	5	1	3	4	4
752	Mordington,	427	377	11	6	17	1	1	2	4	2	6	2
753	Nenthorn,	441	461	6	1	7	2	1	3	4	2	6	3
754	Polwarth,	331	251	1	2	3	–	–	–	1	4	5	–
755	Swinton,	994	964	16	14	30	–	4	4	14	18	32	4
756	Westruther,	791	786	16	15	31	–	2	2	8	6	14	1
757	Whitsome,	612	640	14	9	23	2	1	3	9	6	15	2
	Total,	36165	36488	577	540	1117	59	43	102	290	317	607	172
	28. Peebles.												
758	Broughton,	284	297	6	4	10	1	–	1	2	5	7	1
759	Drumelzier,	244	209	3	1	4	.	–	–	1	1	2	–
760	Eddlestone,	790	753	11	17	28	–	2	2	3	5	8	3
761	Glenholm,	252	198	1	5	6	–	1	1	2	1	3	1
762	Innerleithen,	1236	1823	30	32	62	4	5	9	10	8	18	7
763	Kilbucho,	345	228	4	2	6	–	1	1	2	3	5	–
764	Kirkurd,	326	362	4	7	11	–	1	1	3	4	7	3
765	Lyne, etc.—(1) Lyne,	95	81	3	–	3	–	–	–	–	1	1	–
	(2) Meggat,	63	53	1	–	1	1	–	1	1	–	1	–
766	Manor,	256	247	7	4	11	1	1	2	–	3	3	4
767	Newlands,	950	987	9	14	23	1	–	1	10	6	16	9
768	PEEBLES (incl. Burgh),	2673	2850	47	46	93	5	1	6	25	24	49	16
769	Skirling,	316	317	9	6	15	2	1	3	–	3	3	2
770	Stobo,	478	478	8	6	14	–	–	–	1	3	4	1
771	Traquair,	646	687	11	10	21	1	1	2	4	2	6	2
772	Tweedsmuir,	220	196	2	3	5	–	–	–	1	–	1	–
773	West Linton,	1630	1534	22	31	53	5	4	9	25	23	48	13
	Total,	10804	11300	178	188	366	21	18	39	90	92	182	62
	29. Selkirk.												
774	Ettrick,	477	454	11	7	18	3	1	4	5	1	6	2
775	Galashiels,	3014	3379	57	68	125	6	11	17	29	26	55	19
776	Kirkhope,	c. 600	555	14	11	25	3	2	5	1	4	5	8
777	Roberton,	670	640	13	7	20	3	–	3	6	11	17	2
778	SELKIRK (incl. Burgh),	4347	4739	87	81	168	10	7	17	45	23	68	28
779	Yarrow,	c. 694	643	7	10	17	–	1	1	5	3	8	3
	Total,	9802	10410	189	184	373	25	22	47	91	68	159	57
	VIII. SOUTHERN.												
	30. Roxburgh.												
780	Ancrum,	1554	1511	24	19	43	1	2	3	9	9	18	13
781	Ashkirk,	578	578	10	6	16	3	1	4	2	3	5	

Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
Bedrule,	240	222	5	4	9	–	1	1	2	1	3	1
Bowden,	981	864	17	20	37	2	3	5	8	6	14	6
Castleton,	2130	3688	41	19	60	7	3	10	20	11	31	17
Cavers,	1495	1824	31	27	58	2	3	5	9	15	24	11
Crailing,	734	673	9	11	20	1	2	3	5	2	7	2
Eckford,	1073	957	18	10	28	1	3	4	1	7	8	4
Edgerston,	*c.* 373	359	4	5	9	–	1	1	5	3	8	4
Ednam,	658	599	12	10	22	–	–	–	6	2	8	6
Hawick,	7801	8726	165	162	327	22	26	48	90	82	172	82
Hobkirk,	720	771	8	7	15	1	1	2	8	9	17	6
Hownam,	252	289	4	1	5	2	–	2	2	1	3	–
JEDBURGH (part of)—(incl. Burgh),	*c.* 5220	5011	66	54	120	8	3	11	45	43	88	32
Kelso,	5634	5192	98	75	173	9	8	17	49	64	113	37
Kirktown,	282	421	7	2	9	–	–	–	4	–	4	2
Lilliesleaf,	798	772	8	4	12	–	–	–	6	5	11	1
Linton,	630	608	9	4	13	2	1	3	5	4	9	–
Makerston,	345	380	4	7	11	–	–	–	4	3	7	2
Maxton,	550	497	12	4	16	1	–	1	2	2	4	2
Melrose—(1) Melrose,	3592	3557	59	51	110	5	4	9	29	24	53	23
(2) Ladhope,	3773	4154	71	71	142	4	8	12	25	43	68	32
Minto,	467	430	8	5	13	–	3	3	1	2	3	6
Morebattle,	997	1031	7	23	30	2	3	5	9	6	15	4
Oxnam,	*c.* 632	592	10	10	20	2	–	2	6	3	9	–
Roxburgh,	1141	1178	29	19	48	4	2	6	7	8	15	10
St Boswells,	884	865	25	9	34	2	1	3	3	2	5	9
Smailholm,	617	554	13	8	21	1	1	2	6	2	8	1
Southdean,	*c.* 765	687	8	7	15	–	1	1	3	2	5	2
Sprouston,	1424	1305	22	14	36	1	–	1	10	12	22	11
Stitchel,	426	425	5	4	9	–	–	–	2	–	2	2
Teviothead,	550	438	4	5	9	–	1	1	3	5	8	2
Wilton,	2557	3357	53	68	121	10	3	13	27	31	58	22
Yetholm,	1352	1207	21	22	43	2	3	5	12	12	24	13
Total,	51225	53722	887	767	1654	95	88	183	425	424	849	367
31. Dumfries.												
ANNAN (part of)—(incl. Burgh),	*c.* 5128	5113	83	77	160	13	12	25	56	47	103	29
Applegarth,	918	935	21	16	37	–	3	3	5	2	7	4
Brydekirk,	*c.* 864	779	9	15	24	2	4	6	7	6	13	5
Canonbie,	3163	3219	47	46	93	6	8	14	25	30	55	11
Carlaverock,	1418	1248	16	22	38	2	4	6	9	9	18	5
Closeburn,	1732	1651	31	29	60	5	4	9	13	19	32	14
Cummertrees,	*c.* 1334	1184	17	15	32	1	2	3	9	6	15	9
Dalton,	761	679	11	7	18	–	1	1	4	4	8	3
Dornock,	936	856	11	12	23	–	1	1	7	7	14	1
Dryfesdale,	2409	2509	45	27	72	10	6	16	25	26	51	9
DUMFRIES (incl. part of Burgh),	12298	13523	274	241	515	40	29	69	173	178	351	125
Dunscore,	1578	1554	33	24	57	2	5	7	12	11	23	11
Durrisdeer,	1795	1320	16	18	34	3	1	4	9	9	18	11
Eskdalemuir,	672	590	15	9	24	1	1	2	3	4	7	2
Ewes,	354	356	6	6	12	–	–	–	4	6	10	2
Glencairn,	1980	1867	21	28	49	5	4	9	16	15	31	15
Graitney (or Gretna),	1830	1620	27	37	64	4	5	9	14	13	27	19
Halfmorton,	687	713	11	10	21	2	4	6	4	5	9	2
Hoddam,	*c.* 1705	1568	31	30	61	3	6	9	11	9	20	8
Holywood,	1060	1115	24	18	42	2	1	3	10	8	18	10

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
831	Hutton,	836	876	15	14	29	3	2	5	7	4	11	10
832	Johnstone,	1261	1149	21	17	38	2	3	5	10	6	16	4
833	Keir,	960	849	10	18	28	–	2	2	11	10	21	6
834	Kirkconnel,	1245	996	13	20	33	–	4	4	12	8	20	8
835	Kirkmahoe,	1553	1462	14	21	35	4	6	10	17	13	30	9
836	Kirkmichael,	1124	1026	24	11	35	3	–	3	7	4	11	7
837	Kirkpatrick-Fleming,	1829	1925	24	38	62	4	3	7	10	21	31	12
838	Kirkpatrick-Juxta,	1097	1025	18	19	37	2	1	3	7	6	13	3
839	Langholm,	2990	2979	54	50	104	8	4	12	33	26	59	13
840	LOCHMABEN (includ. Burgh),	3127	3087	56	50	106	7	10	17	23	36	59	18
841	Middlebie,	2163	2004	29	28	57	4	5	9	18	18	36	10
842	Moffat,	2304	2232	41	33	74	3	5	8	15	26	41	9
843	Morton,	2482	2253	27	40	67	7	8	15	21	27	48	11
844	Mousewald,	686	633	7	8	15	–	1	1	5	2	7	2
845	Penpont,	1411	1326	14	11	25	1	3	4	12	12	24	13
846	Ruthwell,	1110	1046	15	12	27	1	2	3	8	10	18	8
847	St Mungo,	645	686	7	8	15	1	–	1	8	1	9	1
848	SANQUHAR (including Burgh),	*c.* 3155	2758	40	41	81	4	5	9	42	41	83	13
849	Tinwald,	1080	1079	17	13	30	1	2	3	3	5	8	7
850	Torthorwald,	1313	1254	15	21	36	2	5	7	17	14	31	6
851	Tundergarth,	577	507	8	11	19	2	1	3	4	4	8	2
852	Tynron,	482	446	3	8	11	–	2	2	–	3	3	1
853*a*	Wamphray,	523	559	5	7	12	–	1	1	4	5	9	1
853*b*	Wanlockhead,	*c.* 916	811	10	16	26	–	3	3	3	5	8	8
854	Westerkirk,	658	537	8	8	16	2	–	2	5	5	10	3
	Total,	78149	75904	1244	1210	2454	162	179	341	718	726	1444	480
	32. Kirkcudbright.												
855	Anwoth,	900	899	12	9	21	–	2	2	7	7	14	2
856	Balmaclellan,	*c.* 938	890	9	14	23	1	1	2	8	4	12	10
857	Balmaghie,	1217	1225	20	18	38	4	1	5	13	3	16	5
858	Borgue,	1043	1162	21	22	43	2	4	6	7	7	14	6
859	Buittle,	1042	1165	16	18	34	1	–	1	7	5	12	9
860	Carsphairn,	855	553	5	8	13	–	–	–	6	8	14	5
861	Colvend,	1398	1366	17	16	33	1	1	2	12	7	19	5
862	Corsock-Bridge,	*c.* 550	544	14	7	21	2	1	3	5	2	7	1
863	Crossmichael,	1362	1536	31	16	47	7	1	8	10	11	21	7
864	Dalbeattie,	*c.* 1927	2054	40	42	82	7	8	15	25	29	54	25
865	Dalry,	1238	1149	19	24	43	3	2	5	12	16	28	7
866	Girthon,	1787	1702	25	28	53	1	3	4	13	19	32	6
867	Irongray,	918	913	17	16	33	4	2	6	3	6	9	6
868	Kells (incl. Burgh of NEW GALLOWAY),	1091	1170	26	20	46	5	2	7	13	8	21	8
869	Kelton,	3186	3436	59	64	123	13	11	24	47	49	96	23
870	Kirkbean,	982	942	17	12	29	1	1	2	3	7	10	5
871	KIRKCUDBRIGHT (including Burgh),	3555	3407	50	42	92	10	6	16	46	48	94	19
872	Kirkgunzeon,	734	793	14	14	28	1	3	4	9	3	12	6
873	Kirkmabreck,	2266	1851	33	38	71	6	3	9	22	19	41	12
874	Kirkpatrick-Durham,	*c.* 1349	1323	24	22	46	5	6	11	11	16	27	3
875	Lochrutton,	726	677	11	11	22	–	3	3	1	10	11	4
876	Minnigaff,	2054	1804	33	25	58	6	2	8	21	23	44	13
877	New Abbey,	1098	1063	17	22	39	5	2	7	8	12	20	5
878	Parton,	*c.* 547	572	13	5	18	–	–	–	1	4	5	2
879	Rerrick,	1725	1738	30	26	56	3	2	5	24	25	49	21

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
880	Terregles (incl. part of DUMFRIES Burgh), .	566	580	5	6	11	–	1	1	1	6	7	4
881	Tongland, . . .	924	892	14	12	26	–	1	1	10	4	14	3
882	Troqueer (incl. part of DUMFRIES Burgh), .	4925	4743	87	106	193	15	14	29	56	61	117	31
883	Twynholm, . . .	782	815	9	11	20	1	2	3	1	11	12	5
884	Urr, ...	c. 1436	1531	25	30	55	3	4	7	12	17	29	11
	Total,	43121	42495	713	704	1417	107	89	196	414	447	861	269
	33. Wigtown.												
885	Glasserton, . . .	1487	1472	25	20	45	1	1	2	7	7	14	8
886	Inch, ...	2579	2460	38	31	69	2	4	6	24	22	46	8
887	Kirkcolm, . . .	2018	1860	26	30	56	1	4	5	26	19	45	10
888	Kirkcowan, . . .	1541	1434	16	21	37	1	6	7	15	10	25	6
889	Kirkinner, . . .	1914	1716	22	22	44	1	4	5	10	15	25	6
890	Kirkmaiden, . . .	2681	2333	36	49	85	6	15	21	30	27	57	7
891	Leswalt, . . .	1703	1417	12	27	39	2	1	3	14	14	28	6
892	Mochrum, . . .	2946	2694	40	37	77	6	6	12	28	25	53	17
893	New Luce, . . .	791	731	16	14	30	1	7	8	6	4	10	1
894	Old Luce (or Glenluce), .	2841	2800	39	47	86	8	7	15	24	27	51	14
895	Penninghame, . .	4155	4061	63	60	123	12	11	23	45	58	103	42
896	Portpatrick, . . .	1963	2189	32	29	61	9	6	15	15	19	34	7
897	Sorbie, ...	1886	1814	22	21	43	3	–	3	9	15	24	6
898	Stoneykirk, . . .	3321	3228	46	56	102	2	10	12	26	31	57	11
899	STRANRAER (Burgh),	5738	6315	92	98	190	17	21	38	95	113	208	32
900	WHITHORN (incl. Burgh)	3001	2934	69	48	117	7	8	15	31	36	67	22
901	WIGTOWN (incl. Burgh)	2824	2637	36	44	80	7	9	16	30	33	63	18
	Total,	43389	42095	630	654	1284	86	120	206	435	475	910	221

SUMMARY.

Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1851.	1861.	Mal.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem.	Total.	
Insular, ...	166,487	160,733	2349	2278	4627	145	124	269	1252	1381	2633	910
Mainland—Rural, . .	1,712,552	1,763,377	30478	28888	59366	3066	2808	5874	15317	15642	30959	10825
Town,*	1,009,703	1,138,184	21801	20749	42550	1878	1694	3572	14019	14103	28122	9466
SCOTLAND, . .	2,888,742	3,062,294	54628	51915	106543	5089	4626	9715	30588	31126	61714	21201

* The constitution of the Town Districts was slightly altered in 1858, so that the populations of the Mainland and Town Districts do not quite correspond with those of former Returns.

MARRIAGES registered in SCOTLAND in 1859, and the Number of Persons who signed the Register by Marks.

COUNTY.	Regular Marriages according to the Rites of								Irregular Marriages.	Signed the Register by Marks.		
	Established Church.	Free Church.	United Presbyterian Church.	Episcopalians.	Roman Catholics.	Other Denominations.	Not Stated.	TOTAL.		Males.	Females.	TOTAL.
Shetland	148	12	2	–	–	6	–	168	–	14	67	81
Orkney	91	41	47	–	–	7	3	189	2	5	14	19
Caithness	40	155	6	–	–	16	1	218	–	5	25	30
Sutherland	12	88	–	–	–	–	–	100	–	9	24	33
Ross and Cromarty	66	346	8	–	3	2	–	425	–	161	240	401
Inverness	229	202	8	1	60	1	1	502	–	153	276	429
Nairn	19	37	8	2	2	2	–	70	–	8	22	30
Elgin	138	78	21	3	4	5	–	249	–	16	39	55
Banff	204	72	17	6	18	3	1	321	–	7	31	38
Aberdeen	907	363	52	53	14	71	–	1460	–	26	117	143
Kincardine	160	54	2	14	2	1	–	233	–	3	19	22
Forfar	673	302	224	45	139	69	–	1452	–	151	363	514
Perth	370	246	125	12	35	33	–	821	–	37	88	125
Fife	523	170	188	3	14	11	–	909	–	41	101	142
Kinross	14	16	14	–	–	–	–	44	–	–	3	3
Clackmannan	39	43	32	1	–	5	–	120	–	7	23	30
Stirling	294	142	134	5	54	16	1	646	–	89	151	240
Dumbarton	180	49	53	5	64	11	–	362	–	76	118	194
Argyll	272	114	24	10	14	10	1	445	–	68	136	204
Bute	50	23	8	1	5	4	–	91	–	4	15	19
Renfrew	664	209	166	22	192	56	8	1317	–	204	457	661
Ayr	853	304	209	12	113	64	14	1569	–	227	460	687
Lanark	1596	965	899	78	805	653	67	5063	5	650	1456	2106
Linlithgow	146	61	54	–	31	6	3	301	–	50	73	123
Edinburgh	1054	440	326	94	144	71	112	2241	5	94	214	308
Haddington	150	48	27	1	19	–	–	245	–	21	39	60
Berwick	68	35	50	1	3	–	13	170	2	4	9	13
Peebles	36	10	12	–	–	2	2	62	–	–	1	1
Selkirk	28	7	19	–	–	2	1	57	–	1	3	4
Roxburgh	184	57	78	2	26	17	2	366	1	16	37	53
Dumfries	261	89	76	4	23	18	7	478	2	16	36	52
Kirkcudbright	175	47	17	3	21	4	2	269	–	15	20	35
Wigtown	125	36	30	–	17	9	4	221	–	31	30	61
SCOTLAND	9769	4861	2936	378	1822	1175	243	21184	17	2209	4707	6916

Ages and Condition of Persons married in Scotland in 1859.

Condition combined with Age.	Total.	Ages of Parties at Marriage.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Bachelors and Spinsters.	17536	–	–	3	17	125	421	924	6815	5551	2094	879	359	206	79	29	4	4	1	1	–	–	24
	17536	3	7	69	280	817	1383	1751	7248	4201	1171	397	110	38	11	2	–	–	–	–	–	–	48
Bachelors and Widows.	567	–	–	–	–	–	2	8	80	142	127	83	55	41	18	3	2	5	–	–	–	–	1
	567	–	–	–	–	–	–	–	32	158	143	120	59	37	8	3	–	1	–	–	–	–	6
Widowers and Spinsters.	1864	–	–	–	–	–	–	–	31	183	340	378	321	226	151	121	66	30	9	4	1	–	3
	1864	–	–	–	3	6	29	43	320	475	392	293	157	86	38	10	3	–	–	–	–	–	9
Widowers and Widows.	603	–	–	–	–	–	–	–	2	22	48	84	117	128	79	64	31	13	12	3	–	–	–
	603	–	–	–	–	–	–	–	10	55	119	145	131	89	31	17	4	1	–	–	–	–	1
Condition not stated. Males.	631	–	–	–	–	2	13	56	227	179	82	33	9	17	4	3	1	1	–	–	–	–	4
Condition not stated. Females.	631	1	–	6	9	30	59	69	250	132	40	15	8	3	1	–	–	–	–	–	–	–	8
Total Males	21201	–	–	3	17	127	436	988	7155	6077	2691	1457	861	618	331	220	104	53	22	8	1	–	32
Total Females ...	21201	4	7	75	292	853	1471	1863	7860	5021	1865	970	465	253	89	32	7	2	–	–	–	–	72

AGES of MALES married in Scotland in 1859.

	Total Males.	Ages of Males at Marriage.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . .	21201	–	–	3	17	127	436	988	7155	6077	2691	1457	861	618	331	220	104	53	22	8	1	–	32
DIVISIONS.																							
1. Northern .	677	–	–	–	1	5	5	22	186	218	111	60	22	20	6	12	6	2	–	–	1	–	–
2. North-Western	927	–	–	–	–	2	3	16	174	304	202	111	42	40	21	4	5	1	–	–	–	–	2
3. North-Eastern	2383	–	–	–	1	9	32	83	697	729	337	182	106	66	32	30	11	12	3	1	–	–	2
4. East-Midland .	3346	–	–	–	3	24	88	176	1169	931	408	199	130	95	50	32	22	6	7	2	–	–	4
5. West-Midland	1544	–	–	–	2	8	27	50	499	452	211	123	72	40	25	19	7	3	–	2	–	–	4
6. South-Western	7954	–	–	3	7	59	189	437	2953	2157	886	466	312	221	119	82	34	16	5	1	–	–	7
7. South-Eastern	3083	–	–	–	2	13	60	142	1036	895	360	217	129	100	57	34	15	8	3	1	–	–	11
8. Southern . .	1337	–	–	–	1	7	32	62	441	391	176	99	48	36	21	7	4	5	4	1	–	–	2
COUNTIES.																							
Shetland . .	168	–	–	–	–	2	2	5	61	56	23	6	4	3	–	6	–	–	–	–	–	–	–
Orkney . .	191	–	–	–	1	2	–	7	53	58	27	19	7	8	4	3	1	1	–	–	–	–	–
Caithness . .	218	–	–	–	–	1	2	9	56	70	42	20	8	6	1	1	2	–	–	–	–	–	–
Sutherland . .	100	–	–	–	–	–	1	1	16	34	19	15	3	3	1	2	3	1	–	–	1	–	–
Ross and Cromarty	425	–	–	–	–	1	2	5	83	150	85	48	23	14	13	–	1	–	–	–	–	–	–
Inverness . .	502	–	–	–	–	1	1	11	91	154	117	63	19	26	8	4	4	1	–	–	–	–	2

AGES of MALES married in Scotland in 1859.

Nairn . . .	70	–	–	–	–	–	–	2	13	26	16	4	5	1	–	1	–	1	–	–	–	–	1
Elgin . . .	249	–	–	–	–	1	3	8	68	91	36	18	6	7	4	5	–	2	–	–	–	–	–
Banff . . .	321	–	–	–	–	–	3	16	111	93	45	23	8	11	4	–	2	4	1		–	–	–
Aberdeen . .	1460	–	–	–	1	7	22	52	443	443	200	118	77	42	20	21	7	4	2	1	–	–	–
Kincardine . .	233	–	–	–	–	1	4	5	62	76	40	19	10	5	4	3	2	1	–	–	–	–	1
Forfar . .	1452	–	–	–	1	6	39	66	540	392	168	81	63	40	28	13	7	1	5	1	–	–	1
Perth . . .	821	–	–	–	–	8	17	33	230	244	130	67	39	28	5	11	5	2	–	1	–	–	1
Fife . . .	909	–	–	–	1	7	27	61	331	267	91	44	24	20	14	6	9	3	2	–	–	–	2
Kinross . .	44	–	–	–	–	–	2	5	17	5	4	1	2	5	2	1	–	–	–	–	–	–	–
Clackmannan .	120	–	–	–	1	3	3	11	51	23	15	6	2	2	1	1	1	–	–	–	–	–	–
Stirling . .	646	–	–	–	2	5	20	25	245	181	68	36	28	15	7	7	2	1	–	1	–	–	3
Dumbarton . .	362	–	–	–	–	2	4	19	128	112	49	16	14	9	5	2	2	–	–	–	–	–	–
Argyll . .	445	–	–	–	–	1	2	3	98	136	82	60	25	13	12	7	3	1	–	1	–	–	1
Bute . . .	91	–	–	–	–	–	1	3	28	23	12	11	5	3	1	3	–	1	–	–	–	–	–
Renfrew . .	1317	–	–	–	1	7	27	53	513	359	143	84	39	39	30	12	6	2	1	1	–	–	–
Ayr . . .	1569	–	–	2	–	16	48	100	606	389	170	75	67	43	11	25	11	5	1	–	–	–	–
Lanark . .	5068	–	–	1	6	36	114	284	1834	1409	573	307	206	139	78	45	17	9	3	–	–	–	7
Linlithgow . .	301	–	–	–	–	2	9	27	125	71	24	13	11	9	2	4	–	1	–	–	–	–	3
Edinburgh . .	2246	–	–	–	2	8	40	98	723	653	278	168	99	80	46	22	12	6	3	1	–	–	7
Haddington .	245	–	–	–	–	2	6	13	96	70	24	14	4	5	3	4	3	–	–	–	–	–	1
Berwick . .	172	–	–	–	–	1	3	3	54	61	22	14	8	2	2	2	–	–	–	–	–	–	–
Peebles . .	62	–	–	–	–	–	1	–	19	22	5	3	5	2	3	2	–	–	–	–	–	–	–
Selkirk . .	57	–	–	–	–	–	1	1	19	18	7	5	2	2	1	–	–	1	–	–	–	–	–
Roxburgh . .	367	–	–	–	–	3	7	15	130	110	49	22	11	8	5	2	2	1	1	1	–	–	–
Dumfries . .	480	–	–	–	1	1	8	22	182	141	48	35	16	14	6	1	–	2	2	–	–	–	1
Kirkcudbright .	269	–	–	–	–	–	7	11	63	91	42	27	12	5	6	2	1	–	1	–	–	–	1
Wigtown . .	221	–	–	–	–	3	10	14	66	49	37	15	9	9	4	2	1	2	–	–	–	–	–

AGES of FEMALES married in Scotland in 1859.

	Total Females	Ages of Females at Marriage.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . .	21201	4	7	75	292	853	1471	1863	7860	5021	1865	970	465	253	89	32	7	2	–	–	–	–	72
DIVISIONS.																							
1. Northern . .	677	–	1	1	10	18	33	36	232	201	77	41	17	5	2	1	–	–	–	–	–	–	2
2. North-Western	927	–	–	2	6	19	38	68	333	281	119	36	13	5	1	1	–	–	–	–	–	–	5
3. North-Eastern	2333	–	2	10	31	78	135	177	848	629	224	110	42	29	12	2	2	–	–	–	–	–	2
4. East-Midland .	3346	–	–	6	24	89	214	267	1304	841	292	162	63	48	13	6	1	1	–	–	–	–	15
5. West-Midland .	1544	–	–	2	26	69	100	138	574	375	127	73	32	17	4	2	–		–	–	–	–	5
6. South-Western	7954	1	2	30	148	414	663	803	2964	1641	617	325	179	91	40	10	4	–	–	–	–	–	22
7. South-Eastern	3083	3	1	19	30	127	187	259	1100	738	293	157	86	45	15	6	–	1	–	–	–	–	16
8. Southern . .	1337	–	1	5	17	39	101	115	505	315	116	66	33	13	2	4	–	–	–	–	–	–	5
COUNTIES.																							
Shetland . .	168	–	–	–	2	–	5	6	71	55	17	10	2	–	–	–	–	–	–	–	–	–	–
Orkney . .	191	–	–	1	2	6	8	10	64	51	22	15	9	1	2	–	–	–	–	–	–	–	–
Caithness . .	218	–	1	–	3	9	16	18	71	62	23	10	2	–	–	1	–	–	–	–	–	–	2
Sutherland . .	100	–	–	–	3	3	4	2	26	33	15	6	4	4	–	–	–	–	–	–	–	–	–
Ross and Cromarty	425	–	–	–	2	9	13	24	161	132	58	16	4	2	1	–	–	–	–	–	–	–	3
Inverness . .	502	–	–	2	4	10	25	44	172	149	61	20	9	3	–	1	–	–	–	–	–	–	2

AGES of FEMALES married in Scotland in 1859.

Nairn . . .	70	–	–	1	–	4	5	6	24	16	7	3	1	2	1	–	–	–	–	–	–	–	–
Elgin . . .	249	–	–	1	5	3	8	25	96	69	23	12	3	2	–	1	–	–	–	–	–	–	1
Banff . . .	321	–	–	3	4	6	23	19	126	95	25	14	3	3	–	–	–	–	–	–	–	–	–
Aberdeen . .	1460	–	2	5	21	55	88	110	521	384	147	68	32	19	6	1	1	–	–	–	–	–	–
Kincardine . .	233	–	–	–	1	10	11	17	81	65	22	13	3	3	5	–	1	–	–	–	–	–	1
Forfar . .	1452	–	–	–	13	30	106	123	570	347	134	70	34	14	3	5	–	–	–	–	–	–	3
Perth . .	821	–	–	5	9	23	40	52	297	229	75	52	17	9	3	–	–	1	–	–	–	–	9
Fife . . .	909	–	–	1	–	31	49	77	364	233	75	37	12	19	7	1	–	–	–	–	–	–	3
Kinross . .	44	–	–	–	–	–	4	4	14	14	1	2	–	4	–	–	1	–	–	–	–	–	–
Clackmannan .	120	–	–	–	2	5	15	11	59	18	7	1	–	2	–	–	–	–	–	–	–	–	–
Stirling . .	646	–	–	2	12	36	54	68	236	142	42	24	19	6	–	2	–	–	–	–	–	–	3
Dumbarton .	362	–	–	–	7	22	26	37	151	68	30	14	3	3	1	–	–	–	–	–	–	–	–
Argyll . .	445	–	–	–	6	8	18	27	153	141	45	26	9	7	3	–	–	–	–	–	–	–	2
Bute . . .	91	–	–	–	1	3	2	6	34	24	10	9	1	1	–	–	–	–	–	–	–	–	–
Renfrew . .	1317	1	–	2	20	63	116	134	509	264	107	49	35	10	6	1	–	–	–	–	–	–	–
Ayr . . .	1569	–	2	6	38	98	118	162	592	279	127	66	37	19	16	3	–	–	–	–	–	–	6
Lanark . .	5068	–	–	22	90	253	429	507	1863	1098	383	210	107	62	18	6	4	–	–	–	–	–	16
Linlithgow . .	301	1	–	5	8	25	25	36	109	47	15	13	8	3	2	–	–	1	–	–	–	–	3
Edinburgh . .	2246	2	1	13	18	85	139	178	784	552	225	115	71	36	9	6	–	–	–	–	–	–	12
Haddington .	245	–	–	–	2	9	10	20	108	56	20	8	4	3	4	–	–	–	–	–	–	–	1
Berwick . .	172	–	–	–	1	7	5	18	54	50	20	14	1	2	–	–	–	–	–	–	–	–	–
Peebles . .	62	–	–	–	1	1	2	2	26	19	5	5	1	–	–	–	–	–	–	–	–	–	–
Selkirk . .	57	–	–	1	–	–	6	5	19	14	8	2	1	1	–	–	–	–	–	–	–	–	–
Roxburgh . .	367	–	1	2	7	9	34	27	157	72	37	11	5	3	1	1	–	–	–	–	–	–	–
Dumfries . .	480	–	–	1	3	17	27	48	176	138	31	16	15	4	1	1	–	–	–	–	–	–	2
Kirkcudbright .	269	–	–	2	4	9	22	20	92	59	26	23	7	3	–	–	–	–	–	–	–	–	2
Wigtown . .	221	–	–	–	3	4	18	20	80	46	22	16	6	3	–	2	–	–	–	–	–	–	1

DEATHS at Different Ages in SCOTLAND during the YEAR 1859.—BOTH SEXES.

	POPULATION.		BOTH SEXES.													
			ALL AGES.	AGE UNDER												
				MONTHS.												
	1851.	1861.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	2888742	3062294	61714	5695	1819	4009	5557	3011	1981	1423	3493	1530	2047	2321	2070
Insular . .	166487	160733	2633	262	64	113	133	68	33	34	85	54	83	112	104
Mainland .	1712552	1763377	30959	2799	817	1673	2262	1233	913	579	1776	877	1079	1175	1008
Towns . .	1009703	1138184	28122	2634	938	2223	3162	1710	1035	810	1632	599	885	1034	958
Shetland . .	31078	31670	466	24	14	10	9	11	7	5	7	9	19	33	18
Orkney . .	31455	32395	483	20	5	13	17	4	8	5	15	10	17	26	20
Caithness .	39782	42200	559	56	11	17	13	10	10	3	18	16	19	14	16
Sutherland .	24720	24157	322	28	6	4	3	5	7	4	6	2	10	17	20
Ross & Cromarty	83781	82427	1299	144	29	55	85	38	28	11	37	32	27	41	42
Inverness .	91954	84902	1377	166	41	60	66	46	19	16	42	22	36	43	43
Nairn . .	8076	8347	143	13	4	11	3	5	2	3	1	1	2	12	4
Elgin . .	40532	44218	698	73	28	29	46	23	17	10	14	12	15	31	17
Banff . .	51353	56020	964	90	18	46	46	35	23	9	43	30	44	41	34
Aberdeen .	213461	223344	3866	338	94	186	209	124	92	65	188	109	127	157	125
Kincardine .	34944	34854	596	52	12	20	30	20	24	12	36	23	19	12	18
Forfar . .	193627	206750	4844	464	145	285	469	257	192	163	331	107	179	176	135
Perth . .	137369	133198	2408	174	53	114	137	58	48	35	109	55	75	102	90
Fife . . .	153789	155021	2694	222	59	153	198	113	69	55	143	83	106	79	74
Kinross . .	9626	8731	138	13	5	6	3	4	3	5	9	1	5	1	1
Clackmannan .	21555	20122	352	40	11	35	30	5	8	4	21	10	15	13	11
Stirling . .	83802	88138	1832	169	56	120	186	99	51	32	106	49	69	69	51
Dumbarton .	46995	54179	1078	84	31	73	115	75	34	30	69	36	41	42	41
Argyll . .	94042	83859	1485	95	25	63	71	37	24	15	53	43	50	80	61
Bute . .	16608	16331	340	21	10	26	21	14	5	5	22	13	9	14	19
Renfrew . .	157950	168746	4233	369	132	361	489	284	207	150	317	98	143	132	131
Ayr . .	189973	199063	3908	338	107	284	385	193	123	94	275	117	168	157	125
Lanark . .	533169	640444	15832	1521	555	1383	2063	1093	665	506	1042	367	518	598	535
Linlithgow .	30590	39045	724	95	36	65	97	45	32	11	38	20	11	14	17
Edinburgh .	259493	274093	5495	553	175	329	424	222	116	68	215	112	144	216	217
Haddington .	36363	37626	566	48	20	20	48	18	15	8	22	8	22	8	13
Berwick . .	36165	36488	607	71	14	27	28	22	32	11	37	17	10	16	22
Peebles . .	10804	11300	182	11	4	6	8	12	10	4	7	8	9	11	8
Selkirk . .	9802	10410	159	19	6	9	5	4	2	1	10	6	6	6	6
Roxburgh .	51225	53722	849	117	26	47	43	25	14	16	35	21	31	32	28
Dumfries . .	78149	75904	1444	140	48	64	94	43	30	23	66	35	47	60	63
Kirkcudbright	43121	42495	861	54	23	35	66	37	31	16	75	22	33	29	35
Wigtown . .	43389	42095	910	73	16	53	50	30	33	28	84	36	21	39	30

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1859.—BOTH SEXES.

Inverness .	16496	16162	347	27	13	24	21	12	8	2	13	5	8	12	14
Aberdeen .	71973	73900	1676	126	44	110	124	91	49	45	96	42	56	48	49
Arbroath .	17238	17831	385	43	7	19	29	18	7	8	20	7	19	13	13
Dundee . .	80027	91664	2269	255	75	154	276	123	91	75	122	43	91	88	66
Forfar . .	11009	10838	326	19	12	18	33	27	21	19	38	7	8	9	3
Montrose .	16037	15668	474	20	14	31	47	26	23	21	40	8	17	18	10
Perth . .	23835	25293	560	56	15	33	45	8	11	4	22	11	16	21	24
Dunfermline .	13836	13506	195	16	5	12	14	8	4	4	6	4	11	2	13
Kirkcaldy .	10636	11117	182	18	4	19	15	14	2	4	7	3	5	8	5
Stirling . .	12401	14012	316	32	13	30	28	18	5	4	12	7	10	12	8
Greenock .	37436	43894	1423	115	52	146	181	110	92	61	123	26	37	38	36
Paisley . .	48071	47427	1185	108	31	74	120	71	42	49	73	31	43	34	41
Ayr . .	18845	19659	411	32	13	30	30	22	11	8	29	16	11	15	10
Kilmarnock .	21287	23556	556	44	15	52	50	33	19	20	52	12	19	28	18
Glasgow . .	329097	395503	10832	1066	391	991	1502	772	463	359	666	226	333	411	375
Barony . .	16957	22667	681	59	19	56	79	49	27	22	49	15	19	27	13
Govan . .	14090	28587	569	41	22	43	86	45	22	19	26	14	13	16	23
Hamilton . .	11740	14047	295	34	8	21	17	20	9	8	14	12	15	19	12
Airdrie . .	14435	12922	281	24	9	25	32	17	11	6	31	7	13	13	3
Coatbridge, etc.	13168	15303	289	28	15	33	35	22	7	8	17	13	11	15	7
Edinburgh .	161648	170444	3703	362	121	219	279	141	88	47	125	66	106	159	160
Leith . .	32219	36029	699	69	23	51	69	40	10	8	30	15	14	22	30
Dumfries .	17223	18266	468	40	17	32	50	23	13	9	21	9	10	6	25

DEATHS at Different Ages in SCOTLAND during the YEAR 1859.—BOTH SEXES.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1934	1862	1813	1807	1939	2099	2506	2592	2931	2861	2324	1277	466	173	39	135
Insular . . .	84	71	79	67	85	91	127	124	167	192	180	119	45	23	14	20
Mainland . . .	872	839	820	857	932	1039	1340	1477	1764	1825	1548	915	332	107	20	81
Towns . . .	978	952	914	883	922	969	1039	991	1000	844	596	243	89	43	5	34
Shetland . . .	14	16	11	16	16	11	20	26	32	49	38	37	8	5	–	1
Orkney . . .	12	11	15	14	17	24	36	26	32	42	49	26	11	3	2	3
Caithness . . .	21	10	11	9	21	27	33	36	35	43	52	34	13	6	1	4
Sutherland . .	9	11	10	8	7	8	15	16	20	39	24	22	15	4	–	2
Ross and Cromarty .	35	27	34	25	28	39	66	79	83	103	106	57	26	13	5	4
Inverness . . .	53	39	50	44	44	46	56	79	81	96	101	39	17	14	10	8
Nairn . . .	4	2	3	6	1	11	8	8	12	9	13	4	1	–	–	–
Elgin . . .	18	22	13	17	15	31	26	42	56	42	40	39	15	2	1	4
Banff . . .	29	25	27	20	28	33	31	44	48	76	69	46	25	2	1	1
Aberdeen . . .	137	133	98	112	126	148	174	188	236	294	200	134	42	19	2	9
Kincardine . .	18	11	14	15	15	16	28	35	45	40	34	30	9	4	1	3
Forfar . . .	118	136	123	143	163	164	204	199	232	188	141	73	24	15	1	17
Perth . . .	83	71	60	77	88	93	121	111	197	203	144	61	32	9	1	7
Fife . . .	77	68	73	70	97	120	147	142	170	147	130	62	25	6	1	5
Kinross . . .	7	2	1	3	6	5	9	5	10	14	9	8	1	1	–	1
Clackmannan . .	10	6	9	10	12	12	18	23	12	16	9	11	–	–	–	1
Stirling . . .	41	55	54	50	67	55	63	85	94	84	70	35	13	5	–	4
Dumbarton . .	43	26	37	30	36	24	43	32	43	36	36	14	5	–	–	2
Argyll . . .	41	38	47	54	49	51	73	75	117	103	107	61	30	9	6	7
Bute . . .	10	8	10	6	13	18	11	13	17	17	18	10	2	2	–	6
Renfrew . . .	120	113	111	110	130	139	147	138	139	121	84	44	17	2	–	5
Ayr . . .	115	119	103	98	118	106	144	152	180	165	119	83	24	9	1	6
Lanark . . .	527	492	512	458	450	454	500	453	399	309	270	99	35	14	4	10
Linlithgow . .	14	18	18	18	16	16	19	22	31	36	18	10	2	1	–	4
Edinburgh . .	223	244	213	235	215	239	283	273	259	245	168	65	28	9	–	5
Haddington . .	13	19	15	23	19	29	30	31	41	36	33	19	2	2	–	4
Berwick . . .	11	14	18	14	23	23	24	31	49	41	16	27	6	1	–	2
Peebles . . .	5	6	4	6	5	10	7	8	9	8	7	9	–	–	–	–
Selkirk . . .	5	1	4	5	8	6	6	16	8	8	4	5	2	1	–	–
Roxburgh . .	29	25	27	28	24	29	39	41	50	63	36	18	1	2	–	2
Dumfries . . .	36	48	32	49	46	50	53	71	95	103	86	40	12	6	1	3
Kirkcudbright . .	33	24	27	16	16	33	33	45	51	50	36	26	12	1	–	2
Wigtown . . .	23	22	29	18	20	29	39	47	48	35	57	29	11	6	1	3

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1859.—BOTH SEXES.

Inverness . . .	9	9	14	12	16	13	14	18	20	26	22	9	1	4	1	–
Aberdeen . .	59	52	41	54	62	75	74	72	96	114	57	23	8	4	–	5
Arbroath . . .	10	12	10	17	11	20	19	14	24	26	14	3	1	1	–	–
Dundee . . .	61	66	65	77	86	73	94	84	74	47	36	25	5	7	1	9
Forfar . . .	5	6	3	6	6	10	12	18	16	13	12	3	1	–	–	1
Montrose . . .	10	14	12	9	13	18	25	18	26	25	14	10	4	1	–	–
Perth . . .	23	18	20	18	19	25	28	33	38	32	24	13	2	–	–	1
Dunfermline . .	4	6	11	3	6	14	11	11	16	6	4	2	–	–	–	2
Kirkcaldy . . .	8	4	3	4	5	5	10	14	6	8	5	3	3	–	–	–
Stirling . . .	16	9	13	7	13	11	11	16	12	13	11	2	2	1	–	–
Greenock . . .	46	39	32	33	41	36	47	27	37	29	24	9	5	1	–	–
Paisley . . .	39	40	37	39	47	45	40	49	58	34	26	11	3	–	–	–
Ayr . . .	14	15	12	11	11	15	20	19	23	13	13	14	1	2	–	1
Kilmarnock . .	26	18	20	11	14	13	16	15	26	13	16	3	1	2	–	–
Glasgow . . .	359	350	356	316	323	322	338	284	231	183	140	39	18	9	2	7
Barony . . .	27	20	25	13	30	14	26	26	26	13	15	8	3	1	–	–
Govan . . .	23	22	20	26	12	17	21	19	15	12	6	3	2	–	–	1
Hamilton . . .	11	9	10	5	5	5	9	11	10	10	13	4	1	2	–	1
Airdrie . . .	10	10	10	10	13	8	2	8	10	4	2	1	2	–	–	–
Coatbridge, etc. .	9	9	9	12	3	12	4	6	2	6	5	1	–	–	–	–
Edinburgh . .	165	176	145	161	149	168	179	177	180	157	103	42	20	6	–	2
Leith . . .	27	34	29	25	24	30	28	34	32	25	21	5	2	–	–	2
Dumfries . . .	17	14	17	14	13	20	11	18	22	35	13	10	4	2	1	2

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1859.—MALES.

	MALE POPULATION.		MALES.													
			ALL AGES.	AGE UNDER												
				MONTHS.												
	1851.	1861.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	1375479	1449848	30588	3283	1029	2149	2843	1508	976	700	1770	750	1078	1195	950
Insular . .	76760	73409	1252	156	36	67	66	41	19	16	40	21	45	69	46
Mainland .	829259	849381	15317	1627	466	911	1148	591	442	293	891	427	573	605	469
Towns . .	469460	527058	14019	1500	527	1171	1629	876	515	391	839	302	460	521	435
Shetland . .	13145	13041	212	17	5	8	4	7	4	3	5	2	10	22	6
Orkney . .	14350	14921	213	11	2	9	10	4	4	3	4	6	9	13	8
Caithness .	18809	19827	272	35	8	10	5	4	4	2	11	6	14	11	10
Sutherland .	11437	11008	150	17	4	2	2	2	5	2	4	1	4	10	9
Ross & Cromarty	39489	38281	636	84	20	34	39	24	15	7	17	17	17	25	25
Inverness .	42814	39432	662	109	21	33	38	15	13	8	16	7	20	25	20
Nairn . .	3831	3975	65	9	1	7	2	1	1	1	1	1	1	6	2
Elgin . .	19104	20719	330	46	13	17	19	6	9	6	6	3	10	17	7
Banff . .	24034	26377	479	56	9	21	27	18	10	5	20	15	22	21	19
Aberdeen .	100938	105019	1884	210	52	98	123	59	34	36	99	60	68	78	60
Kincardine .	17185	16914	272	23	6	10	13	10	12	4	17	8	8	9	7
Forfar . .	89399	93056	2321	247	75	150	226	127	99	83	174	53	86	88	45
Perth . .	65266	63000	1176	100	30	57	71	27	26	18	51	21	45	58	31
Fife . . .	73305	72363	1317	113	34	87	109	51	40	27	65	41	55	37	37
Kinross . .	4660	4134	66	9	3	3	–	4	1	2	5	–	3	–	–
Clackmannan .	10634	9713	183	23	6	19	15	3	4	3	16	6	7	8	6
Stirling . .	41563	43507	957	107	34	72	99	50	19	15	58	19	38	36	24
Dumbarton .	23340	26418	559	57	14	44	60	37	15	15	40	18	25	24	20
Argyll . .	46197	40772	784	54	17	40	35	22	12	2	28	24	27	47	37
Bute . .	7518	7043	148	10	7	10	12	9	4	3	9	6	5	8	7
Renfrew . .	74224	79121	2134	219	82	193	238	139	107	74	168	59	72	64	59
Ayr . .	92933	96865	1951	181	62	141	197	95	51	52	137	54	88	71	60
Lanark . .	258450	307985	7977	870	319	744	1051	578	336	234	533	192	262	281	244
Linlithgow .	15137	20230	373	54	21	35	53	22	15	6	18	12	6	8	12
Edinburgh .	119713	126256	2736	327	96	166	210	112	57	37	103	55	80	126	103
Haddington .	17592	17842	268	28	11	13	24	7	5	6	10	2	10	5	4
Berwick . .	17367	17332	290	40	10	11	14	8	19	6	17	8	6	7	10
Peebles . .	5400	5593	90	5	2	5	5	8	3	3	4	3	3	6	5
Selkirk . .	4836	5065	91	16	4	2	3	2	2	1	7	2	2	4	1
Roxburgh .	25002	26565	425	63	13	23	27	12	8	7	17	6	14	21	9
Dumfries .	38922	37244	718	74	32	58	50	18	13	12	34	15	36	29	30
Kirkcudbright	19501	18086	414	30	10	20	35	13	13	8	38	9	13	10	16
Wigtown .	20335	19311	435	39	6	27	27	14	16	9	38	19	12	20	17
MALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1859.																
Inverness .	7401	7261	176	17	10	13	15	6	7	–	5	1	6	6	4
Aberdeen .	31746	32554	814	84	22	61	73	42	20	22	59	23	30	20	17
Arbroath .	7866	7770	188	26	3	11	14	10	3	6	13	5	11	9	4
Dundee . .	36364	40395	1075	125	33	81	124	62	42	36	63	19	41	48	23
Forfar . .	5017	4735	167	10	9	6	21	11	13	10	22	3	1	4	1
Montrose .	7061	6736	219	14	8	17	24	12	12	13	22	4	7	7	2
Perth . .	11282	11564	272	31	9	14	23	4	6	3	7	3	9	11	8
Dunfermline .	6901	6447	102	12	5	5	7	5	3	1	3	1	4	1	7
Kirkcaldy .	4906	5074	93	8	2	13	7	6	1	4	4	–	1	5	3
Stirling . .	5908	6814	179	21	7	16	16	9	2	2	7	4	8	9	7
Greenock .	17905	21567	714	75	37	78	82	54	52	28	51	16	22	21	18
Paisley . .	22608	21913	590	53	18	33	69	35	19	22	43	18	21	17	22
Ayr . .	8675	9094	213	19	11	13	19	11	5	3	15	6	7	5	3
Kilmarnock .	10163	11398	270	20	4	28	30	15	9	11	25	5	12	13	9
Glasgow . .	154930	185556	5436	611	219	530	776	416	231	168	342	118	167	200	173
Barony . .	8547	11221	353	31	11	32	37	27	16	10	30	5	10	10	8
Govan . .	6830	13603	286	23	12	27	47	21	9	11	13	7	5	8	8
Hamilton .	5576	6798	162	24	5	13	8	12	5	3	9	8	9	13	6
Airdrie . .	7333	6242	155	14	7	16	17	6	5	2	19	4	9	3	1
Coatbridge, etc.	7084	8155	154	12	9	16	21	12	3	3	11	10	6	8	4
Edinburgh .	72067	76013	1836	205	63	109	136	72	42	23	55	33	58	88	80
Leith . .	15482	17894	336	38	13	23	36	21	6	6	12	7	11	12	15
Dumfries .	7809	8254	229	27	10	16	27	7	4	4	9	2	5	3	12

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1859.—MALES.

	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND	896	851	918	948	950	1056	1160	1253	1301	1230	949	517	172	59	13	84
Insular	30	34	37	32	34	37	59	54	66	85	64	47	19	11	5	16
Mainland	406	379	423	439	473	519	624	740	795	811	645	393	131	40	7	49
Towns	460	438	458	477	443	500	477	459	440	434	240	77	22	8	1	19
Shetland	8	7	7	5	7	3	10	12	9	19	12	12	3	4	–	1
Orkney	6	4	6	9	6	8	14	13	10	17	19	9	4	2	1	2
Caithness	10	6	3	5	11	11	16	20	14	16	16	12	5	2	1	4
Sutherland	4	5	5	3	5	4	7	5	11	16	9	8	4	1	–	1
Ross and Cromarty	16	13	21	11	16	19	23	33	30	52	36	22	10	5	3	2
Inverness	20	17	29	24	16	21	32	31	39	39	38	13	6	1	4	7
Nairn	–	1	1	1	1	5	4	4	6	5	1	2	1	–	–	–
Elgin	8	11	7	10	7	16	13	17	17	21	13	18	9	–	–	4
Banff	13	11	19	11	14	19	10	20	29	35	25	19	9	1	–	1
Aberdeen	55	54	46	58	65	86	72	95	106	117	70	51	19	5	–	8
Kincardine	7	5	6	11	9	6	15	15	21	14	17	12	2	2	–	3
Forfar	56	54	60	63	76	75	93	94	107	82	60	28	9	2	–	9
Perth	39	37	29	42	40	50	60	55	80	96	59	33	13	5	–	3
Fife	43	24	39	31	54	59	63	78	81	64	49	26	8	2	–	–
Kinross	3	–	–	1	3	1	4	3	7	5	5	3	–	1	–	–
Clackmannan	5	3	3	5	8	6	7	11	7	7	3	2	–	–	–	–
Stirling	22	30	29	26	43	35	32	45	42	33	26	15	6	1	–	1
Dumbarton	22	13	19	16	15	11	17	17	21	16	19	1	1	–	–	2
Argyll	19	20	26	28	29	30	35	34	55	53	57	27	14	6	2	4
Bute	1	5	4	2	2	6	4	2	8	5	7	5	1	1	–	5
Renfrew	57	67	52	57	57	66	60	64	59	57	31	21	8	1	–	3
Ayr	53	50	51	56	60	56	69	89	89	74	62	38	7	4	1	3
Lanark	232	232	252	254	215	240	229	215	167	121	118	37	9	7	–	5
Linlithgow	9	8	9	9	6	7	11	10	9	16	7	4	1	1	–	4
Edinburgh	112	109	113	132	110	113	135	131	113	95	71	23	4	1	–	2
Haddington	8	7	5	12	8	12	18	16	14	17	12	11	–	–	–	3
Berwick	3	6	8	8	12	9	11	15	21	17	7	13	2	–	–	2
Peebles	1	2	2	4	–	6	5	3	7	2	4	2	–	–	–	–
Selkirk	4	1	3	4	2	3	4	10	6	4	–	3	–	1	–	–
Roxburgh	16	10	17	14	13	13	18	21	27	28	16	8	1	1	–	2
Dumfries	17	21	16	23	21	23	25	37	42	48	39	17	6	–	1	1
Kirkcudbright	19	9	17	5	6	20	21	17	25	22	19	12	6	–	–	1
Wigtown	8	9	14	8	13	17	23	21	22	17	22	10	4	2	–	1

MALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1859.

Inverness	4	4	12	7	6	6	8	6	9	10	14	–	–	–	–	–
Aberdeen	26	21	17	29	33	41	29	34	40	42	17	6	2	–	–	4
Arbroath	6	5	6	5	5	5	6	4	11	12	6	2	–	–	–	–
Dundee	29	27	33	33	36	40	46	46	36	19	15	9	2	1	–	6
Forfar	3	1	2	3	4	5	8	7	10	5	6	1	–	–	–	1
Montrose	4	6	4	6	8	8	9	4	12	9	5	1	1	–	–	–
Perth	8	11	11	12	10	13	12	16	18	18	7	6	1	–	–	1
Dunfermline	3	1	4	–	4	8	7	7	9	3	2	–	–	–	–	–
Kirkcaldy	6	2	1	3	3	4	3	6	3	4	2	1	1	–	–	–
Stirling	6	4	7	5	6	9	3	11	7	7	3	1	1	1	–	–
Greenock	24	20	17	18	20	19	17	13	12	11	3	5	1	–	–	–
Paisley	17	22	17	21	21	26	20	19	28	13	11	3	2	–	–	–
Ayr	11	9	5	6	3	6	14	12	12	6	6	5	–	–	–	1
Kilmarnock	11	7	8	7	7	5	10	7	10	6	8	1	1	1	–	–
Glasgow	158	164	168	171	144	168	147	129	88	66	58	12	5	4	–	3
Barony	10	7	13	5	15	10	16	18	16	5	6	3	1	1	–	–
Govan	9	11	13	15	5	11	12	7	4	3	2	2	–	–	–	1
Hamilton	3	3	6	4	1	4	4	5	4	4	6	2	–	–	–	1
Airdrie	7	6	7	8	7	2	1	4	5	2	2	1	–	–	–	–
Coatbridge, etc.	5	5	5	6	3	4	3	1	1	2	4	–	–	–	–	–
Edinburgh	83	85	80	93	83	75	82	86	82	65	45	11	2	–	–	–
Leith	13	11	14	13	12	17	17	12	12	6	6	2	–	–	–	1
Dumfries	14	6	8	7	7	14	3	5	11	16	6	3	2	–	1	–

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1859.—FEMALES.

	FEMALE POPULATION.		FEMALES.													
			ALL AGES.	AGE UNDER												
				MONTHS.												
	1851.	1861.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	1513263	1612446	31126	2412	790	1860	2714	1503	1005	723	1723	780	969	1126	1120
Insular . .	89727	87324	1381	106	28	46	67	27	14	18	45	33	38	43	58
Mainland .	883293	913996	15642	1172	351	762	1114	642	471	286	885	450	506	570	539
Towns . .	540243	611126	14103	1134	411	1052	1533	834	520	419	793	297	425	513	523
Shetland . .	17933	18637	254	7	9	2	5	4	3	2	2	7	9	11	12
Orkney . .	17105	17495	270	9	3	4	7	–	4	2	11	4	8	13	12
Caithness .	20973	22477	287	21	3	7	8	6	6	1	7	10	5	3	6
Sutherland .	13283	13112	172	11	2	2	1	3	2	2	2	1	6	7	11
Ross & Cromarty	44292	44020	663	60	9	21	46	14	13	4	20	15	10	16	17
Inverness .	49140	45447	715	57	20	27	28	31	6	8	26	15	16	18	23
Nairn . .	4245	4374	78	4	3	4	1	4	1	2	–	–	1	6	2
Elgin . .	21758	23496	368	27	15	12	27	17	8	4	8	9	5	14	10
Banff . .	26989	29663	485	34	9	25	19	17	13	4	23	15	22	20	15
Aberdeen .	112528	118135	1982	128	42	88	86	65	58	29	89	49	59	79	65
Kincardine .	17754	17935	324	29	6	10	17	10	12	8	19	15	11	3	11
Forfar . .	104232	113640	2523	217	70	135	243	130	93	80	157	54	93	88	90
Perth . .	71039	70067	1232	74	23	57	66	31	22	17	58	34	30	44	59
Fife . .	80484	82443	1377	109	25	66	89	62	29	28	78	42	51	42	37
Kinross . .	4966	4595	72	4	2	3	3	–	2	3	4	1	2	1	1
Clackmannan .	10921	10408	169	17	5	16	15	2	4	1	5	4	8	5	5
Stirling . .	43298	44766	875	62	22	48	87	49	32	17	48	30	31	33	27
Dumbarton .	23655	27763	519	27	17	29	55	38	19	15	29	18	16	18	21
Argyll . .	47845	43004	701	41	8	23	36	15	12	13	25	19	23	33	24
Bute . .	9090	9145	192	11	3	16	9	5	1	2	13	7	4	6	12
Renfrew . .	83726	89472	2099	150	50	168	251	145	100	76	149	39	71	68	72
Ayr . .	96980	102186	1957	157	45	143	188	98	72	42	138	63	80	86	65
Lanark . .	274719	332451	7855	651	236	639	1012	515	329	272	509	175	256	317	291
Linlithgow .	14895	19015	351	41	15	30	44	23	17	5	20	8	5	6	5
Edinburgh .	140338	147709	2759	226	79	163	214	110	59	31	112	57	64	90	114
Haddington .	18771	19773	298	20	9	7	24	11	10	2	12	6	12	3	9
Berwick . .	18798	19157	317	31	4	16	14	14	13	5	20	9	4	9	12
Peebles . .	5404	5707	92	6	2	1	3	4	7	1	3	5	6	5	3
Selkirk . .	4966	5345	68	3	2	7	2	2	–	–	3	4	4	2	5
Roxburgh .	26223	27147	424	54	13	24	16	13	6	9	18	15	17	11	19
Dumfries .	43040	42254	726	66	16	26	44	25	17	11	32	20	11	31	33
Kirkcudbright	20807	20744	447	24	13	15	31	24	18	8	37	13	20	19	19
Wigtown .	23054	22727	475	34	10	26	23	16	17	19	46	17	9	19	13
FEMALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1859.																
Inverness .	9095	8901	171	10	3	11	6	6	1	2	8	4	2	6	10
Aberdeen .	40227	41346	862	42	22	49	51	49	29	23	27	19	26	28	32
Arbroath .	9372	10061	197	17	4	8	15	8	4	2	7	2	8	4	9
Dundee . .	43663	51269	1194	130	42	73	152	61	49	39	59	24	50	40	43
Forfar . .	5992	6103	159	9	3	12	12	16	8	9	16	4	7	5	2
Montrose .	8976	8932	255	6	6	14	23	14	11	8	18	4	10	11	8
Perth . .	12553	13729	288	25	6	19	22	4	5	1	15	8	7	10	16
Dunfermline .	6935	7059	93	4	–	7	7	3	1	3	3	3	7	1	6
Kirkcaldy .	5730	6043	89	10	2	6	8	8	1	–	3	3	4	3	2
Stirling . .	6493	7198	137	11	6	14	12	9	3	2	5	3	2	3	1
Greenock .	19531	22327	709	40	15	68	99	56	40	33	72	10	15	17	18
Paisley . .	25463	25514	595	55	13	41	51	36	23	27	30	13	22	17	19
Ayr . .	10170	10565	198	13	2	17	11	11	6	5	14	10	4	10	7
Kilmarnock .	11124	12158	286	24	11	24	20	18	10	9	27	7	7	15	9
Glasgow . .	174167	209947	5396	455	172	461	726	356	232	191	324	108	166	211	202
Barony . .	8410	11338	328	28	8	24	42	22	11	12	19	10	9	17	5
Govan . .	7260	14981	283	18	10	16	39	24	13	8	13	7	8	8	15
Hamilton .	6164	7249	133	10	3	8	9	8	4	5	5	4	6	6	6
Airdrie . .	7102	6680	126	10	2	9	15	11	6	4	12	3	4	10	2
Coatbridge, etc.	6084	7148	135	16	6	17	14	10	4	5	6	3	5	7	3
Edinburgh .	89581	94431	1867	157	58	110	143	69	46	24	70	33	48	71	80
Leith . .	16737	18135	363	31	10	28	33	19	4	2	18	8	3	10	15
Dumfries .	9414	10012	239	13	7	16	23	16	9	5	12	7	5	3	13

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1859.—FEMALES.

	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1038	1011	895	859	989	1043	1346	1339	1630	1631	1375	760	294	114	26	51
Insular . . .	54	37	42	35	51	54	68	70	101	107	116	72	26	12	9	4
Mainland . . .	466	460	397	418	459	520	716	737	969	1014	903	522	201	67	13	32
Towns . . .	518	514	456	406	479	469	562	532	560	510	356	166	67	35	4	15
Shetland . . .	6	9	4	11	9	8	10	14	23	30	26	25	5	1	–	–
Orkney . . .	6	7	9	5	11	16	22	13	22	25	30	17	7	1	1	1
Caithness . . .	11	4	8	4	10	16	17	16	21	27	36	22	8	4	–	–
Sutherland . .	5	6	5	5	2	4	8	11	9	23	15	14	11	3	–	1
Ross and Cromarty .	19	14	13	14	12	20	43	46	53	51	70	35	16	8	2	2
Inverness . . .	33	22	21	20	28	25	24	48	42	57	63	26	11	13	6	1
Nairn . . .	4	1	2	5	–	6	4	4	6	4	12	2	–	–	–	–
Elgin . . .	10	11	6	7	8	15	13	25	39	21	27	21	6	2	1	–
Banff . . .	16	14	8	9	14	14	21	24	19	41	44	27	16	1	1	–
Aberdeen . . .	82	79	52	54	61	62	102	93	130	177	130	83	23	14	2	1
Kincardine . .	11	6	8	4	6	10	13	20	24	26	17	18	7	2	1	–
Forfar . . .	62	82	63	80	87	89	111	105	125	106	81	45	15	13	1	8
Perth	44	34	31	35	48	43	61	56	117	107	85	28	19	4	1	4
Fife	34	44	34	39	43	61	84	64	89	83	81	36	17	4	1	5
Kinross . . .	4	2	1	2	3	4	5	2	3	9	4	5	1	–	–	1
Clackmannan . .	5	3	6	5	4	6	11	12	5	9	6	9	–	–	–	1
Stirling . . .	19	25	25	24	24	20	31	40	52	51	44	20	7	4	–	3
Dumbarton . .	21	13	18	14	21	13	26	15	22	20	17	13	4	–	–	–
Argyll . . .	22	18	21	26	20	21	38	41	62	50	50	34	16	3	4	3
Bute	9	3	6	4	11	12	7	11	9	12	11	5	1	1	–	1
Renfrew . . .	63	46	59	53	73	73	87	74	80	64	53	23	9	1	–	2
Ayr	62	69	52	42	58	50	75	63	91	91	57	45	17	5	–	3
Lanark . . .	295	260	260	204	235	214	271	238	232	188	152	62	26	7	4	5
Linlithgow . .	5	10	9	9	10	9	8	12	22	20	11	6	1	–	–	–
Edinburgh . .	111	135	100	103	105	126	148	142	146	150	97	42	24	8	–	3
Haddington . .	5	12	10	11	11	17	12	15	27	19	21	8	2	2	–	1
Berwick . . .	8	8	10	6	11	14	13	16	28	24	9	14	4	1	–	–
Peebles . . .	4	4	2	2	5	4	2	5	2	6	3	7	–	–	–	–
Selkirk . . .	1	–	1	1	6	3	2	6	2	4	4	2	2	–	–	–
Roxburgh . . .	13	15	10	14	11	16	21	20	23	35	20	10	–	1	–	–
Dumfries . . .	19	27	16	26	25	27	28	34	53	55	47	23	6	6	–	2
Kirkcudbright . .	14	15	10	11	10	13	12	28	26	28	17	14	6	1	–	1
Wigtown . . .	15	13	15	10	7	12	16	26	26	18	35	19	7	4	1	2

FEMALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1859.

Inverness . . .	5	5	2	5	10	7	6	12	11	16	8	9	1	4	1	–
Aberdeen . . .	33	31	24	25	29	34	45	38	56	72	40	17	6	4	–	1
Arbroath . . .	4	7	4	12	6	15	13	10	13	14	8	1	1	1	–	–
Dundee . . .	32	39	32	44	50	33	48	38	38	28	21	16	3	6	1	3
Forfar . . .	2	5	1	3	2	5	4	11	6	8	6	2	1	–	–	–
Montrose . . .	6	8	8	3	5	10	16	14	14	16	9	9	3	1	–	–
Perth . . .	15	7	9	6	9	12	16	17	20	14	17	7	1	–	–	–
Dunfermline . .	1	5	7	3	2	6	4	4	7	3	2	2	–	–	–	2
Kirkcaldy . .	2	2	2	1	2	1	7	8	3	4	3	2	2	–	–	–
Stirling . . .	10	5	6	2	7	2	8	5	5	6	8	1	1	–	–	–
Greenock . . .	22	19	15	15	21	17	30	14	25	18	21	4	4	1	–	–
Paisley . . .	22	18	20	18	26	19	20	30	30	21	15	8	1	–	–	–
Ayr	3	6	7	5	8	9	6	7	11	7	7	9	1	2	–	–
Kilmarnock . .	15	11	12	4	7	8	6	8	16	7	8	2	–	1	–	–
Glasgow . . .	201	186	188	145	179	154	191	155	143	117	82	27	13	5	2	4
Barony . . .	17	13	12	8	15	4	10	8	10	8	9	5	2	–	–	–
Govan . . .	14	11	7	11	7	6	9	12	11	9	4	1	2	–	–	–
Hamilton . . .	8	6	4	1	4	1	5	6	6	6	7	2	1	2	–	–
Airdrie . . .	3	4	3	2	6	6	1	4	5	2	–	–	2	–	–	–
Coatbridge, etc . .	4	4	4	6	–	8	1	5	1	4	1	1	–	–	–	–
Edinburgh . .	82	91	65	68	66	93	97	91	98	92	58	31	18	6	–	2
Leith . . .	14	23	15	12	12	13	11	22	20	19	15	3	2	–	–	1
Dumfries . . .	3	8	9	7	6	6	8	13	11	19	7	7	2	2	–	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1859.—BOTH SEXES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	61714	466	483	559	322	1299	1377	143	698	964	3866	596	4844	2408	2694	138
SPECIFIED CAUSES	58208	381	430	508	267	1086	1156	129	631	883	3693	571	4717	2300	2512	134
I. Zymotic Class	14640	24	66	106	29	236	233	23	116	174	706	152	1501	452	541	23
II. Diseases of Uncer. Seat	2433	17	27	25	19	58	57	6	23	45	194	28	160	124	134	4
III. Tubercular Class	9951	66	65	70	41	113	135	20	84	138	651	65	717	353	355	20
IV. Brain and Nervous Sys.	4770	18	24	33	11	56	70	15	64	80	343	46	430	235	236	16
V. Organs of Circulation	2314	8	6	11	7	17	21	2	38	29	171	29	206	116	111	8
VI. Respiratory Organs	6505	25	37	33	29	100	111	8	64	92	394	62	463	214	284	13
VII. Organs of Digestion	4594	23	41	40	15	57	94	9	57	73	309	43	304	179	202	9
VIII. Urinary Organs	720	2	6	12	5	15	15	3	18	20	77	7	54	35	29	3
IX. Organs of Generation	504	7	2	2	4	16	22	1	5	5	41	1	39	15	24	2
X. Organs of Locomotion	270	2	3	4	2	10	10	2	4	2	25	5	20	16	10	1
XI. Skin, etc.	65	–	–	–	–	2	2	–	–	2	5	–	2	3	5	–
XII. Malformation	144	1	1	–	–	–	–	1	–	2	6	–	12	3	6	1
XIII. Premature Debility	2776	5	8	18	4	44	40	5	23	39	146	26	251	100	107	5
XIV. Atrophy	466	1	2	3	1	3	11	1	1	9	24	5	26	17	20	–
XV. Age	5913	156	131	131	94	324	287	30	107	138	469	81	362	346	340	23
XVI. Sudden Deaths	89	3	–	–	–	2	2	–	5	1	–	–	9	5	10	–
XVII. Violent Deaths	2054	23	11	20	6	33	46	3	22	34	132	21	161	87	98	6
I. Small Pox	682	3	–	3	–	3	16	1	1	11	29	–	3	2	2	–
Measles	972	–	12	–	–	52	6	1	6	7	12	7	192	21	47	–
Scarlatina	3614	2	1	–	1	6	3	–	10	17	53	33	502	66	97	5
Diphtheria	415	–	–	1	–	19	1	–	3	16	76	23	32	22	34	–
Hooping Cough	2660	1	6	–	3	19	89	12	34	8	136	15	188	104	89	2
Croup	921	3	1	8	14	35	19	4	12	15	70	7	90	38	58	1
Thrush	32	–	–	–	1	–	–	–	–	–	4	2	5	2	1	–
Diarrhœa	1273	2	12	25	2	9	22	1	9	18	64	9	94	45	28	4
Dysentery	469	1	1	1	–	2	1	2	6	8	48	5	64	24	11	3
Cholera	146	–	–	24	1	6	1	–	1	2	2	–	15	3	5	1
Influenza	294	6	10	8	–	44	14	–	6	7	29	8	13	12	8	–
Purpura	31	–	1	–	–	2	–	–	–	–	1	–	5	–	1	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	30	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Infantile Fever	72	1	–	–	–	2	3	–	2	6	5	–	6	2	–	–
Typhus	2436	4	17	35	6	29	41	1	16	45	128	34	248	88	140	3
Metria	175	–	–	–	1	5	4	1	3	3	12	5	8	7	10	–
Rheumatic Fever	67	1	1	–	–	–	2	–	2	–	2	–	5	8	3	1
Erysipelas	247	–	4	–	–	–	11	–	5	9	26	4	18	4	5	3
Syphilis	90	–	–	1	–	3	–	–	–	–	8	–	10	4	1	–
Noma	12	–	–	–	–	–	–	–	–	1	1	–	3	–	–	–
Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	91	–	1	–	–	–	–	–	–	1	7	4	9	5	3	–
Dropsy	1027	13	17	8	7	33	31	3	4	20	59	12	72	59	60	2
Abscess	113	–	–	1	–	2	1	–	1	2	11	–	7	4	3	1
Ulcer	26	1	–	2	–	–	2	1	–	1	1	1	1	2	1	–
Fistula	12	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Mortification	148	–	1	1	3	1	2	–	1	4	13	–	6	5	9	–
Cancer	1004	3	8	13	9	22	20	2	17	16	101	11	64	48	58	1
Gout	12	–	–	–	–	–	1	–	–	1	1	–	–	1	–	–
III. Scrofula	447	4	1	2	1	3	5	1	3	10	47	–	28	24	20	–
Tabes Mesenterica	610	1	1	5	–	1	1	–	3	5	31	–	31	14	23	–
Phthisis	7172	60	58	50	38	101	118	16	65	105	438	52	520	270	259	14
Hydrocephalus	1722	1	5	13	2	8	11	3	13	18	135	13	138	45	53	6

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1859.—BOTH SEXES.

DISEASES.	Clackmannan.	Stirling.	Dunbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	352	1832	1078	1485	340	4233	3908	15832	724	5495	566	607	182	159	849	1444	861	910
SPECIFIED CAUSES	323	1720	995	1295	313	4071	3702	15167	672	5305	512	588	178	156	822	1325	807	859
Zymotic Class	45	429	264	223	58	1311	930	4562	206	1001	99	146	49	24	174	273	206	258
Uncertain Seat	10	90	40	64	16	130	150	478	21	244	30	37	10	7	48	62	36	39
Tubercular Class	65	266	220	195	71	774	776	2829	90	954	68	72	23	23	156	199	130	147
Brain, etc.	27	123	68	85	23	292	302	1079	41	569	52	58	15	17	98	112	79	53
Heart, etc.	16	86	34	43	11	121	125	436	34	357	36	40	12	13	53	59	35	23
Respiratory Organs	50	200	59	115	33	417	352	2035	83	699	50	52	15	22	72	146	91	85
Digestive Organs	34	147	114	100	26	306	288	1211	54	403	52	46	15	22	67	117	77	60
Urinary Organs	5	18	11	21	6	34	46	125	8	82	5	8	2	5	6	12	9	16
Generative Organs	1	11	7	18	2	42	24	114	6	49	6	10	3	–	5	10	4	6
Locomotive Organs	–	2	4	9	–	12	23	50	2	28	2	–	1	–	4	9	3	5
Skin	–	2	–	–	–	4	5	19	3	4	1	1	–	–	1	–	3	1
Malformation	–	5	3	1	5	7	15	40	2	26	–	1	–	1	3	1	1	–
Premature Debility	24	91	39	31	4	213	167	826	51	288	20	30	6	7	57	56	20	25
Atrophy	3	7	9	5	2	42	43	140	4	56	2	3	2	–	2	13	5	4
Age	31	173	77	316	43	237	287	720	45	338	73	67	20	9	60	204	88	106
Sudden Deaths	1	2	1	6	–	6	5	27	–	–	–	–	1	–	–	2	1	–
Violent Deaths	11	68	45	63	13	123	164	476	22	207	16	17	4	6	16	50	19	31
Small Pox	–	20	11	7	5	68	13	224	5	229	3	2	–	–	5	15	1	–
Measles	–	40	4	71	–	59	94	231	36	21	4	2	–	–	1	34	12	–
Scarlatina	4	82	97	25	25	507	276	1316	43	68	8	70	20	1	9	23	86	158
Diphtheria	–	11	3	1	2	10	6	52	2	34	2	4	3	7	10	9	31	1
Hooping Cough	12	53	36	9	7	278	89	1118	57	176	24	6	5	2	24	15	19	24
Croup	2	30	16	16	3	64	48	217	11	62	15	9	3	2	25	11	7	5
Thrush	–	–	–	–	–	2	1	9	–	4	–	1	–	–	–	–	–	–
Diarrhœa	3	59	21	17	7	99	97	417	17	80	13	8	–	2	24	36	13	16
Dysentery	4	15	12	7	1	15	35	118	2	35	4	–	2	2	6	23	6	5
Cholera	–	6	2	–	–	9	7	37	2	12	–	3	–	–	3	2	–	2
Influenza	2	2	1	17	1	10	28	25	2	5	1	3	1	1	8	8	3	11
Purpura	–	–	–	1	–	–	2	9	–	5	–	–	–	–	3	1	–	–
Ague	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Worms	–	1	–	3	–	3	7	6	–	2	–	–	–	–	–	3	1	2
Infantile Fever	3	1	3	–	–	5	2	16	–	4	–	–	–	1	1	2	2	5
Typhus	14	93	54	44	6	153	190	619	23	186	23	27	13	6	36	74	21	19
Metria	–	9	2	1	–	5	13	47	1	23	1	4	–	–	4	2	–	4
Rheumatic Fever	1	2	–	–	–	2	4	9	–	10	–	1	–	–	3	4	2	4
Erysipelas	–	3	1	3	1	13	12	56	3	39	1	4	1	–	11	8	1	1
Syphilis	–	2	1	1	–	9	4	31	2	6	–	2	1	–	1	2	1	–
Noma	–	–	–	–	–	–	2	4	–	–	–	–	–	–	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Hæmorrhage	–	3	2	4	–	2	4	21	3	11	3	–	–	–	3	2	3	–
Dropsy	7	57	17	39	6	65	61	219	5	57	10	16	6	4	18	16	10	14
Abscess	–	4	2	2	–	4	8	33	1	14	1	1	–	–	2	4	2	2
Ulcer	–	–	–	–	–	–	1	6	–	3	–	–	–	–	3	–	–	–
Fistula	1	–	–	–	–	2	–	3	–	4	–	–	–	–	–	–	–	–
Mortification	–	6	2	4	1	6	11	27	–	23	3	6	–	–	3	5	2	3
Cancer	2	20	17	15	9	50	64	168	12	129	12	14	4	3	19	35	19	19
Gout	–	–	–	–	–	1	1	1	–	3	1	–	–	–	–	–	–	1
Scrofula	–	6	8	12	3	33	31	116	8	38	1	7	5	5	3	10	5	7
Tabes Mesenterica	6	22	7	3	7	35	71	203	6	75	4	7	2	–	17	17	6	6
Phthisis	45	184	170	159	49	567	536	1999	49	648	48	41	13	17	113	154	93	123
Hydrocephalus	14	54	35	21	12	139	138	511	27	193	15	17	3	1	23	18	26	11

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	321	2	2	6	3	6	6	1	4	6	21	5	26	10	12	–
Apoplexy	1135	1	6	5	–	4	11	5	19	11	80	10	108	69	67	5
Paralysis	1415	4	8	18	6	25	22	6	15	32	91	13	123	90	87	7
Delirium Tremens	50	–	1	–	–	–	1	1	1	–	8	–	5	2	2	–
Chorea	3	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Epilepsy	187	1	2	1	–	4	4	–	2	4	18	1	9	12	8	–
Tetanus	60	3	–	–	–	1	4	–	1	–	8	–	5	–	3	–
Insanity	52	–	–	–	–	–	–	2	–	–	3	–	5	2	2	1
Convulsions	753	4	–	1	–	7	11	–	11	14	64	3	91	16	23	2
Brain Disease	794	3	5	2	2	9	11	–	11	13	50	12	58	34	32	1
V. Pericarditis	77	1	–	1	–	1	–	–	–	–	6	2	2	8	3	–
Aneurism	75	–	–	1	–	2	–	–	–	2	9	1	7	3	3	–
Heart Disease	2162	7	6	9	7	14	21	2	38	27	156	26	197	105	105	8
VI. Laryngitis	156	–	–	1	–	1	3	–	–	2	12	4	18	7	7	–
Bronchitis	3228	14	10	12	9	52	33	4	28	34	216	34	197	95	131	5
Pleurisy	302	1	2	–	–	5	29	1	5	8	26	2	14	15	14	–
Pneumonia	1900	3	5	13	3	8	15	1	16	32	100	18	145	62	102	6
Asthma	566	6	12	7	14	32	26	2	7	7	21	1	53	27	11	1
Lung Disease	353	1	8	–	3	2	5	–	8	9	19	3	36	8	19	1
VII. Teething	996	1	1	5	–	3	13	–	9	11	46	2	102	26	47	–
Quinsey	70	–	1	1	–	3	1	–	–	2	3	–	10	2	1	–
Gastritis	146	–	1	4	–	1	5	–	2	2	6	–	9	14	8	2
Enteritis	848	2	4	5	2	9	9	4	13	9	34	9	37	23	31	1
Peritonitis	263	–	2	7	2	4	8	1	1	4	22	3	11	15	12	1
Ascites	104	–	2	–	–	2	5	–	–	3	10	2	5	5	5	–
Ulceration of Intestines	167	1	–	1	1	3	2	–	6	3	26	1	15	4	6	1
Hernia	71	1	2	1	1	3	2	–	–	–	10	2	4	5	2	1
Ileus	238	2	8	1	1	5	5	1	5	9	29	9	19	11	13	–
Intussusception	41	1	1	–	–	1	–	–	–	–	4	2	1	3	3	–
Stricture of Intestines	27	1	–	–	–	–	1	–	–	–	2	–	2	2	3	–
Stomach Disease	774	5	8	6	3	10	24	2	10	14	40	9	43	39	34	3
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	139	1	2	3	–	–	2	–	–	3	7	–	7	6	3	–
Jaundice	214	3	1	2	2	2	5	–	2	5	33	–	10	7	12	–
Liver Disease	477	4	7	4	3	11	11	1	8	8	36	4	28	17	21	–
Spleen Disease	18	1	1	–	–	–	1	–	1	–	1	–	1	–	1	–
VIII. Nephritis	40	–	–	1	–	2	–	–	1	–	3	–	1	6	–	–
Nephria	128	–	–	2	–	2	1	–	4	2	4	2	9	6	7	–
Ischuria	37	–	–	–	2	2	1	–	1	1	7	1	1	1	2	1
Diabetes	69	–	1	1	–	1	–	–	1	2	8	1	3	3	–	–
Stone	63	2	–	3	1	4	5	2	2	2	9	–	5	1	–	1
Cystitis	47	–	2	2	–	–	–	–	1	1	5	1	3	5	2	–
Stricture of Urethra	6	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	330	–	3	3	1	4	8	1	8	12	41	2	32	13	18	1
IX. Paramenia	21	1	–	–	–	–	2	–	–	–	1	–	1	2	2	–
Ovarian Dropsy	56	–	–	–	1	1	–	–	1	1	12	–	4	–	5	–
Childbirth	333	6	2	2	3	12	17	1	4	2	15	1	22	10	14	2
Organs of Generation	94	–	–	–	–	3	3	–	–	2	13	–	12	3	3	–
X. Arthritis	17	–	–	–	–	–	1	–	–	–	2	–	2	–	–	–
Rheumatism	112	2	3	4	1	8	7	1	1	–	6	4	8	10	2	–
Joint and Bone Disease	141	–	–	–	1	2	2	1	3	2	17	1	10	6	8	1
XI. Carbuncle	21	–	–	–	–	–	2	–	–	2	1	–	1	–	3	–
Phlegmon	4	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Skin Disease	40	–	–	–	–	2	–	–	–	–	3	–	1	3	1	–
XII. Cyanosis	42	–	–	–	–	–	–	–	–	1	2	–	6	1	3	–
Spina Bifida	39	–	–	–	–	–	–	1	–	1	2	–	2	2	1	–
Other Malformations	63	1	1	–	–	–	–	–	–	–	2	–	4	–	2	1
XVII. Intemperance	101	–	2	1	–	1	2	–	–	–	4	–	6	9	1	–
Privation	6	–	–	–	–	1	–	–	–	–	2	–	1	–	–	–
Want of Breast Milk	47	–	–	1	–	–	1	–	–	–	2	–	5	1	–	–
Neglect	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	49	1	–	1	–	2	3	–	1	2	12	–	1	5	3	–
Poison	52	–	–	3	–	1	–	–	2	1	4	–	6	3	–	–
Burns and Scalds	303	4	1	5	–	6	9	1	3	8	15	3	22	11	17	3
Hanging, etc.	58	–	–	–	1	–	–	–	–	2	7	–	9	1	3	–
Suffocation	88	–	1	–	–	1	–	1	–	2	8	1	6	2	3	1
Drowning	421	16	5	8	2	12	18	–	4	10	28	4	25	22	31	1
Fracture and Contusion	722	2	2	–	2	8	9	1	9	6	41	9	61	24	35	1
Wounds	100	–	–	1	1	1	4	–	3	3	7	3	7	2	1	–
Other Violent Causes	102	–	–	–	–	–	–	–	–	–	2	1	12	7	4	–
Not Specified	3506	85	53	51	55	213	221	14	67	81	173	25	127	108	182	4

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	–	6	2	3	1	21	31	83	2	32	2	2	–	1	4	7	8	6
Apoplexy	6	20	24	22	6	86	73	248	10	116	18	10	3	4	20	21	34	13
Paralysis	13	49	20	31	7	85	94	200	11	170	13	29	6	10	45	44	22	19
Delirium Tremens	–	3	1	–	–	3	1	8	–	8	2	–	1	–	2	–	–	–
Chorea	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	5	4	2	–	10	12	49	–	25	1	1	1	1	3	4	–	3
Tetanus	–	4	1	7	–	–	5	6	1	7	1	–	–	–	1	1	1	–
Insanity	–	–	1	3	–	9	3	8	1	8	1	–	–	–	1	2	–	–
Convulsions	4	18	10	8	2	29	32	267	10	84	5	8	1	1	7	11	5	4
Brain Disease	4	17	5	9	7	49	51	210	6	119	9	8	3	–	15	22	9	8
Pericarditis	–	3	–	4	1	6	7	16	2	7	–	1	–	–	2	2	2	–
Aneurism	–	1	–	2	–	1	3	10	1	22	–	–	–	–	2	3	1	1
Heart Disease	16	82	34	37	10	114	115	410	31	328	36	39	12	13	49	54	32	22
Laryngitis	2	6	2	2	–	5	7	38	6	16	1	2	1	–	–	6	5	2
Bronchitis	20	95	36	58	26	233	175	1046	40	367	21	21	5	15	31	69	47	49
Pleurisy	3	6	1	7	4	8	19	51	4	37	4	5	1	1	7	6	8	8
Pneumonia	20	52	13	30	3	117	86	675	26	176	15	21	6	6	30	49	27	19
Asthma	5	15	5	10	–	36	39	144	5	51	5	1	1	–	4	7	4	7
Lung Disease	–	26	2	8	–	18	26	81	2	52	4	2	1	–	–	9	–	–
Teething	14	40	39	14	1	108	47	344	15	68	4	2	2	–	4	12	5	11
Quinsey	1	2	3	–	–	4	7	13	–	7	1	2	–	–	2	–	1	3
Gastritis	1	6	1	3	–	10	17	28	1	10	–	2	–	2	2	5	4	–
Enteritis	3	15	13	10	8	62	54	313	18	56	6	10	2	4	14	30	24	14
Peritonitis	3	5	2	2	1	6	18	61	4	29	4	3	–	3	7	13	7	2
Ascites	2	2	2	4	–	2	14	22	1	9	–	–	1	–	–	1	2	3
Ulceration of Intestines	1	6	8	6	1	4	7	29	–	16	3	2	3	1	2	2	4	2
Hernia	–	2	–	2	2	8	5	7	1	6	1	1	–	–	1	–	–	1
Ileus	2	7	1	3	3	7	10	38	1	23	1	4	–	–	5	7	5	3
Intussusception	–	–	–	3	–	3	4	6	–	3	2	–	–	–	–	–	2	2
Stricture of Intestines	–	–	–	3	–	–	–	6	–	6	–	–	–	–	–	–	–	1
Stomach Disease	4	38	22	21	5	35	53	157	8	84	14	8	5	11	17	26	9	7
Pancreas Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	2	1	10	2	10	15	42	1	6	2	2	–	–	2	4	4	–
Jaundice	–	6	6	4	–	13	17	41	–	19	5	3	1	–	4	6	1	4
Liver Disease	1	15	15	12	3	32	20	102	4	60	9	7	1	1	7	10	8	7
Spleen Disease	–	1	1	3	–	1	–	2	–	1	–	–	–	–	–	1	1	–
Nephritis	–	1	–	1	2	1	5	7	1	2	–	–	–	–	–	1	1	4
Nephria	1	2	–	3	1	7	2	39	1	27	–	1	–	1	1	1	1	1
Ischuria	–	–	1	1	–	3	5	1	–	3	1	–	–	–	1	1	–	–
Diabetes	2	2	–	1	–	2	7	17	1	5	2	3	–	2	1	1	2	–
Stone	–	–	2	5	1	3	4	2	1	2	1	–	1	–	–	1	–	3
Cystitis	–	1	–	–	–	6	5	6	–	3	–	1	–	–	–	1	–	2
Stricture of Urethra	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	1	–
Kidney Disease	2	12	8	10	2	12	18	49	4	40	1	3	1	2	3	6	4	6
Paramenia	–	1	–	2	–	1	–	4	–	2	–	1	–	–	1	–	–	–
Ovarian Dropsy	–	2	–	4	–	2	3	10	1	8	1	–	–	–	–	–	–	–
Childbirth	1	7	5	11	2	32	17	86	3	28	1	6	3	–	3	5	4	6
Organs of Generation	–	1	2	1	–	7	4	14	2	11	4	3	–	–	1	5	–	–
Arthritis	–	1	–	–	–	–	4	2	–	3	–	–	–	–	–	1	–	1
Rheumatism	–	–	2	7	–	6	8	13	1	9	–	–	–	–	2	6	1	–
Joint Disease	–	1	2	2	–	6	11	35	1	16	2	–	1	–	2	2	2	4
Carbuncle	–	–	–	–	–	1	2	3	–	3	–	1	–	–	–	–	1	1
Phlegmon	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Skin Disease	–	2	–	–	–	3	3	15	2	1	1	–	–	–	1	–	2	–
Cyanosis	–	1	–	–	–	2	7	8	–	10	–	–	–	–	1	–	–	–
Spina Bifida	–	1	–	–	5	4	2	11	–	4	–	1	–	1	1	–	–	–
Other Malformations	–	3	3	1	–	1	6	21	2	12	–	–	–	–	1	1	1	–
Intemperance	–	1	3	3	–	9	4	27	2	17	1	–	–	–	2	3	1	2
Privation	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	1	–	–	3	–	25	–	6	–	1	–	–	1	–	–	–
Neglect	–	–	–	–	–	–	–	3	–	2	–	–	–	–	–	–	–	–
Cold	–	–	1	2	–	2	5	4	1	1	–	–	1	–	–	–	–	1
Poison	–	2	–	1	–	4	4	15	1	3	–	1	–	–	–	–	1	–
Burns and Scalds	1	8	6	2	2	21	28	77	4	24	1	2	–	1	2	5	4	7
Hanging, etc.	1	1	–	–	1	–	2	10	1	9	1	1	–	2	1	4	–	1
Suffocation	–	3	2	3	1	6	2	25	–	14	1	–	–	–	1	1	–	3
Drowning	2	15	18	32	8	25	20	65	3	18	4	1	1	2	1	10	4	6
Fracture and Contusion	7	24	10	16	1	41	86	184	7	79	6	10	1	1	7	18	6	8
Wounds	–	7	1	3	–	4	5	14	2	19	2	1	1	–	–	6	1	1
Other Violent Causes	–	7	3	1	–	6	8	27	1	15	–	–	–	–	1	3	2	2
Not Specified	29	112	83	190	27	162	206	665	52	190	54	19	4	3	27	119	54	51

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1859.—MALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	30588	212	213	272	150	636	662	65	330	479	1884	272	2321	1176	1317	66
SPECIFIED CAUSES	28724	169	182	246	119	519	543	57	294	427	1798	262	2258	1123	1226	62
I. Zymotic Class	7038	11	30	55	11	113	111	11	49	77	324	56	716	210	239	11
II. Diseases of Uncer. Seat	951	8	9	9	5	23	25	3	9	17	67	7	57	50	49	1
III. Tubercular Class	4956	32	22	42	21	65	74	7	41	64	335	35	337	173	188	8
IV. Brain and Nervous Sys.	2567	11	12	15	9	29	42	7	36	37	187	25	221	134	120	10
V. Organs of Circulation	1166	5	1	8	3	12	11	1	16	14	75	16	83	68	61	4
VI. Respiratory Organs	3324	10	13	11	14	47	56	3	24	42	192	37	231	104	160	3
VII. Organs of Digestion	2405	11	21	17	9	36	44	5	34	47	173	24	163	99	103	5
VIII. Urinary Organs	512	2	4	11	4	12	13	2	9	13	56	3	36	22	21	3
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	145	1	1	1	1	4	4	1	2	2	18	2	10	7	6	–
XI. Skin, etc.	34	–	–	–	–	2	2	–	–	1	3	–	–	2	2	–
XII. Malformation	82	1	1	–	–	–	–	1	–	1	4	–	6	2	3	–
XIII. Premature Debility	1549	3	5	13	3	23	21	3	14	21	86	10	133	58	56	3
XIV. Atrophy	216	–	2	1	–	1	5	–	–	8	14	2	12	8	7	–
XV. Age	2249	55	52	48	34	125	100	11	39	59	167	30	151	128	129	11
XVI. Sudden Deaths	49	2	–	–	–	2	1	–	4	–	–	–	4	2	8	–
XVII. Violent Deaths	1480	17	9	15	5	25	34	2	17	24	97	15	98	56	74	3
I. Small Pox	349	1	–	1	–	1	9	–	–	4	24	–	–	1	1	–
Measles	501	–	6	–	–	26	3	1	5	5	8	2	94	14	22	–
Scarlatina	1793	1	1	–	–	4	3	–	3	10	24	17	255	37	43	4
Diphtheria	172	–	–	–	–	6	–	–	1	10	33	6	12	5	14	–
Hooping Cough	1216	–	2	–	1	7	47	4	14	2	52	5	86	45	34	–
Croup	479	3	–	4	8	20	9	4	5	7	32	3	42	20	32	1
Thrush	18	–	–	–	1	–	–	–	–	–	3	1	2	1	1	–
Diarrhœa	654	–	7	12	–	3	14	–	3	4	37	4	50	22	14	1
Dysentery	214	1	–	1	–	–	–	1	2	3	19	1	33	10	4	–
Cholera	80	–	–	8	1	4	–	–	–	1	1	–	9	3	4	1
Influenza	133	2	4	6	–	27	5	–	3	2	5	2	4	6	5	–
Purpura	19	–	1	–	–	1	–	–	–	–	1	–	3	–	1	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	17	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Infantile Fever	35	–	–	–	–	–	1	–	1	5	4	–	1	–	–	–
Typhus	1141	3	7	22	–	13	15	1	7	18	59	14	112	37	58	2
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	33	–	–	–	–	–	1	–	1	–	–	–	–	4	2	1
Erysipelas	127	–	2	–	–	–	4	–	4	5	16	1	9	1	2	1
Syphilis	47	–	–	1	–	1	–	–	–	–	5	–	3	4	1	–
Noma	9	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	43	–	–	–	–	–	–	–	–	–	4	1	3	4	2	–
Dropsy	435	5	5	3	1	13	12	1	1	7	24	2	26	23	28	–
Abscess	52	–	–	–	–	2	–	–	–	–	5	–	4	3	–	1
Ulcer	14	1	–	2	–	–	2	1	–	–	–	1	–	1	–	–
Fistula	6	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Mortification	83	–	–	–	1	1	2	–	1	1	6	–	4	3	7	–
Cancer	310	2	4	4	3	7	9	1	7	8	27	3	20	15	12	–
Gout	8	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
III. Scrofula	258	3	–	2	1	2	4	–	–	5	38	–	13	14	11	–
Tabes Mesenterica	318	1	1	2	–	1	1	–	2	3	14	–	17	4	14	–
Phthisis	3424	27	19	32	18	58	63	5	32	48	201	25	238	132	130	4
Hydrocephalus	956	1	2	6	2	4	6	2	7	8	82	10	69	23	33	4

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1859.—MALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	183	957	559	784	148	2134	1951	7977	373	2736	268	290	90	91	425	718	414	435
SPECIFIED CAUSES	167	898	516	676	138	2048	1839	7613	342	2636	242	277	86	88	412	657	391	413
Zymotic Class	27	209	144	114	34	662	451	2205	109	477	48	71	25	13	76	140	90	119
Uncertain Seat	3	37	15	31	4	54	65	182	7	98	12	18	3	4	23	22	18	16
Tubercular Class	36	150	113	99	24	382	371	1407	40	485	33	37	10	12	82	99	58	74
Brain, etc.	16	76	39	51	10	157	141	595	24	302	31	29	9	6	51	63	38	34
Heart, etc.	7	45	22	24	3	56	78	214	19	187	15	12	7	5	28	32	18	16
Respiratory Organs	30	106	32	57	17	221	177	1082	48	344	25	24	9	12	39	75	46	33
Digestive Organs	10	75	55	54	12	152	146	629	26	202	28	20	8	16	40	62	45	34
Urinary Organs	4	13	10	16	4	24	31	88	6	58	4	7	1	3	4	11	6	11
Generative Organs	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	1	5	–	7	13	27	1	18	1	–	–	–	2	6	–	3
Skin	–	–	–	–	–	2	3	9	2	2	–	–	–	–	1	–	2	1
Malformation	–	4	3	1	1	3	6	26	1	14	–	–	–	1	2	1	–	–
Premature Debility	15	57	22	20	4	125	83	470	28	162	10	15	1	5	26	31	11	12
Atrophy	2	5	3	3	1	21	20	70	1	19	1	1	2	–	1	2	1	3
Age	11	63	23	143	14	98	116	252	14	123	26	31	7	5	27	79	44	34
Sudden Deaths	–	1	–	3	–	3	4	14	–	–	–	–	–	–	–	–	1	–
Violent Deaths	6	56	34	55	10	81	134	342	16	145	8	12	4	6	10	34	13	23
Small Pox	–	11	6	4	3	42	7	111	1	109	–	–	–	–	2	10	1	–
Measles	–	23	3	39	–	30	49	121	19	7	3	2	–	–	–	16	3	–
Scarlatina	3	34	54	12	17	249	135	649	26	34	5	37	8	1	6	12	38	71
Diphtheria	–	3	–	1	1	10	4	23	–	15	1	1	1	2	3	2	17	1
Hooping Cough	9	27	17	4	4	131	37	513	31	87	11	–	5	–	12	6	12	11
Croup	2	17	11	6	–	36	25	112	7	37	5	4	1	2	17	5	2	–
Thrush	–	–	–	–	–	1	1	4	–	3	–	–	–	–	–	–	–	–
Diarrhœa	1	34	11	10	2	53	54	212	6	39	7	5	–	2	9	19	6	13
Dysentery	1	6	6	3	1	4	23	53	1	12	2	–	1	2	3	15	3	3
Cholera	–	6	2	–	–	7	2	19	2	6	–	1	–	–	1	1	–	1
Influenza	1	2	1	6	1	6	15	13	1	2	–	1	–	1	1	6	–	5
Purpura	–	–	–	–	–	–	1	4	–	5	–	–	–	–	2	–	–	–
Ague	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	2	–	1	5	4	–	1	–	–	–	–	–	2	–	1
Infantile Fever	2	–	1	–	–	2	1	9	–	3	–	–	–	1	–	–	1	2
Typhus	7	41	31	25	5	79	83	300	12	87	14	17	8	2	11	35	6	10
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	–	–	–	2	3	5	–	6	–	–	–	–	2	2	1	1
Erysipelas	–	2	–	1	–	5	4	33	3	21	–	1	–	–	6	6	–	–
Syphilis	–	1	1	1	–	4	1	15	–	3	–	2	1	–	1	2	–	–
Noma	–	–	–	–	–	–	1	4	–	–	–	–	–	–	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	1	1	–	1	2	9	2	5	–	–	–	–	2	2	3	–
Dropsy	2	27	6	16	3	33	26	98	2	26	8	8	2	3	9	6	5	4
Abscess	–	3	1	–	–	1	6	17	1	4	–	–	–	–	2	1	–	1
Ulcer	–	–	–	–	–	–	1	–	–	3	–	–	–	–	2	–	–	–
Fistula	–	–	–	–	–	1	–	1	–	3	–	–	–	–	–	–	–	–
Mortification	–	3	2	3	–	4	6	15	–	11	3	2	–	–	1	2	2	3
Cancer	1	3	5	11	1	13	24	41	2	43	1	8	1	1	7	11	8	7
Gout	–	–	–	–	–	1	–	1	–	3	–	–	–	–	–	–	–	1
Scrofula	–	5	5	6	1	14	14	65	3	24	1	2	4	4	2	6	4	5
Tabes Mesenterica	4	10	4	1	1	20	37	117	3	32	2	3	1	–	5	11	2	5
Phthisis	23	103	80	80	18	271	243	933	22	331	22	24	3	7	58	74	43	57
Hydrocephalus	9	32	24	12	4	77	77	292	12	98	8	8	2	1	17	8	9	7

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1859.—MALES. (*Continued.*)

	DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV.	Cephalitis	185	1	1	3	2	3	3	1	2	3	17	4	17	5	7	–
	Apoplexy	597	1	2	2	–	2	5	3	11	6	35	5	59	35	30	5
	Paralysis	672	2	4	9	5	11	15	2	7	14	36	7	50	48	38	3
	Delirium Tremens	40	–	–	–	–	–	1	1	1	–	6	–	4	2	1	–
	Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Epilepsy	101	–	1	–	–	3	1	–	–	1	13	1	6	9	4	–
	Tetanus	38	1	–	–	–	1	1	–	1	–	6	–	5	–	2	–
	Insanity	21	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–
	Convulsions	438	3	–	–	–	3	10	–	6	7	40	1	51	10	15	2
	Brain Disease	475	3	4	1	2	6	6	–	8	6	33	7	28	24	21	–
V.	Pericarditis	38	1	–	1	–	1	–	–	–	–	4	–	1	5	–	–
	Aneurism	52	–	–	1	–	2	–	–	–	2	6	–	5	–	2	–
	Heart Disease	1076	4	1	6	3	9	11	1	16	12	65	16	77	63	59	4
VI.	Laryngitis	77	–	–	–	–	–	3	–	–	1	4	3	8	3	6	–
	Bronchitis	1549	3	4	3	6	26	13	–	10	13	96	15	92	50	74	1
	Pleurisy	166	1	1	–	–	4	13	1	1	4	15	1	9	6	4	–
	Pneumonia	1091	1	4	6	3	5	9	1	7	18	57	15	81	30	56	1
	Asthma	262	4	2	2	4	10	13	1	1	2	9	1	26	10	8	–
	Lung Disease	179	1	2	–	1	2	5	–	5	4	11	2	15	5	12	1
VII.	Teething	525	4	1	2	–	2	8	–	6	5	24	1	60	12	27	–
	Quinsey	39	–	1	1	–	3	–	–	–	1	2	–	6	2	–	–
	Gastritis	74	–	–	2	–	–	3	–	1	1	5	–	5	9	2	2
	Enteritis	461	2	3	2	2	7	4	2	9	6	20	5	17	18	16	1
	Peritonitis	118	–	1	2	1	1	3	–	1	4	12	2	6	5	5	–
	Ascites	45	–	1	–	–	1	4	–	–	1	4	–	3	2	2	–
	Ulceration of Intestines	86	–	–	–	1	1	–	–	2	2	15	–	6	2	3	–
	Hernia	35	1	1	1	–	3	1	–	–	–	5	2	1	2	–	–
	Ileus	134	1	3	1	1	3	2	1	4	6	16	4	9	7	8	–
	Intussusception	27	1	1	–	–	1	–	–	–	–	2	1	1	3	1	–
	Stricture of Intestines	16	1	–	–	–	–	1	–	–	–	1	–	2	1	2	–
	Stomach Disease	383	–	1	3	1	4	12	1	4	9	21	7	20	23	17	2
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	81	–	1	1	–	–	–	–	–	3	7	–	5	3	3	–
	Jaundice	111	2	1	–	–	2	1	–	1	5	20	–	5	4	4	–
	Liver Disease	262	1	5	2	3	8	5	1	5	4	18	2	17	6	12	–
	Spleen Disease	8	1	1	–	–	–	–	–	1	–	1	–	–	–	1	–
VIII.	Nephritis	27	–	–	1	–	2	–	–	–	–	2	–	1	2	–	–
	Nephria	75	–	–	2	–	1	–	–	–	1	4	1	7	3	4	–
	Ischuria	32	–	–	–	2	1	1	–	1	1	6	–	1	1	2	1
	Diabetes	44	–	1	–	–	1	–	–	1	2	3	–	2	3	–	–
	Stone	55	2	–	3	1	3	5	2	2	1	8	–	5	1	–	1
	Cystitis	36	–	2	2	–	–	–	–	–	1	5	1	2	4	2	–
	Stricture of Urethra	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	238	–	1	3	1	4	7	–	5	7	28	1	18	8	13	1
IX.	Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X.	Arthritis	11	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Rheumatism	44	1	1	1	–	2	2	–	1	–	4	1	4	4	1	–
	Joint and Bone Disease	90	–	–	–	1	2	1	1	1	2	13	1	6	3	5	–
XI.	Carbuncle	12	–	–	–	–	–	2	–	–	1	1	–	–	–	2	–
	Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	21	–	–	–	–	2	–	–	–	–	2	–	–	2	–	–
XII.	Cyanosis	22	–	–	–	–	–	–	–	–	–	2	–	2	1	2	–
	Spina Bifida	17	–	–	–	–	–	–	1	–	1	–	–	1	1	–	–
	Other Malformations	43	1	1	–	–	–	–	–	–	–	2	–	3	–	1	–
XVII.	Intemperance	65	–	2	1	–	1	2	–	–	–	3	–	5	7	1	–
	Privation	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	25	–	–	1	–	–	1	–	–	–	1	–	1	1	–	–
	Neglect	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	32	1	–	1	–	2	1	–	1	–	7	–	–	4	2	–
	Poison	24	–	–	2	–	1	–	–	2	–	2	–	3	2	–	–
	Burns and Scalds	137	1	–	2	–	2	3	–	2	5	8	–	8	3	7	1
	Hanging, etc.	42	–	–	–	1	–	–	–	–	2	4	–	4	1	3	–
	Suffocation	52	–	–	–	–	1	–	1	–	1	7	1	2	1	2	–
	Drowning	350	14	5	7	2	11	17	–	2	9	27	4	21	13	24	1
	Fracture and Contusion	590	1	2	–	1	5	6	1	7	4	31	6	40	17	31	1
	Wounds	79	–	–	1	1	1	4	–	3	3	5	3	6	2	1	–
	Other Violent Causes	79	–	–	–	–	–	–	–	–	–	2	1	8	5	3	–
	Not Specified	1864	43	31	26	31	117	119	8	36	52	86	10	63	53	91	4

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1859.—MALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	–	3	1	1	–	14	11	51	2	15	1	2	–	–	3	4	4	4
Apoplexy	4	12	15	15	3	48	33	137	6	58	12	3	1	2	7	10	20	10
Paralysis	7	29	10	18	2	40	45	96	6	74	5	15	4	4	26	25	6	9
Delirium Tremens	–	2	1	–	–	2	1	7	–	6	2	–	1	–	2	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	3	1	1	–	7	6	21	–	13	1	–	1	–	3	3	–	2
Tetanus	–	3	1	3	–	–	3	5	–	5	1	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	4	1	3	–	6	1	–	–	–	–	–	–	–
Convulsions	2	13	5	5	1	13	17	154	5	50	4	6	–	–	1	7	4	3
Brain Disease	3	11	5	7	4	29	24	121	5	75	4	3	2	–	9	14	4	6
Pericarditis	–	2	–	2	1	1	4	6	2	4	–	1	–	–	1	1	–	–
Aneurism	–	1	–	–	–	–	2	7	1	19	–	–	–	–	1	2	1	–
Heart Disease	7	42	22	22	2	55	72	201	16	164	15	11	7	5	26	29	17	16
Laryngitis	1	1	1	–	–	3	3	19	3	10	–	1	–	–	–	3	3	1
Bronchitis	11	42	22	28	15	110	70	535	21	170	12	10	3	6	18	32	21	17
Pleurisy	2	4	–	5	1	5	14	28	4	23	2	2	1	1	4	3	3	4
Pneumonia	12	32	5	16	1	75	54	389	17	99	9	10	4	5	14	30	17	8
Asthma	4	12	3	3	–	18	24	70	2	19	2	–	–	–	3	4	2	3
Lung Disease	–	15	1	5	–	10	12	41	1	23	–	1	1	–	–	3	–	–
Teething	6	21	18	6	1	58	21	180	7	36	1	1	1	–	3	6	3	7
Quinsey	–	1	2	–	–	4	3	4	–	5	1	–	–	–	2	–	–	1
Gastritis	–	4	–	2	–	4	8	14	–	5	–	–	–	2	1	3	1	–
Enteritis	2	12	8	6	3	32	24	167	9	26	4	5	–	4	12	14	14	5
Peritonitis	–	4	–	2	–	3	3	24	2	13	3	2	–	2	3	7	6	1
Ascites	–	1	–	2	–	–	3	9	1	6	–	–	1	–	–	1	1	2
Ulceration of Intestines	–	3	4	3	1	3	5	18	–	4	2	1	1	1	2	1	3	2
Hernia	–	–	–	2	–	2	2	5	1	3	–	1	–	–	1	–	–	1
Ileus	1	2	1	1	1	3	6	24	–	11	1	2	–	–	3	6	4	2
Intussusception	–	–	–	1	–	2	2	4	–	2	2	–	–	–	–	–	1	2
Stricture of Intestines	–	–	–	1	–	–	–	3	–	3	–	–	–	–	–	–	–	1
Stomach Disease	–	17	12	14	3	15	34	73	2	41	8	–	3	6	7	14	5	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	5	2	7	8	23	1	5	2	1	–	–	–	2	1	–
Jaundice	–	4	3	3	–	4	12	22	–	5	1	3	1	–	2	3	1	2
Liver Disease	1	4	7	6	1	15	15	58	3	36	3	4	1	1	4	5	5	4
Spleen Disease	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Nephritis	–	1	–	1	1	1	4	6	1	2	–	–	–	–	–	–	1	1
Nephria	1	–	–	2	–	3	1	25	–	17	–	1	–	–	–	1	–	1
Ischuria	–	–	1	–	–	3	5	1	–	2	1	–	–	–	1	1	–	–
Diabetes	1	1	–	1	–	2	3	13	–	3	2	2	–	1	–	1	1	–
Stone	–	–	1	5	1	2	3	1	1	2	1	–	1	–	–	1	–	2
Cystitis	–	1	–	–	–	3	4	4	–	1	–	1	–	–	–	1	–	2
Stricture of Urethra	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	1	–
Kidney Disease	2	10	8	7	2	10	11	34	4	31	–	3	–	2	3	6	3	5
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	3	2	–	2	–	–	–	–	–	1	–	1
Rheumatism	–	–	–	3	–	2	3	6	1	4	–	–	–	–	–	3	–	–
Joint Disease	–	1	1	2	–	5	7	19	–	12	1	–	–	–	2	2	–	2
Carbuncle	–	–	–	–	–	1	2	–	–	2	–	–	–	–	–	–	–	1
Phlegmon	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	1	9	1	–	–	–	–	–	1	–	2	–
Cyanosis	–	1	–	–	–	–	3	5	–	6	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	1	2	1	6	–	1	–	–	–	1	1	–	–	–
Other Malformations	–	3	3	1	–	1	2	15	1	7	–	–	–	–	1	1	–	–
Intemperance	–	1	2	2	–	3	4	13	2	9	–	–	–	–	2	2	1	2
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	2	–	13	–	4	–	–	–	–	1	–	–	–
Neglect	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–	–	–
Cold	–	–	1	2	–	1	5	2	–	–	–	–	1	–	–	–	–	1
Poison	–	2	–	–	–	1	2	5	1	1	–	–	–	–	–	–	–	–
Burns and Scalds	–	4	4	1	1	8	15	46	2	8	–	–	–	1	–	1	1	3
Hanging, etc.	1	1	–	–	–	–	2	9	–	6	1	1	–	2	–	3	–	1
Suffocation	–	2	1	2	1	2	2	14	–	9	–	–	–	–	–	–	–	3
Drowning	1	12	16	29	7	22	17	48	3	12	3	1	1	2	1	9	4	5
Fracture and Contusion	4	22	7	15	1	32	76	161	6	68	3	10	1	1	5	14	4	7
Wounds	–	5	1	3	–	4	4	11	1	15	1	–	1	–	–	2	1	–
Other Violent Causes	–	7	2	1	–	6	7	17	1	12	–	–	–	–	1	3	2	1
Not Specified	16	59	43	108	10	86	112	364	31	100	26	13	4	3	13	61	23	22

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1859.—FEMALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	31126	254	270	287	172	663	715	78	368	485	1982	324	2523	1232	1377	72
SPECIFIED CAUSES	29484	212	248	262	148	567	613	72	337	456	1895	309	2459	1177	1286	72
I. Zymotic Class	7602	13	36	51	18	123	122	12	67	97	382	96	785	242	302	12
II. Diseases of Uncer. Seat	1482	9	18	16	14	35	32	3	14	28	127	21	103	74	85	3
III. Tubercular Class	4995	34	43	28	20	48	61	13	43	74	316	30	380	180	167	12
IV. Brain and Nervous Sys.	2203	7	12	18	2	27	28	8	28	43	156	21	209	101	116	6
V. Organs of Circulation	1148	3	5	3	4	5	10	1	22	15	96	13	123	48	50	4
VI. Respiratory Organs	3181	15	24	22	15	53	55	5	40	50	202	25	232	110	124	10
VII. Organs of Digestion	2189	12	20	23	6	21	50	4	23	26	136	19	141	80	99	4
VIII. Urinary Organs	208	–	2	1	1	3	2	1	9	7	21	4	18	13	8	–
IX. Organs of Generation	503	7	2	2	4	16	22	1	5	5	41	1	39	15	24	2
X. Organs of Locomotion	125	1	2	3	1	6	6	1	2	–	7	3	10	9	4	1
XI. Skin, etc.	31	–	–	–	–	–	–	–	–	1	2	–	2	1	3	–
XII. Malformation	62	–	–	–	–	–	–	–	–	1	2	–	6	1	3	1
XIII. Premature Debility	1227	2	3	5	1	21	19	2	9	18	60	16	118	42	51	2
XIV. Atrophy	250	1	–	2	1	2	6	1	1	1	10	3	14	9	13	–
XV. Age	3664	101	79	83	60	199	187	19	68	79	302	51	211	218	211	12
XVI. Sudden Deaths	40	1	–	–	–	–	1	–	1	1	–	–	5	3	2	–
XVII. Violent Deaths	574	6	2	5	1	8	12	1	5	10	35	6	63	31	24	3
I. Small Pox	333	2	–	2	–	2	7	1	1	7	5	–	3	1	1	–
Measles	471	–	6	–	–	26	3	–	1	2	4	5	98	7	25	–
Scarlatina	1821	1	–	–	1	2	–	–	7	7	29	16	247	29	54	1
Diphtheria	243	–	–	1	–	13	1	–	2	6	43	17	20	17	20	–
Hooping Cough	1444	1	4	–	2	12	42	8	20	6	84	10	102	59	55	2
Croup	442	–	1	4	6	15	10	–	7	8	38	4	48	18	26	–
Thrush	14	–	–	–	–	–	–	–	–	–	1	1	3	1	–	–
Diarrhœa	619	2	5	13	2	6	8	1	6	14	27	5	44	23	14	3
Dysentery	255	–	1	–	–	2	1	1	4	5	29	4	31	14	7	3
Cholera	66	–	–	16	–	2	1	–	1	1	1	–	6	–	1	–
Influenza	161	4	6	2	–	17	9	–	3	5	24	6	9	6	3	–
Purpura	12	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	13	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Infantile Fever	37	1	–	–	–	2	2	–	1	1	1	–	5	2	–	–
Typhus	1295	1	10	13	6	16	26	–	9	27	69	20	136	51	82	1
Metria	175	–	–	–	1	5	4	1	3	3	12	5	8	7	10	–
Rheumatic Fever	34	1	1	–	–	–	1	–	1	–	2	–	5	4	1	–
Erysipelas	120	–	2	–	–	–	7	–	1	4	10	3	9	3	3	2
Syphilis	43	–	–	–	–	2	–	–	–	–	3	–	7	–	–	–
Noma	3	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	48	–	1	–	–	–	–	–	–	1	3	3	6	1	1	–
Dropsy	592	8	12	5	6	20	19	2	3	13	35	10	46	36	32	2
Abscess	61	–	–	1	–	–	1	–	1	2	6	–	3	1	3	–
Ulcer	12	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–
Fistula	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Mortification	65	–	1	1	2	–	–	–	–	3	7	–	2	2	2	–
Cancer	694	1	4	9	6	15	11	1	10	8	74	8	44	33	46	1
Gout	4	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
III. Scrofula	189	1	1	–	–	1	1	1	3	5	9	–	15	10	9	–
Tabes Mesenterica	292	–	–	3	–	–	–	–	1	2	17	–	14	10	9	–
Phthisis	3748	33	39	18	20	43	55	11	33	57	237	27	282	138	129	10
Hydrocephalus	766	–	3	7	–	4	5	1	6	10	53	3	69	22	20	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1859.—FEMALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	169	875	519	701	192	2099	1957	7855	351	2759	298	317	92	68	424	726	447	475
SPECIFIED CAUSES	156	822	479	619	175	2023	1863	7554	330	2669	270	311	92	68	410	668	416	446
Zymotic Class	18	220	120	109	24	649	479	2357	97	524	51	75	24	11	98	133	116	139
Uncertain Seat	7	53	25	33	12	76	85	296	14	146	18	19	7	3	25	40	18	23
Tubercular Class	29	116	107	96	47	392	405	1422	50	469	35	35	13	11	74	100	72	73
Brain, etc.	11	47	29	34	13	135	161	484	17	267	21	29	6	11	47	49	41	19
Heart, etc.	9	41	12	19	8	65	47	222	15	170	21	28	5	8	25	27	17	7
Respiratory Organs	20	94	27	58	16	196	175	953	35	355	25	28	6	10	33	71	45	52
Digestive Organs	24	72	59	46	14	154	142	582	28	201	24	26	7	6	27	55	32	26
Urinary Organs	1	5	1	5	2	10	15	57	2	24	1	1	1	2	2	1	3	5
Generative Organs	1	11	7	18	2	42	24	113	6	49	6	10	3	–	5	10	4	6
Locomotive Organs	–	1	3	4	–	5	10	23	1	10	1	–	1	–	2	3	3	2
Skin	–	2	–	–	–	2	2	10	1	2	1	1	–	–	–	–	1	–
Malformation	–	1	–	–	4	4	9	14	1	12	–	1	–	–	1	–	1	–
Premature Debility	9	34	17	11	–	88	84	356	23	126	10	15	5	2	31	25	9	13
Atrophy	1	2	6	2	1	21	23	70	3	37	1	2	–	–	1	11	4	1
Age	20	110	54	173	29	139	171	468	31	215	47	36	13	4	33	125	44	72
Sudden Deaths	1	1	1	3	–	3	1	13	–	–	–	–	1	–	–	2	–	–
Violent Deaths	5	12	11	8	3	42	30	134	6	62	8	5	–	–	6	16	6	8
Small Pox	–	9	5	3	2	26	6	113	4	120	3	2	–	–	3	5	–	–
Measles	–	17	1	32	–	29	45	110	17	14	1	–	–	–	1	18	9	–
Scarlatina	1	48	43	13	8	258	141	667	17	34	3	33	12	–	3	11	48	87
Diphtheria	–	8	3	–	1	–	2	29	2	19	1	3	2	5	7	7	14	–
Hooping Cough	3	26	19	5	3	147	52	605	26	89	13	6	–	2	12	9	7	13
Croup	–	13	5	10	3	28	23	105	4	25	10	5	2	–	8	6	5	5
Thrush	–	–	–	–	–	1	–	5	–	1	–	1	–	–	–	–	–	–
Diarrhœa	2	25	10	7	5	46	43	205	11	41	6	3	–	–	15	17	7	3
Dysentery	3	9	6	4	–	11	12	65	1	23	2	–	1	–	3	8	3	2
Cholera	–	–	–	–	–	2	5	18	–	6	–	2	–	–	2	1	–	1
Influenza	1	–	–	11	–	4	13	12	1	3	1	2	1	–	7	2	3	6
Purpura	–	–	–	1	–	–	1	5	–	–	–	–	–	–	1	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	1	–	1	–	2	2	2	–	1	–	–	–	–	–	1	1	1
Infantile Fever	1	–	2	–	–	3	1	7	–	1	–	–	–	–	1	2	1	3
Typhus	7	52	23	19	1	74	107	319	11	99	9	10	5	4	25	39	15	9
Metria	–	9	2	1	–	5	13	47	1	23	1	4	–	–	4	2	–	4
Rheumatic Fever	–	1	–	–	–	–	1	4	–	4	–	1	–	–	1	2	1	3
Erysipelas	–	1	1	2	1	8	8	23	–	18	1	3	1	–	5	2	1	1
Syphilis	–	1	–	–	–	5	3	16	2	3	–	–	–	–	–	–	1	–
Noma	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Hæmorrhage	–	2	1	3	–	1	2	12	1	6	3	–	–	–	1	–	–	–
Dropsy	5	30	11	23	3	32	35	121	3	31	2	8	4	1	9	10	5	10
Abscess	–	1	1	2	–	3	2	16	–	10	1	1	–	–	–	3	2	1
Ulcer	–	–	–	–	–	–	–	6	–	–	–	–	–	–	1	–	–	–
Fistula	1	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–
Mortification	–	3	–	1	1	2	5	12	–	12	–	4	–	–	2	3	–	–
Cancer	1	17	12	4	8	37	40	127	10	86	11	6	3	2	12	24	11	12
Gout	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Scrofula	–	1	3	6	2	19	17	51	5	14	–	5	1	1	1	4	1	2
Tabes Mesenterica	2	12	3	2	6	15	34	86	3	43	2	4	1	–	12	6	4	1
Phthisis	22	81	90	79	31	296	293	1066	27	317	26	17	10	10	55	80	50	66
Hydrocephalus	5	22	11	9	8	62	61	219	15	95	7	9	1	–	6	10	17	4

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1859.—FEMALES. (*Continued.*)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	136	1	1	3	1	3	3	–	2	3	4	1	9	5	5	–
Apoplexy	538	–	4	3	–	2	6	2	8	5	45	5	49	34	37	–
Paralysis	743	2	4	9	1	14	7	4	8	18	55	6	73	42	49	4
Delirium Tremens	10	–	1	–	–	–	–	–	–	–	2	–	1	–	1	–
Chorea	3	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Epilepsy	86	1	1	1	–	1	3	–	2	3	5	–	3	3	4	–
Tetanus	22	2	–	–	–	–	3	–	–	–	2	–	–	–	1	–
Insanity	31	–	–	–	–	–	–	2	–	–	2	–	4	1	–	1
Convulsions	315	1	–	1	–	4	1	–	5	7	24	2	40	6	8	–
Brain Disease	319	–	1	1	–	3	5	–	3	7	17	5	30	10	11	1
V. Pericarditis	39	–	–	–	–	–	–	–	–	–	2	2	1	3	3	–
Aneurism	23	–	–	–	–	–	–	–	–	–	3	1	2	3	1	–
Heart Disease	1086	3	5	3	4	5	10	1	22	15	91	10	120	42	46	4
VI. Laryngitis	79	–	–	1	–	1	–	–	–	1	8	1	10	4	1	–
Bronchitis	1679	11	6	9	3	26	20	4	18	21	120	19	105	45	57	4
Pleurisy	136	–	1	–	–	1	16	–	4	4	11	1	5	9	10	–
Pneumonia	809	2	1	7	–	3	6	–	9	14	43	3	64	32	46	5
Asthma	304	2	10	5	10	22	13	1	6	5	12	–	27	17	3	1
Lung Disease	174	–	6	–	2	–	–	–	3	5	8	1	21	3	7	–
VII. Teething	471	–	–	3	–	1	5	–	3	6	22	1	42	14	20	–
Quinsey	31	–	–	–	–	–	1	–	–	1	1	–	4	–	1	–
Gastritis	72	–	1	2	–	1	2	–	1	1	1	–	4	5	6	–
Enteritis	387	–	1	3	–	2	5	2	4	3	14	4	20	5	15	–
Peritonitis	145	–	1	5	1	3	5	1	–	–	10	1	5	10	7	1
Ascites	59	–	1	–	–	1	1	–	–	2	6	2	2	3	3	–
Ulceration of Intestines	81	1	–	1	–	2	2	–	4	1	11	1	9	2	3	1
Hernia	36	–	1	–	1	–	1	–	–	–	5	–	3	3	2	1
Ileus	104	1	5	–	–	2	3	–	1	3	13	5	10	4	5	–
Intussusception	14	–	–	–	–	–	–	–	–	–	2	1	–	–	2	–
Stricture of Intestines	11	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–
Stomach Disease	391	5	7	3	2	6	12	1	6	5	19	2	23	16	17	1
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	58	1	1	2	–	–	2	–	–	–	–	–	2	3	–	–
Jaundice	103	1	–	2	2	–	4	–	1	–	13	–	5	3	8	–
Liver Disease	215	3	2	2	–	3	6	–	3	4	18	2	11	11	9	–
Spleen Disease	10	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
VIII. Nephritis	13	–	–	–	–	–	–	–	1	–	1	–	–	4	–	–
Nephria	53	–	–	–	–	1	1	–	4	1	–	1	2	3	3	–
Ischuria	5	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–
Diabetes	25	–	–	1	–	–	–	–	–	–	5	1	1	–	–	–
Stone	8	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
Cystitis	11	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–
Stricture of Urethra	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	92	–	2	–	–	–	1	1	3	5	13	1	14	5	5	–
IX. Paramenia	21	1	–	–	–	–	2	–	–	–	1	–	1	2	2	–
Ovarian Dropsy	56	–	–	–	1	1	–	–	1	1	12	–	4	–	5	–
Childbirth	333	6	2	2	3	12	17	1	4	2	15	1	22	10	14	2
Organs of Generation	93	–	–	–	–	3	3	–	–	2	13	–	12	3	3	–
X. Arthritis	6	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
Rheumatism	68	1	2	3	1	6	5	1	–	–	2	3	4	6	1	–
Joint and Bone Disease	51	–	–	–	–	–	1	–	2	–	4	–	4	3	3	1
XI. Carbuncle	9	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–
Phlegmon	3	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Skin Disease	19	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–
XII. Cyanosis	20	–	–	–	–	–	–	–	–	1	–	–	4	–	1	–
Spina Bifida	22	–	–	–	–	–	–	–	–	–	2	–	1	1	1	–
Other Malformations	20	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1
XVII. Intemperance	36	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–
Privation	5	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
Want of Breast Milk	22	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–
Neglect	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	17	–	–	–	–	–	2	–	–	2	5	–	1	1	1	–
Poison	28	–	–	1	–	–	–	–	–	1	2	–	3	1	–	–
Burns and Scalds	166	3	1	3	–	4	6	1	1	3	7	3	14	8	10	2
Hanging, etc.	16	–	–	–	–	–	–	–	–	–	3	–	5	–	–	–
Suffocation	36	–	1	–	–	–	–	–	–	1	1	–	4	1	1	1
Drowning	71	2	–	1	–	1	1	–	2	1	1	–	4	9	7	–
Fracture and Contusion	132	1	–	–	1	3	3	–	2	2	10	3	21	7	4	–
Wounds	21	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
Other Violent Causes	23	–	–	–	–	–	–	–	–	–	–	–	4	2	1	–
Not Specified	1642	42	22	25	24	96	102	6	31	29	87	15	64	55	91	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1859.—FEMALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	–	3	1	2	1	7	20	32	–	17	1	–	–	1	1	3	4	2
Apoplexy	2	8	9	7	3	38	40	111	4	58	6	7	2	2	13	11	14	3
Paralysis	6	20	10	13	5	45	49	104	5	96	8	14	2	6	19	19	16	10
Delirium Tremens	–	1	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–
Chorea	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	2	3	1	–	3	6	28	–	12	–	1	–	1	–	1	–	1
Tetanus	–	1	–	4	–	–	2	1	1	2	–	–	–	–	1	1	1	–
Insanity	–	–	1	2	–	5	2	5	1	2	–	–	–	–	1	2	–	–
Convulsions	2	5	5	3	1	16	15	113	5	34	1	2	1	1	6	4	1	1
Brain Disease	1	6	–	2	3	20	27	89	1	44	5	5	1	–	6	8	5	2
Pericarditis	–	1	–	2	–	5	3	10	–	3	–	–	–	–	1	1	2	–
Aneurism	–	–	–	2	–	1	1	3	–	3	–	–	–	–	1	1	–	1
Heart Disease	9	40	12	15	8	59	43	209	15	164	21	28	5	8	23	25	15	6
Laryngitis	1	5	1	2	–	2	4	19	3	6	1	1	1	–	–	3	2	1
Bronchitis	9	53	14	30	11	123	105	511	19	197	9	11	2	9	13	37	26	32
Pleurisy	1	2	1	2	3	3	5	23	–	14	2	3	–	–	3	3	5	4
Pneumonia	8	20	8	14	2	42	32	286	9	77	6	11	2	1	16	19	10	11
Asthma	1	3	2	7	–	18	15	74	3	32	3	1	1	–	1	3	2	4
Lung Disease	–	11	1	3	–	8	14	40	1	29	4	1	–	–	–	6	–	–
Teething	8	19	21	8	–	50	26	164	8	32	3	1	1	–	1	6	2	4
Quinsey	1	1	1	–	–	–	4	9	–	2	–	2	–	–	–	–	1	2
Gastritis	1	2	1	1	–	6	9	14	1	5	–	2	–	–	1	2	3	–
Enteritis	1	3	5	4	5	30	30	146	9	30	2	5	2	–	2	16	10	9
Peritonitis	3	1	2	–	1	3	15	37	2	16	1	1	–	1	4	6	1	1
Ascites	2	1	2	2	–	2	11	13	–	3	–	–	–	–	–	–	1	1
Ulceration of Intestines	1	3	4	3	–	1	2	11	–	12	1	1	2	–	–	1	1	–
Hernia	–	2	–	–	2	6	3	2	–	3	1	–	–	–	–	–	–	–
Ileus	1	5	–	2	2	4	4	14	1	12	–	2	–	–	2	1	1	1
Intussusception	–	–	–	2	–	1	2	2	–	1	–	–	–	–	–	–	1	–
Stricture of Intestines	–	–	–	2	–	–	–	3	–	3	–	–	–	–	–	–	–	–
Stomach Disease	4	21	10	7	2	20	19	84	6	43	6	8	2	5	10	12	4	3
Pancreas Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	1	1	5	–	3	7	19	–	1	–	1	–	–	2	2	3	–
Jaundice	–	2	3	1	–	9	5	19	–	14	4	–	–	–	2	3	–	2
Liver Disease	–	11	8	6	2	17	5	44	1	24	6	3	–	–	3	5	3	3
Spleen Disease	–	–	1	3	–	1	–	1	–	–	–	–	–	–	–	1	1	–
Nephritis	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	1	–	3
Nephria	–	2	–	1	1	4	1	14	1	10	–	–	–	1	1	–	1	–
Ischuria	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	1	1	–	–	–	–	4	4	1	2	–	1	–	1	1	–	1	–
Stone	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	1
Cystitis	–	–	–	–	–	3	1	2	–	2	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	–	3	–	2	7	15	–	9	1	–	1	–	–	–	1	1
Paramenia	–	1	–	2	–	1	–	4	–	2	–	1	–	–	1	–	–	–
Ovarian Dropsy	–	2	–	4	–	2	3	10	1	8	1	–	–	–	–	–	–	–
Childbirth	1	7	5	11	2	32	17	86	3	28	1	6	3	–	3	5	4	6
Organs of Generation	–	1	2	1	–	7	4	13	2	11	4	3	–	–	1	5	–	–
Arthritis	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Rheumatism	–	–	2	4	–	4	5	7	–	5	–	–	–	–	2	3	1	–
Joint Disease	–	–	1	–	–	1	4	16	1	4	1	–	1	–	–	–	2	2
Carbuncle	–	–	–	–	–	–	–	3	–	1	–	1	–	–	–	–	1	–
Phlegmon	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	2	–	–	–	2	2	6	1	1	1	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	2	4	3	–	4	–	–	–	–	1	–	–	–
Spina Bifida	–	1	–	–	4	2	1	5	–	3	–	1	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	4	6	1	5	–	–	–	–	–	–	1	–
Intemperance	–	–	1	1	–	6	–	14	–	8	1		–	–	–	1	–	–
Privation	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	1	–	–	1	–	12	–	2	–	1	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	1	–	2	1	1	–	–	–	–	–	–	–	–
Poison	–	–	–	1	–	3	2	10	–	2	–	1	–	–	–	–	1	–
Burns and Scalds	1	4	2	1	1	13	13	31	2	16	1	2	–	–	2	4	3	4
Hanging, etc.	–	–	–	–	1	–	–	1	1	3	–	–	–	–	1	1	–	–
Suffocation	–	1	1	1	–	4	–	11	–	5	1	–	–	–	1	1	–	–
Drowning	1	3	2	3	1	3	3	17	–	6	1	–	–	–	–	1	–	1
Fracture and Contusion	3	2	3	1	–	9	10	23	1	11	3	–	–	–	2	4	2	1
Wounds	–	2	–	–	–	–	1	3	1	4	1	1	–	–	–	4	–	1
Other Violent Causes	–	–	1	–	–	–	1	10	–	3	–	–	–	–	–	–	–	1
Not Specified	13	53	40	82	17	76	94	301	21	90	28	6	–	–	14	58	31	29

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1859.—BOTH SEXES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	10832	681	569	3703	2269	1676	1185	1423	699	560
SPECIFIED CAUSES	10476	603	559	3651	2254	1665	1137	1382	612	551
I. Zymotic Class	3089	182	176	677	664	386	287	556	115	106
II. Diseases of Uncertain Seat	308	28	19	163	84	89	42	35	27	23
III. Tubercular Class	2031	89	104	697	411	341	232	221	102	103
IV. Brain and Nervous System	756	44	59	387	217	165	108	91	67	59
V. Organs of Circulation	298	20	18	238	89	81	26	49	43	36
VI. Respiratory Organs	1483	89	65	503	218	193	105	150	60	44
VII. Organs of Digestion	876	37	30	280	151	119	110	71	49	41
VIII. Urinary Organs	85	3	5	68	27	34	14	15	3	9
IX. Organs of Generation	87	4	4	38	18	12	18	13	3	3
X. Organs of Locomotion	31	1	1	19	5	7	4	4	5	3
XI. Skin, etc.	12	1	1	4	1	3	1	2	–	1
XII. Malformation	27	–	1	17	6	2	3	1	2	1
XIII. Premature Debility	580	33	27	194	142	61	58	69	39	32
XIV. Atrophy	97	10	5	41	15	5	14	13	5	5
XV. Age	409	44	27	215	119	130	86	55	46	58
XVI. Sudden Deaths	21	–	–	–	2	–	–	2	–	2
XVII. Violent Deaths	286	18	17	110	85	37	29	35	46	25
I. Small Pox	201	3	12	167	2	17	2	31	45	1
Measles	156	5	17	13	108	9	25	7	2	–
Scarlatina	772	74	55	39	105	39	81	266	11	10
Diphtheria	24	5	3	9	11	40	3	2	8	–
Hooping Cough	928	26	30	134	139	110	76	116	8	41
Croup	122	14	9	27	59	34	17	24	10	8
Thrush	3	1	–	1	2	1	–	1	2	–
Diarrhœa	268	22	11	55	42	30	23	35	6	15
Dysentery	66	4	9	25	34	23	6	2	1	6
Cholera	27	–	1	7	10	1	2	4	4	1
Influenza	17	–	1	3	5	6	–	3	1	–
Purpura	2	–	–	2	4	1	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–
Worms	6	–	–	2	–	–	2	–	–	–
Infantile Fever	14	–	–	3	5	1	2	3	–	2
Typhus	381	24	21	125	118	54	44	49	14	13
Metria	31	2	3	19	1	3	1	1	1	5
Rheumatic Fever	6	–	–	5	2	–	–	1	–	2
Erysipelas	38	1	3	35	9	10	2	5	2	1
Syphilis	23	1	1	6	7	7	1	6	–	1
Noma	3	–	–	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	15	1	2	8	7	3	1	1	1	–
Dropsy	145	18	6	30	42	24	29	12	8	8
Abscess	17	2	1	12	6	7	2	1	2	–
Ulcer	2	–	–	2	–	1	–	–	1	–
Fistula	2	1	–	4	–	–	1	–	–	–
Mortification	18	–	4	18	2	6	–	4	3	3
Cancer	109	6	6	87	27	48	9	17	12	11
Gout	–	–	–	2	–	–	–	–	–	1
III. Scrofula	66	11	–	27	16	18	14	9	3	7
Tabes Mesenterica	142	6	12	51	16	19	11	13	4	3
Phthisis	1460	62	66	482	290	206	174	157	60	76
Hydrocephalus	363	10	26	137	89	98	33	42	35	17

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1859.—BOTH SEXES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES	347	385	326	474	195	182	316	411	556	295	281	289	468
SPECIFIED CAUSES	344	382	326	460	188	174	309	376	541	277	266	282	437
Zymotic Class	87	91	154	169	37	44	62	74	167	61	88	79	84
Uncertain Seat	16	17	8	12	12	9	10	16	27	10	6	7	14
Tubercular Class	38	60	26	56	34	24	52	78	132	66	47	68	71
Brain, etc.	30	43	30	57	15	23	27	28	50	19	17	14	48
Heart, etc.	12	15	20	17	12	2	29	21	18	11	6	5	22
Respiratory Organs	28	43	23	41	23	17	38	50	43	34	34	33	52
Digestive Organs	44	30	22	28	14	13	35	33	26	12	25	24	35
Urinary Organs	6	–	4	11	3	–	2	5	7	2	1	1	3
Generative Organs	7	1	3	–	1	1	2	3	1	1	1	4	4
Locomotive Organs	2	3	1	1	–	–	1	2	2	–	2	–	2
Skin	1	–	–	–	1	–	–	–	2	–	1	1	–
Malformation	–	1	2	1	–	–	1	1	4	1	–	2	–
Premature Debility	10	31	11	11	15	8	23	9	24	21	10	13	24
Atrophy	5	4	–	1	2	–	3	3	4	–	1	3	5
Age	48	29	16	38	12	25	11	35	21	28	14	8	50
Sudden Deaths	–	4	–	–	2	3	2	–	–	1	–	1	–
Violent Deaths	10	10	6	17	5	5	11	18	13	10	13	19	23
Small Pox	14	–	–	–	1	–	1	1	–	–	–	–	–
Measles	–	27	6	27	7	4	4	2	4	–	9	8	24
Scarlatina	3	16	108	83	2	2	6	33	68	15	33	14	3
Diphtheria	–	2	3	–	–	5	–	–	1	1	–	2	2
Hooping Cough	36	3	1	22	10	14	7	9	18	16	4	4	–
Croup	3	1	3	5	4	7	2	5	5	7	4	7	6
Thrush	–	–	–	–	–	1	–	–	–	–	1	2	–
Diarrhœa	15	10	10	9	1	1	21	6	19	4	16	15	18
Dysentery	–	4	5	3	1	–	3	2	4	2	2	7	9
Cholera	–	–	–	–	1	–	2	–	1	–	–	–	–
Influenza	–	1	–	2	1	–	–	1	–	–	1	1	–
Purpura	–	–	–	–	–	–	–	–	1	–	2	3	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	1	–	–	–	–
Infantile Fever	2	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	13	23	15	16	6	7	16	14	37	15	15	9	14
Metria	–	1	–	1	2	–	–	–	4	1	–	1	–
Rheumatic Fever	–	1	1	–	–	1	–	–	–	–	–	–	2
Erysipelas	1	2	2	–	1	2	–	–	3	–	–	5	4
Syphilis	–	–	–	1	–	–	–	1	1	–	1	1	2
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	1	–	–	1	1	1	–	–	–
Dropsy	9	5	4	3	8	5	8	5	10	5	5	4	2
Abscess	–	–	–	1	–	1	–	–	1	2	–	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	2	1	–	5	1	–	1	1
Cancer	7	10	4	7	3	1	1	10	10	1	1	2	10
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	1	3	1	2	–	3	2	4	2	9	4
Tabes Mesenterica	–	2	6	1	2	1	1	9	10	2	3	–	7
Phthisis	32	52	13	44	27	19	46	53	97	50	33	43	44
Hydrocephalus	6	5	6	8	4	2	5	13	23	10	9	16	16

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1859.—BOTH SEXES. (*Contd.*)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	60	4	4	21	13	7	5	8	6	1
Apoplexy	162	13	18	74	49	33	31	20	18	23
Paralysis	127	13	6	102	46	45	36	24	21	19
Delirium Tremens	7	–	–	7	1	5	1	1	–	1
Chorea	–	–	–	–	–	–	–	–	–	–
Epilepsy	29	2	7	16	3	10	6	1	2	2
Tetanus	5	1	–	5	4	2	–	–	2	–
Insanity	3	1	2	7	–	2	5	3	–	–
Convulsions	209	5	5	62	75	41	7	16	10	8
Brain Disease	154	5	17	93	26	20	17	18	8	5
V. Pericarditis	10	–	2	6	1	3	–	4	–	1
Aneurism	6	1	1	14	–	5	–	1	5	1
Heart Disease	282	19	15	218	88	73	26	44	38	34
VI. Laryngitis	30	–	–	10	11	8	2	2	–	–
Bronchitis	776	41	40	264	78	117	55	82	31	23
Pleurisy	28	3	1	25	3	8	1	3	3	2
Pneumonia	494	35	20	116	83	37	33	45	23	14
Asthma	94	6	4	44	38	11	12	11	1	5
Lung Disease	61	4	–	44	5	12	2	7	2	–
VII. Teething	286	10	11	49	69	29	30	35	10	14
Quinsey	10	–	–	7	8	1	2	–	–	1
Gastritis	18	–	2	8	4	2	3	1	2	–
Enteritis	216	8	7	49	17	8	30	13	5	3
Peritonitis	36	4	5	19	8	10	2	1	6	3
Ascites	10	4	–	5	1	3	–	–	–	–
Ulceration of Intestines	16	1	–	12	4	9	2	1	–	–
Hernia	6	–	–	5	1	4	2	1	–	3
Ileus	26	–	1	11	5	8	1	1	3	4
Intussusception	6	–	–	2	1	1	1	2	–	1
Stricture of Intestines	4	–	–	6	1	2	–	–	–	1
Stomach Disease	111	3	1	58	15	13	13	8	9	5
Pancreas Disease	–	–	–	–	–	–	–	–	–	–
Hepatitis	30	1	3	5	4	1	5	–	1	–
Jaundice	25	1	–	10	3	16	4	4	5	2
Liver Disease	76	5	–	33	9	12	14	4	8	4
Spleen Disease	–	–	–	1	1	–	1	–	–	–
VIII. Nephritis	3	–	2	1	1	–	–	–	–	–
Nephria	31	1	2	26	2	1	3	3	1	1
Ischuria	–	–	–	3	–	4	1	1	–	1
Diabetes	11	–	–	4	2	2	2	–	–	1
Stone	2	–	–	2	3	3	1	1	–	–
Cystitis	4	–	–	3	1	2	3	3	–	2
Stricture of Urethra	3	1	–	–	–	–	–	–	–	–
Kidney Disease	31	1	1	29	18	22	4	7	2	4
IX. Paramenia	4	–	–	1	–	–	1	–	–	–
Ovarian Dropsy	8	–	–	6	–	4	–	2	–	–
Childbirth	65	4	4	20	16	3	16	7	3	1
Organs of Generation	10	–	–	11	2	5	1	4	–	2
X. Arthritis	1	–	–	1	1	–	–	–	1	–
Rheumatism	5	–	1	7	3	2	3	1	1	2
Joint and Bone Disease	25	1	–	11	1	5	1	3	3	1
XI. Carbuncle	1	–	–	3	1	1	1	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–
Skin Disease	10	1	1	1	–	2	–	2	–	1
XII. Cyanosis	4	–	–	5	4	2	1	–	2	–
Spina Bifida	9	–	–	3	1	–	2	–	–	1
Other Malformations	14	–	1	9	1	–	–	1	–	–
XVII. Intemperance	17	–	–	14	2	–	1	5	1	4
Privation	–	–	–	–	–	1	–	2	–	–
Want of Breast Milk	18	4	1	3	5	2	–	3	–	–
Neglect	2	1	–	2	–	–	–	–	–	–
Cold	–	–	1	–	–	1	–	–	–	–
Poison	11	–	2	2	2	2	2	1	1	–
Burns and Scalds	48	1	1	11	14	7	3	6	7	4
Hanging, etc.	5	–	2	3	4	2	–	–	5	1
Suffocation	14	2	2	7	2	5	2	1	4	1
Drowning	43	5	1	4	12	7	8	6	9	4
Fracture and Contusion	100	5	5	44	34	9	8	10	13	10
Wounds	9	–	–	9	1	–	–	1	3	1
Other Violent Causes	19	–	2	11	9	1	5	–	3	–
Not Specified	356	78	10	52	15	11	48	41	87	9

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1859.—BOTH SEXES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	2	5	5	–	–	1	1	3	8	–	–	–	3
Apoplexy	5	15	11	17	4	6	6	3	11	2	10	3	13
Paralysis	7	12	7	17	6	7	11	13	14	6	1	4	19
Delirium Tremens	1	1	–	–	1	–	1	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	1	–	3	1	–	–	2	–	2	2	–	3
Tetanus	1	–	–	1	–	–	–	1	1	–	–	–	–
Insanity	–	–	–	4	–	–	–	1	–	–	–	–	1
Convulsions	5	5	4	–	1	3	3	3	10	5	2	4	1
Brain Disease	7	4	3	15	2	6	5	2	6	4	2	3	8
Pericarditis	–	–	–	1	–	–	1	1	–	–	–	–	–
Aneurism	–	–	1	–	–	–	1	1	–	–	–	–	1
Heart Disease	12	15	19	16	12	2	27	19	18	11	6	5	21
Laryngitis	–	1	1	2	1	1	4	–	1	1	–	1	–
Bronchitis	13	29	8	26	13	7	24	23	22	19	9	16	26
Pleurisy	1	–	2	1	–	–	2	1	–	3	–	1	2
Pneumonia	7	8	10	6	7	5	3	14	10	10	17	10	18
Asthma	5	3	–	1	2	2	1	8	5	–	7	5	4
Lung Disease	2	2	2	5	–	2	4	4	5	1	1	–	2
Teething	12	12	3	5	4	5	17	8	2	3	6	5	6
Quinsey	–	1	1	–	–	–	1	1	3	–	1	–	–
Gastritis	3	–	1	–	1	1	–	5	3	–	1	3	3
Enteritis	2	2	5	5	1	3	–	2	8	1	5	9	6
Peritonitis	3	2	–	–	1	1	2	1	–	2	–	–	4
Ascites	1	1	–	1	–	–	–	5	1	–	–	1	–
Ulceration of Intestines	1	–	2	5	–	–	–	–	–	1	1	1	1
Hernia	2	1	–	1	–	–	–	–	1	–	–	–	–
Ileus	1	2	2	1	–	1	2	2	–	1	–	–	1
Intussusception	–	–	–	–	–	–	–	–	1	–	–	–	1
Stricture of Intestines	1	–	–	–	1	–	–	–	–	1	–	–	–
Stomach Disease	8	5	3	4	2	1	8	3	5	1	8	3	7
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	2	–	–	–	–	–	4	–	–	1	2	1
Jaundice	2	–	2	–	2	–	2	–	1	–	1	–	1
Liver Disease	6	2	3	6	2	1	3	2	1	2	1	–	4
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	1	1	–	–	–	–
Nephria	–	–	–	5	–	–	–	1	–	–	–	–	–
Ischuria	1	–	–	1	1	–	–	–	–	–	1	–	–
Diabetes	–	–	–	1	–	–	–	1	2	–	–	–	–
Stone	1	–	–	–	–	–	–	1	–	–	–	–	–
Cystitis	–	–	–	1	–	–	–	–	1	1	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	4	3	2	–	2	1	3	1	–	1	2
Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	–	–	–	–	–	–	–	–	1	–
Childbirth	5	1	–	–	1	1	2	3	1	1	1	1	2
Organs of Generation	1	–	2	–	–	–	–	–	–	–	–	2	2
Arthritis	–	–	–	–	–	–	–	–	1	–	–	–	1
Rheumatism	1	1	–	–	–	–	–	–	–	–	1	–	1
Joint Disease	1	2	1	1	–	–	1	2	1	–	1	–	–
Carbuncle	1	–	–	–	1	–	–	–	1	–	1	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	1	–	–	1	–
Cyanosis	–	–	2	–	–	–	–	1	1	–	–	1	–
Spina Bifida	–	–	–	–	–	–	1	–	1	–	–	1	–
Other Malformations	–	1	–	1	–	–	–	–	2	1	–	–	–
Intemperance	–	1	–	1	–	–	–	3	–	–	–	1	1
Privation	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	1	–
Poison	–	1	–	1	–	–	1	1	1	–	–	–	–
Burns and Scalds	2	1	1	2	1	1	1	4	4	1	6	4	2
Hanging, etc.	–	2	1	–	–	–	–	1	–	–	1	–	2
Suffocation	–	–	1	1	–	–	2	1	–	–	–	1	–
Drowning	4	–	–	4	–	1	1	3	1	2	–	2	1
Fracture and Contusion	2	4	2	7	4	2	3	4	5	5	6	10	11
Wounds	1	1	–	–	–	–	3	–	–	1	–	–	5
Other Violent Causes	–	–	–	1	–	1	–	1	2	1	–	–	1
Not Specified	3	3	–	14	7	8	7	35	15	18	15	7	31

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1859.—MALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	5436	353	286	1836	1075	814	590	714	336	272
SPECIFIED CAUSES	5227	309	279	1802	1066	811	564	692	296	269
I. Zymotic Class	1486	90	89	319	310	176	141	283	51	41
II. Diseases of Uncertain Seat	116	14	10	63	29	27	18	11	12	11
III. Tubercular Class	1024	37	54	369	188	184	124	104	45	52
IV. Brain and Nervous System	428	27	27	215	121	88	59	43	31	38
V. Organs of Circulation	138	12	11	124	33	40	9	24	19	21
VI. Respiratory Organs	779	50	31	242	105	99	58	80	34	23
VII. Organs of Digestion	449	21	15	135	87	60	55	40	26	21
VIII. Urinary Organs	56	3	4	47	14	25	9	10	2	8
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	17	1	1	11	1	7	2	4	4	3
XI. Skin, etc.	6	1	–	2	–	2	1	1	–	–
XII. Malformation	21	–	–	8	–	2	1	1	2	–
XIII. Premature Debility	324	18	14	101	65	39	26	47	22	17
XIV. Atrophy	49	3	1	14	10	2	7	5	3	2
XV. Age	125	19	10	78	51	36	34	16	13	13
XVI. Sudden Deaths	12	–	–	–	1	–	–	–	–	1
XVII. Violent Deaths	196	13	12	74	51	24	20	23	32	18
I. Small Pox	101	–	7	85	–	12	2	18	16	1
Measles	82	2	10	5	53	6	13	5	–	–
Scarlatina	384	40	18	15	50	17	40	128	7	5
Diphtheria	8	3	1	4	5	21	3	2	4	–
Hooping Cough	425	11	18	65	60	39	36	55	2	18
Croup	63	7	8	16	27	15	9	10	8	4
Thrush	–	–	–	1	–	1	–	1	1	–
Diarrhœa	133	14	8	27	22	14	13	21	2	5
Dysentery	33	–	5	10	18	9	1	2	–	1
Cholera	13	–	1	3	7	1	1	3	3	1
Influenza	6	–	1	2	–	–	–	2	–	–
Purpura	2	–	–	2	3	1	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–
Worms	4	–	–	1	–	–	1	–	–	–
Infantile Fever	7	–	–	2	1	–	–	2	–	–
Typhus	180	11	9	58	56	29	22	27	6	5
Metria	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	5	–	–	3	–	–	–	1	–	–
Erysipelas	23	1	3	17	6	7	–	3	2	–
Syphilis	13	1	–	3	1	4	–	3	–	1
Noma	3	–	–	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	7	–	1	4	2	1	–	1	1	–
Dropsy	67	9	5	14	14	7	14	6	5	2
Abscess	8	2	1	3	3	3	1	–	1	–
Ulcer	–	–	–	2	–	–	–	–	1	–
Fistula	–	1	–	3	–	–	–	–	–	–
Mortification	11	–	1	8	1	4	–	2	1	2
Cancer	23	2	2	27	9	12	3	2	3	6
Gout	–	–	–	2	–	–	–	–	–	1
III. Scrofula	38	6	–	18	6	15	8	3	1	3
Tabes Mesenterica	81	4	9	21	8	9	7	7	2	1
Phthisis	695	23	28	259	135	94	88	75	25	40
Hydrocephalus	210	4	17	71	39	66	21	19	17	8

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1859.—MALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES	176	188	167	219	102	93	179	213	270	162	155	154	229
SPECIFIED CAUSES	174	186	167	212	99	87	173	190	261	150	148	151	212
Zymotic Class	53	42	78	90	16	22	33	34	80	33	49	49	41
Uncertain Seat	2	5	1	4	6	4	6	6	12	2	2	2	5
Tubercular Class	21	32	15	17	20	12	37	38	69	40	20	35	33
Brain, etc.	17	24	16	23	7	11	19	12	24	7	13	9	26
Heart, etc.	7	8	7	5	5	1	15	13	13	5	4	2	12
Respiratory Organs	16	18	16	17	13	12	15	25	15	18	22	13	27
Digestive Organs	24	17	10	14	5	9	13	19	15	7	12	13	16
Urinary Organs	6	–	3	9	2	–	2	3	4	2	1	1	3
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	3	1	1	–	–	1	2	2	..	1	–	2
Skin	1	–	–	–	–	–	–	–	1	–	–	1	–
Malformation	–	1	2	1	–	–	–	1	2	–	–	1	–
Premature Debility	4	18	7	9	12	2	15	7	7	16	7	5	18
Atrophy	2	1	–	–	1	–	2	1	2	–	–	1	1
Age	14	11	8	11	5	9	5	12	5	11	6	4	14
Sudden Deaths	–	1	–	–	2	2	1	–	–	–	–	1	–
Violent Deaths	6	5	3	11	5	3	9	17	10	9	11	14	14
Small Pox	7	–	–	–	1	–	–	1	–	–	–	–	–
Measles	–	13	2	12	3	1	3	1	3	–	7	5	9
Scarlatina	3	7	55	46	1	1	3	14	28	9	21	11	–
Diphtheria	–	–	1	–	–	2	–	–	1	1	–	2	1
Hooping Cough	23	2	–	13	4	7	5	4	7	8	2	2	–
Croup	2	–	3	2	1	6	1	4	3	4	1	4	2
Thrush	–	–	–	–	–	1	–	–	–	–	–	2	–
Diarrhœa	10	5	5	6	–	–	13	2	15	2	7	8	11
Dysentery	–	2	3	2	–	–	–	1	2	2	1	5	6
Cholera	–	–	–	–	1	–	2	–	–	–	–	–	–
Influenza	–	–	–	1	1	–	–	–	–	–	1	1	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	1	–	–	–	–
Infantile Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	6	12	9	8	3	2	6	7	18	7	9	5	7
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	1	–	–	–	–	–	–	1
Erysipelas	1	1	–	–	1	1	–	–	2	–	–	3	2
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	2
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	–	–	–	1	–	–	–	–
Dropsy	1	1	–	–	5	2	5	2	2	1	1	1	2
Abscess	–	–	–	1	–	–	–	–	1	1	–	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	..	–	–	–	–
Mortification	–	1	–	–	–	2	1	–	4	–	–	1	–
Cancer	1	3	1	3	–	–	–	4	4	–	1	–	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	2	1	2	–	2	–	2	1	6	2
Tabes Mesenterica	–	2	4	–	2	1	1	3	4	2	2	–	3
Phthisis	18	26	7	12	14	9	32	25	49	30	14	23	22
Hydrocephalus	3	4	3	3	3	–	4	8	16	6	3	6	6

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1859.—MALES. (*Contd.*)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	35	4	2	11	9	6	4	6	3	1
Apoplexy	94	8	8	40	32	11	16	11	7	13
Paralysis	64	7	1	46	20	15	15	12	8	14
Delirium Tremens	6	–	–	6	1	4	–	1	–	1
Chorea	–	–	–	–	–	–	–	–	–	–
Epilepsy	13	–	5	7	2	8	5	–	1	1
Tetanus	4	1	–	4	4	2	–	–	1	–
Insanity	1	1	1	6	–	1	2	1	–	–
Convulsions	118	3	4	38	40	28	4	5	5	5
Brain Disease	93	3	6	57	13	13	13	7	6	3
V. Pericarditis	5	–	–	4	–	3	–	1	–	–
Aneurism	6	–	–	13	–	4	–	–	3	–
Heart Disease	127	12	11	107	33	33	9	23	16	21
VI. Laryngitis	16	–	–	5	3	2	1	1	–	–
Bronchitis	396	26	18	121	32	58	32	35	17	13
Pleurisy	15	1	–	17	1	5	1	2	3	1
Pneumonia	283	19	11	63	44	23	20	32	13	6
Asthma	38	4	2	16	22	4	4	6	–	3
Lung Disease	31	–	–	20	3	7	–	4	1	–
VII. Teething	148	5	6	23	38	15	15	21	6	5
Quinsey	3	–	–	5	6	1	2	–	–	1
Gastritis	8	–	1	4	3	2	1	–	1	–
Enteritis	111	6	3	22	7	3	16	8	3	3
Peritonitis	17	2	2	10	4	5	1	1	2	–
Ascites	3	2	–	3	1	1	–	–	–	–
Ulceration of Intestines	10	1	–	3	2	3	1	1	–	–
Hernia	4	–	–	3	–	2	–	–	–	–
Ileus	17	–	1	3	3	2	1	1	1	3
Intussusception	4	–	–	1	1	–	–	2	–	1
Stricture of Intestines	1	–	–	3	1	1	–	–	–	1
Stomach Disease	50	2	–	28	8	7	6	3	5	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–
Hepatitis	16	–	2	4	3	1	4	–	1	–
Jaundice	15	–	–	4	2	10	2	1	1	1
Liver Disease	42	3	–	18	8	7	6	2	6	2
Spleen Disease	–	–	–	1	–	–	–	–	–	–
VIII. Nephritis	3	–	2	1	1	–	–	–	–	–
Nephria	19	1	1	16	1	1	1	1	1	1
Ischuria	–	–	–	2	–	3	1	1	–	1
Diabetes	8	–	–	2	2	1	2	–	–	1
Stone	1	–	–	2	3	3	–	1	–	–
Cystitis	3	–	–	1	–	2	2	1	–	2
Stricture of Urethra	3	1	–	–	–	–	–	–	–	–
Kidney Disease	19	1	1	23	7	15	3	6	1	3
IX. Paramenia	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	1	–
Rheumatism	3	–	1	4	1	2	1	1	–	2
Joint and Bone Disease	13	1	–	7	–	5	1	3	3	1
XI. Carbuncle	–	–	–	2	–	1	1	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–
Skin Disease	6	1	–	–	–	1	–	1	–	–
XII. Cyanosis	4	–	–	3	–	2	–	–	2	–
Spina Bifida	5	–	–	1	–	–	1	–	–	–
Other Malformations	12	–	–	4	–	–	–	1	–	–
XVII. Intemperance	9	–	–	8	2	–	1	2	1	3
Privation	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	9	2	–	1	1	1	–	2	–	–
Neglect	2	1	–	1	–	–	–	–	–	–
Cold	–	–	1	–	–	–	–	–	–	–
Poison	5	–	–	1	1	1	1	–	–	–
Burns and Scalds	28	1	–	4	5	3	1	3	1	2
Hanging, etc.	4	–	2	2	2	–	–	–	3	1
Suffocation	5	1	2	4	1	4	–	–	2	1
Drowning	34	3	1	2	10	7	8	6	8	3
Fracture and Contusion	82	5	5	34	22	7	4	9	13	7
Wounds	6	–	–	8	1	–	–	1	2	1
Other Violent Causes	12	–	1	9	6	1	5	–	2	–
Not Specified	209	44	7	34	9	3	26	22	40	3

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1859.—MALES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	–	3	3	–	–	–	1	1	3	–	–	–	–
Apoplexy	–	5	5	8	2	3	4	1	6	1	7	3	9
Paralysis	6	7	4	5	3	1	9	6	7	1	1	2	11
Delirium Tremens	1	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	–	2	–	–	–	–	–	–	1	–	2
Tetanus	1	–	–	1	–	–	–	1	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	4	3	3	–	1	3	2	2	6	2	2	2	–
Brain Disease	4	4	1	6	1	4	3	1	2	3	2	2	4
Pericarditis	–	–	–	1	–	–	1	–	–	–	–	–	–
Aneurism	–	–	1	–	–	–	1	1	–	–	–	–	–
Heart Disease	7	8	6	4	5	1	13	12	13	5	4	2	12
Laryngitis	–	1	1	1	1	1	–	–	–	–	–	1	–
Bronchitis	6	13	7	10	6	5	10	9	5	9	7	5	14
Pleurisy	1	–	1	–	–	–	1	–	–	2	–	–	–
Pneumonia	4	4	7	2	4	2	2	10	6	6	9	5	10
Asthma	3	–	–	–	2	2	1	4	1	–	5	2	2
Lung Disease	2	–	–	4	–	2	1	2	3	1	1	–	1
Teething	8	10	3	3	3	2	7	4	1	2	5	2	1
Quinsey	–	–	–	–	–	–	–	–	2	–	–	–	–
Gastritis	1	–	1	–	1	–	–	2	2	–	1	–	1
Enteritis	–	1	2	3	–	3	–	2	3	1	3	7	2
Peritonitis	2	1	–	–	–	1	2	1	–	–	–	–	2
Ascites	1	1	–	–	–	–	–	1	–	–	–	1	–
Ulceration of Intestines	–	–	–	3	–	–	–	–	–	1	–	–	1
Hernia	1	–	–	–	–	–	–	–	1	–	–	–	–
Ileus	1	–	1	–	–	1	–	2	–	–	–	–	1
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	1	–	–	–
Stomach Disease	5	2	1	2	1	1	3	3	4	–	3	1	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	–	–	2	–	–	–	2	1
Jaundice	–	–	1	–	–	–	1	–	1	–	–	–	1
Liver Disease	4	1	1	3	–	1	–	2	1	2	–	–	2
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	1	1	–	–	–	–
Nephria	–	–	–	4	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	1	1	–	–	–	–	–	1	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	1	–	–	–	–	–
Cystitis	–	–	–	1	–	–	–	–	1	1	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	3	3	1	–	2	1	2	1	–	1	2
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	1	–	–	–	1
Rheumatism	1	1	–	–	–	–	–	–	–	–	–	–	1
Joint Disease	–	2	1	1	–	–	1	2	1	–	1	–	–
Carbuncle	1	–	–	–	–	–	–	–	1	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	1	–
Cyanosis	–	–	2	–	–	–	–	1	–	–	–	1	–
Spina Bifida	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Malformations	–	1	–	1	–	–	–	–	1	–	–	–	–
Intemperance	–	–	–	1	–	–	–	3	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	1	–
Poison	–	1	–	–	–	–	1	1	1	–	–	–	–
Burns and Scalds	1	1	1	1	1	–	1	3	3	1	4	1	–
Hanging, etc.	–	1	–	–	–	–	–	1	–	–	1	–	1
Suffocation	–	–	–	1	–	–	1	1	–	–	–	1	–
Drowning	4	–	–	3	–	–	1	3	1	1	–	2	1
Fracture and Contusion	–	1	2	5	4	2	2	4	4	5	6	9	8
Wounds	1	1	–	–	–	–	3	–	–	1	–	–	2
Other Violent Causes	–	–	–	–	–	1	–	1	1	1	–	–	1
Not Specified	2	2	–	7	3	6	6	23	9	12	7	3	17

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1859.—FEMALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	5396	328	283	1867	1194	862	595	709	363	288
SPECIFIED CAUSES	5249	294	280	1849	1188	854	573	690	316	282
I. Zymotic Class	1603	92	87	358	354	210	146	273	64	65
II. Diseases of Uncertain Seat	192	14	9	100	55	62	24	24	15	12
III. Tubercular Class	1007	52	50	328	223	157	108	117	57	51
IV. Brain and Nervous System	328	17	32	172	96	77	49	48	36	21
V. Organs of Circulation	160	8	7	114	56	41	17	25	24	15
VI. Respiratory Organs	704	39	34	261	113	94	47	70	26	21
VII. Organs of Digestion	427	16	15	145	64	59	55	31	23	20
VIII. Urinary Organs	29	–	1	21	13	9	5	5	1	1
IX. Organs of Generation	86	4	4	38	18	12	18	13	3	3
X. Organs of Locomotion	14	–	–	8	4	–	2	–	1	–
XI. Skin, etc.	6	–	1	2	1	1	–	1	–	1
XII. Malformation	6	–	1	9	6	–	2	–	–	1
XIII. Premature Debility	256	15	13	93	77	22	32	22	17	15
XIV. Atrophy	48	7	4	27	5	3	7	8	2	3
XV. Age	284	25	17	137	68	94	52	39	33	45
XVI. Sudden Deaths	9	–	–	–	1	–	–	2	–	1
XVII. Violent Deaths	90	5	5	36	34	13	9	12	14	7
I. Small Pox	100	3	5	82	2	5	–	13	29	–
Measles	74	3	7	8	55	3	12	2	2	–
Scarlatina	388	34	37	24	55	22	41	138	4	5
Diphtheria	16	2	2	5	6	19	–	–	4	–
Hooping Cough	503	15	12	69	79	71	40	61	6	23
Croup	59	7	1	11	32	19	8	14	2	4
Thrush	3	1	–	–	2	–	–	–	1	–
Diarrhœa	135	8	3	28	20	16	10	14	4	10
Dysentery	33	4	4	15	16	14	5	–	1	5
Cholera	14	–	–	4	3	–	1	1	1	–
Influenza	11	–	–	1	5	6	–	1	1	–
Purpura	–	–	–	–	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	1	–	–	1	–	–	–
Infantile Fever	7	–	–	1	4	1	2	1	–	2
Typhus	201	13	12	67	62	25	22	22	8	8
Metria	31	2	3	19	1	3	1	1	1	5
Rheumatic Fever	1	–	–	2	2	–	–	–	–	2
Erysipelas	15	–	–	18	3	3	2	2	–	1
Syphilis	10	–	1	3	6	3	1	3	–	–
Noma	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	8	1	1	4	5	2	1	–	–	–
Dropsy	78	9	1	16	28	17	15	6	3	6
Abscess	9	–	–	9	3	4	1	1	1	–
Ulcer	2	–	–	–	–	1	–	–	–	–
Fistula	2	–	–	1	–	–	1	–	–	–
Mortification	7	–	3	10	1	2	–	2	2	1
Cancer	86	4	4	60	18	36	6	15	9	5
Gout	–	–	–	–	–	–	–	–	–	–
III. Scrofula	28	5	–	9	10	3	6	6	2	4
Tabes Mesenterica	61	2	3	30	8	10	4	6	2	2
Phthisis	765	39	38	223	155	112	86	82	35	36
Hydrocephalus	153	6	9	66	50	32	12	23	18	9

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1859.—FEMALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES	171	197	159	255	93	89	137	198	286	133	126	135	239
SPECIFIED CAUSES	170	196	159	248	89	87	136	186	280	127	118	131	225
Zymotic Class	34	49	76	79	21	22	29	40	87	28	39	30	43
Uncertain Seat	14	12	7	8	6	5	4	10	15	8	4	5	9
Tubercular Class	17	28	11	39	14	12	15	40	63	26	27	33	38
Brain, etc.	13	19	14	34	8	12	18	16	26	12	4	5	22
Heart, etc.	5	7	13	12	7	1	14	8	5	6	2	3	10
Respiratory Organs	12	25	7	24	10	5	23	25	28	16	12	20	25
Digestive Organs	20	13	12	14	9	4	22	14	11	5	13	11	19
Urinary Organs	–	–	1	2	1	–	–	2	3	–	–	–	–
Generative Organs	7	1	3	–	1	1	2	3	1	1	1	4	4
Locomotive Organs	1	–	–	–	–	–	–	–	–	–	1	–	–
Skin	–	–	–	–	1	–	–	–	1	–	1	–	–
Malformation	–	–	–	–	–	–	1	–	2	1	–	1	–
Premature Debility	6	13	4	2	3	6	8	2	17	5	3	8	6
Atrophy	3	3	–	1	1	–	1	2	2	–	1	2	4
Age	34	18	8	27	7	16	6	23	16	17	8	4	36
Sudden Deaths	–	3	–	–	–	1	1	–	–	1	–	–	–
Violent Deaths	4	5	3	6	–	2	2	1	3	1	2	5	9
Small Pox	7	–	–	–	–	–	1	–	–	–	–	–	–
Measles	–	14	4	15	4	3	1	1	1	–	2	3	15
Scarlatina	–	9	53	37	1	1	3	19	40	6	12	3	3
Diphtheria	–	2	2	–	–	3	–	–	–	–	–	–	1
Hooping Cough	13	1	1	9	6	7	2	5	11	8	2	2	–
Croup	1	1	–	3	3	1	1	1	2	3	3	3	4
Thrush	–	–	–	–	–	–	–	–	–	–	1	–	–
Diarrhœa	5	5	5	3	1	1	8	4	4	2	9	7	7
Dysentery	–	2	2	1	1	–	3	1	2	–	1	2	3
Cholera	–	–	–	–	–	–	–	–	1	–	–	–	–
Influenza	–	1	–	1	–	–	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	1	–	2	2	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	7	11	6	8	3	5	10	7	19	8	6	4	7
Metria	–	1	–	1	2	–	–	–	4	1	–	1	–
Rheumatic Fever	–	1	1	–	–	–	–	–	–	–	–	–	1
Erysipelas	–	1	2	–	–	1	–	–	1	–	–	2	2
Syphilis	–	–	–	1	–	–	–	1	1	–	1	1	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	–	–	–	1	–	1	–	–	–
Dropsy	8	4	4	3	3	3	3	3	8	4	4	3	–
Abscess	–	–	–	–	–	1	–	–	–	1	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	1	–	–	1
Cancer	6	7	3	4	3	1	1	6	6	1	–	2	8
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	1	–	–	–	1	2	2	1	3	2
Tabes Mesenterica	–	–	2	1	–	–	–	6	6	–	1	–	4
Phthisis	14	26	6	32	13	10	14	28	48	20	19	20	22
Hydrocephalus	3	1	3	5	1	2	1	5	7	4	6	10	10

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1859.—FEMALES. (*Contd.*)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	25	–	2	10	4	1	1	2	3	–
Apoplexy	68	5	10	34	17	22	15	9	11	10
Paralysis	63	6	5	56	26	30	21	12	13	5
Delirium Tremens	1	–	–	1	–	1	1	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–
Epilepsy	16	2	2	9	1	2	1	1	1	1
Tetanus	1	–	–	1	–	–	–	–	1	–
Insanity	2	–	1	1	–	1	3	2	–	–
Convulsions	91	2	1	24	35	13	3	11	5	3
Brain Disease	61	2	11	36	13	7	4	11	2	2
V. Pericarditis	5	–	2	2	1	–	–	3	–	1
Aneurism	–	1	1	1	–	1	–	1	2	1
Heart Disease	155	7	4	111	55	40	17	21	22	13
VI. Laryngitis	14	–	–	5	8	6	1	1	–	–
Bronchitis	380	15	22	143	46	59	23	47	14	10
Pleurisy	13	2	1	8	2	3	–	1	–	1
Pneumonia	211	16	9	53	39	14	13	13	10	8
Asthma	56	2	2	28	16	7	8	5	1	2
Lung Disease	30	4	–	24	2	5	2	3	1	–
VII. Teething	138	5	5	26	31	14	15	14	4	9
Quinsey	7	–	–	2	2	–	–	–	–	–
Gastritis	10	–	1	4	1	–	2	1	1	–
Enteritis	105	2	4	27	10	5	14	5	2	–
Peritonitis	19	2	3	9	4	5	1	–	4	3
Ascites	7	2	–	2	–	2	–	–	–	–
Ulceration of Intestines	6	–	–	9	2	6	1	–	–	–
Hernia	2	–	–	2	1	2	2	1	–	3
Ileus	9	–	–	8	2	6	–	–	2	1
Intussusception	2	–	–	1	–	1	1	–	–	–
Stricture of Intestines	3	–	–	3	–	1	–	–	–	–
Stomach Disease	61	1	1	30	7	6	7	5	4	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–
Hepatitis	14	1	1	1	1	–	1	–	–	–
Jaundice	10	1	–	6	1	6	2	3	4	1
Liver Disease	34	2	–	15	1	5	8	2	2	2
Spleen Disease	–	–	–	–	1	–	1	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–
Nephria	12	–	1	10	1	–	2	2	–	–
Ischuria	–	–	–	1	–	1	–	–	–	–
Diabetes	3	–	–	2	–	1	–	–	–	–
Stone	1	–	–	–	–	–	1	–	–	–
Cystitis	1	–	–	2	1	–	1	2	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–
Kidney Disease	12	–	–	6	11	7	1	1	1	1
IX. Paramenia	4	–	–	1	–	–	1	–	–	–
Ovarian Dropsy	8	–	–	6	–	4	–	2	–	–
Childbirth	65	4	4	20	16	3	16	7	3	1
Organs of Generation	9	–	–	11	2	5	1	4	–	2
X. Arthritis	–	–	–	1	1	–	–	–	–	–
Rheumatism	2	–	–	3	2	–	2	–	1	–
Joint and Bone Disease	12	–	–	4	1	–	–	–	–	–
XI. Carbuncle	1	–	–	1	1	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–
Skin Disease	4	–	1	1	–	1	–	1	–	1
XII. Cyanosis	–	–	–	2	4	–	1	–	–	–
Spina Bifida	4	–	–	2	1	–	1	–	–	1
Other Malformations	2	–	1	5	1	–	–	–	–	–
XVII. Intemperance	8	–	–	6	–	–	–	3	–	1
Privation	–	–	–	–	–	1	–	2	–	–
Want of Breast Milk	9	2	1	2	4	1	–	1	–	–
Neglect	–	–	–	1	–	–	–	–	–	–
Cold	–	–	–	–	–	1	–	–	–	–
Poison	9	–	2	1	1	1	1	1	1	–
Burns and Scalds	20	–	1	7	9	4	2	3	6	2
Hanging, etc.	1	–	–	1	2	2	–	–	2	–
Suffocation	9	1	–	3	1	1	2	1	2	–
Drowning	9	2	1	2	2	–	–	–	1	1
Fracture and Contusion	18	–	–	10	12	2	4	1	–	3
Wounds	3	–	–	1	–	–	–	–	1	–
Other Violent Causes	7	–	1	2	3	–	–	–	1	–
Not Specified	147	34	3	18	6	8	22	19	47	6

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1859.—FEMALES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	2	2	2	–	–	1	–	2	5	–	–	–	3
Apoplexy	5	10	6	9	2	3	2	2	5	1	3	–	4
Paralysis	1	5	3	12	3	6	2	7	7	5	–	2	8
Delirium Tremens	–	–	–	–	1	–	1	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	1	1	–	–	2	–	2	1	–	1
Tetanus	–	–	–	–	–	–	–	–	1	–	–	–	–
Insanity	–	–	–	3	–	–	–	1	–	–	–	–	1
Convulsions	1	2	1	–	–	–	1	1	4	3	–	2	1
Brain Disease	3	–	2	9	1	2	2	1	4	1	–	1	4
Pericarditis	–	–	–	–	–	–	–	1	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	5	7	13	12	7	1	14	7	5	6	2	3	9
Laryngitis	–	–	–	1	–	–	4	–	1	1	–	–	–
Bronchitis	7	16	1	16	7	2	14	14	17	10	2	11	12
Pleurisy	–	–	1	1	–	–	1	1	–	1	–	1	2
Pneumonia	3	4	3	4	3	3	1	4	4	4	8	5	8
Asthma	2	3	–	1	–	–	–	4	4	–	2	3	2
Lung Disease	–	2	2	1	–	–	3	2	2	–	–	–	1
Teething	4	2	–	2	1	3	10	4	1	1	1	3	5
Quinsey	–	1	1	–	–	–	1	1	1	–	1	–	–
Gastritis	2	–	–	–	–	1	–	3	1	–	–	3	2
Enteritis	2	1	3	2	1	–	–	–	5	–	2	2	4
Peritonitis	1	1	–	–	1	–	–	–	–	2	–	–	2
Ascites	–	–	–	1	–	–	–	4	1	–	–	–	–
Ulceration of Intestines	1	–	2	2	–	–	–	–	–	–	1	1	–
Hernia	1	1	–	1	–	–	–	–	–	–	–	–	–
Ileus	–	2	1	1	–	–	2	–	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	1	–	–	–	1
Stricture of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	3	3	2	2	1	–	5	–	1	1	5	2	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	1	–	–	–	–	–	2	–	–	1	–	–
Jaundice	2	–	1	–	2	–	1	–	–	–	1	–	–
Liver Disease	2	1	2	3	2	–	3	–	–	–	1	–	2
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	1	–	–	–	1	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	1	–	–	–	1	2	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	1	–	–	–	1	–	–	–	–
Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	–	–	–	–	–	–	–	–	1	–
Childbirth	5	1	–	–	1	1	2	3	1	1	1	1	2
Organs of Generation	1	–	2	–	–	–	–	–	–	–	–	2	2
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	1	–	–
Joint Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	1	–	–	–	–	–	1	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	1	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	1	–	–	–	–
Spina Bifida	–	–	–	–	–	–	1	–	–	–	–	1	–
Other Malformations	–	–	–	–	–	–	–	–	1	1	–	–	–
Intemperance	–	1	–	–	–	–	–	–	–	–	–	1	–
Privation	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	1	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	1	–	1	–	1	1	–	2	3	2
Hanging, etc.	–	1	1	–	–	–	–	–	–	–	–	–	1
Suffocation	–	–	1	–	–	–	1	–	–	–	–	–	–
Drowning	–	–	–	1	–	1	–	–	–	1	–	–	–
Fracture and Contusion	2	3	–	2	–	–	1	–	1	–	–	1	3
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	3
Other Violent Causes	–	–	–	1	–	–	–	–	1	–	–	–	–
Not Specified	1	1	–	7	4	2	1	12	6	6	8	4	14

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	61714	5695	1819	4009	5557	3011	1981	1423	3493	1530	2047	2321	2070
Specified Causes	58208	4559	1545	3679	5251	2846	1902	1373	3335	1450	1967	2214	2002
I. Zymotic Class	14640	605	472	1499	2619	1721	1214	913	1819	509	381	365	302
II. Diseases of Uncertain Seat	2433	36	12	18	33	32	30	25	80	34	39	43	53
III. Tubercular Class	9951	101	207	588	811	444	244	180	651	428	963	1114	905
IV. Brain and Nervous System	4770	344	112	189	191	98	75	59	203	117	110	115	111
V. Organs of Circulation	2314	22	8	5	7	6	5	11	32	52	73	72	110
VI. Respiratory Organs	6505	314	327	663	687	287	186	100	237	80	89	147	135
VII. Organs of Digestion	4594	388	210	548	663	131	56	30	115	81	83	99	124
VIII. Urinary Organs	720	4	3	–	6	9	6	8	26	16	25	25	31
IX. Organs of Generation	504	–	–	–	–	–	–	–	–	3	23	53	85
X. Organs of Locomotion	270	1	–	–	2	1	5	5	17	28	28	26	9
XI. Skin, etc.	65	13	5	8	6	3	–	–	1	–	1	1	–
XII. Malformation	144	126	3	6	1	–	3	1	–	–	2	2	–
XIII. Premature Debility	2776	2506	150	120	–	–	–	–	–	–	–	–	–
XIV. Atrophy	466	–	–	1	148	39	19	11	36	9	10	7	13
XV. Age	5913	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	89	15	8	4	5	1	–	2	1	–	3	3	2
XVII. Violent Deaths	2054	84	28	30	72	74	59	28	117	93	137	142	122
I. Small Pox	682	31	39	92	120	92	58	41	61	17	19	33	31
Measles	972	30	16	151	352	175	97	57	68	10	4	5	4
Scarlatina	3614	24	31	205	556	606	488	444	905	194	63	35	20
Diphtheria	415	12	10	26	66	53	40	35	83	34	18	7	7
Hooping Cough	2660	151	173	614	842	360	227	125	162	4	1	–	–
Croup	921	41	37	87	243	190	134	95	87	4	–	–	1
Thrush	32	17	5	5	4	–	1	–	–	–	–	–	–
Diarrhœa	1273	169	93	172	203	64	19	17	30	14	10	12	20
Dysentery	469	5	13	22	42	14	5	7	10	6	5	12	10
Cholera	146	5	3	14	13	7	7	2	8	4	–	3	7
Influenza	294	10	7	26	28	6	–	2	7	6	4	–	3
Purpura	31	3	–	4	3	2	1	–	5	2	1	1	1
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	30	–	–	–	2	8	6	7	7	–	–	–	–
Infantile Fever	72	10	3	18	19	8	7	3	4	–	–	–	–
Typhus	2436	10	16	41	109	125	117	77	365	192	233	199	128
Metria	175	–	–	–	–	–	–	–	–	–	8	41	55
Rheumatic Fever	67	–	–	–	–	1	–	–	6	11	5	5	4
Erysipelas	247	54	11	9	11	6	4	1	8	11	10	8	10
Syphilis	90	33	15	13	5	3	1	–	1	–	–	4	1
Noma	12	–	–	–	1	1	1	–	2	–	–	–	–
Hydrophobia	1	–	–	–	–	–	1	–	–	–	–	–	–
II. Hæmorrhage	91	13	1	1	3	1	–	1	3	1	4	4	4
Dropsy	1027	4	2	6	17	20	26	18	57	23	22	19	20
Abscess	113	7	4	8	4	5	3	3	10	4	4	6	10
Ulcer	26	2	–	–	1	1	–	–	–	1	–	1	2
Fistula	12	–	–	–	–	–	–	1	–	–	1	3	2
Mortification	148	9	1	1	5	3	–	2	4	5	3	5	5
Cancer	1004	1	4	2	3	2	1	–	6	–	5	5	10
Gout	12	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	447	6	13	30	28	15	12	9	45	48	51	48	33
Tabes Mesenterica	610	35	30	64	157	78	34	18	70	36	31	15	10
Phthisis	7172	9	47	101	185	145	75	66	292	299	871	1049	861
Hydrocephalus	1722	51	117	393	441	206	123	87	244	45	10	2	1

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	1934	1862	1813	1807	1939	2099	2506	2592	2931	2861	2324	1277	466	173	39	135
Specified Causes	1861	1797	1735	1726	1844	1973	2375	2592	2930	2861	2322	1277	466	173	39	114
Zymotic Class	214	216	176	166	173	170	225	214	228	215	130	56	21	3	–	14
Uncertain Seat	76	96	142	165	214	215	278	222	246	149	126	51	11	4	1	2
Tubercular Class	777	621	499	421	308	299	202	92	56	26	7	3	–	1	–	3
Brain, etc.	135	169	156	200	211	280	355	380	449	381	211	84	19	5	2	9
Heart, etc.	112	137	149	136	195	188	241	249	220	190	62	22	4	–	1	5
Respiratory Organs	137	149	209	237	297	361	422	446	397	333	183	60	11	4	–	7
Digestive Organs	119	134	157	178	211	224	254	268	239	162	88	25	6	–	1	–
Urinary Organs	40	33	36	38	30	52	61	59	66	82	46	12	2	2	–	2
Generative Organs	92	100	49	33	26	14	12	5	6	2	1	–	–	–	–	–
Locomotive Organs	14	5	11	11	14	12	25	16	16	11	10	2	1	–	–	–
Skin	2	2	1	1	3	3	–	6	4	2	1	1	–	–	–	1
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	14	14	13	22	49	58	2	–	–	–	–	–	–	–	–	1
Age	–	–	–	–	–	–	190	563	947	1262	1429	947	383	152	34	6
Sudden Deaths	1	3	5	4	4	5	15	5	2	1	–	–	–	–	–	–
Violent Deaths	128	118	132	114	109	92	93	67	54	45	28	14	8	2	–	64
Small Pox	14	16	7	2	2	4	2	1	–	–	–	–	–	–	–	–
Measles	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	20	5	8	1	3	1	1	2	–	–	–	1	–	–	–	1
Diphtheria	3	2	2	7	1	2	3	2	1	1	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Croup	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	17	34	17	18	30	22	48	53	65	73	45	16	10	–	–	2
Dysentery	14	13	11	20	23	31	46	37	43	43	26	8	2	–	–	1
Cholera	8	8	3	6	9	10	8	2	6	8	4	–	–	–	–	1
Influenza	1	4	2	4	7	5	20	21	32	36	30	22	6	2	–	3
Purpura	–	2	1	–	1	–	1	2	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	84	93	98	95	87	81	82	73	62	41	18	6	1	–	–	3
Metria	37	21	10	3	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	8	4	3	2	1	5	6	–	2	–	–	–	–	–	–
Erysipelas	7	9	7	6	7	9	8	12	17	9	6	3	2	1	–	1
Syphilis	3	–	6	1	1	2	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	2	–	2	1	2	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	7	6	10	4	8	3	5	4	5	2	1	–	–	–	–	–
Dropsy	29	29	46	53	68	78	94	108	105	79	65	31	6	–	–	2
Abscess	10	6	2	4	3	6	3	2	4	2	2	–	1	–	–	–
Ulcer	3	1	1	3	–	1	2	3	2	1	1	–	–	–	–	–
Fistula	–	–	–	1	2	1	–	1	–	–	–	–	–	–	–	–
Mortification	4	5	3	–	9	5	9	10	18	14	15	8	4	1	–	–
Cancer	23	47	80	100	123	120	162	92	111	51	41	11	–	3	1	–
Gout	–	2	–	–	1	1	3	2	1	–	1	1	–	–	–	–
Scrofula	19	15	12	12	11	18	5	8	6	2	1	–	–	–	–	–
Tabes Mesenterica	4	4	5	4	2	4	2	4	2	1	–	–	–	–	–	–
Phthisis	754	602	482	404	295	277	195	80	48	23	6	3	–	1	–	2
Hydrocephalus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1859.—Both Sexes. (*Contd.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	321	1	15	25	36	13	18	16	47	26	22	17	15
Apoplexy	1135	5	11	10	17	7	5	11	32	14	19	20	17
Paralysis	1415	–	1	–	1	2	–	–	7	4	12	13	14
Delirium Tremens	50	–	–	–	–	–	–	–	–	–	–	–	4
Chorea	3	–	–	–	–	–	–	–	1	1	–	–	–
Epilepsy	187	–	–	–	1	–	–	–	9	16	13	25	19
Tetanus	60	19	1	1	2	1	–	–	5	8	4	1	3
Insanity	52	–	–	–	–	–	–	–	–	–	–	1	6
Convulsions	753	312	73	127	108	55	29	19	27	1	–	–	–
Brain Disease	794	7	11	26	26	20	23	13	75	47	40	38	33
V. Pericarditis	77	2	–	–	1	2	2	3	7	2	6	4	3
Aneurism	75	–	–	1	–	–	–	–	–	1	1	2	6
Heart Disease	2162	20	8	4	6	4	3	8	25	49	66	66	101
VI. Laryngitis	156	6	8	17	22	16	6	4	17	4	4	3	3
Bronchitis	3228	172	204	401	393	138	104	45	93	24	25	30	33
Pleurisy	302	12	6	6	8	6	3	2	13	7	9	22	21
Pneumonia	1900	113	102	232	245	120	66	47	98	32	45	69	54
Asthma	566	–	–	–	1	1	1	–	–	1	1	4	9
Lung Disease	353	11	7	7	18	6	6	2	16	12	5	19	15
VII. Teething	996	4	44	403	490	48	7	–	–	–	–	–	–
Quinsey	70	12	10	5	12	6	3	2	4	1	3	1	1
Gastritis	146	3	1	6	7	4	1	1	7	5	7	2	6
Enteritis	848	198	90	79	97	32	16	11	34	16	19	14	25
Peritonitis	263	9	6	4	3	2	6	3	15	17	16	30	26
Ascites	104	–	–	–	1	–	1	2	7	5	5	5	6
Ulceration of Intestines	167	1	1	2	4	2	1	3	8	6	7	4	8
Hernia	71	2	1	–	–	–	–	–	–	1	1	1	1
Ileus	238	17	5	3	4	3	2	1	2	8	7	5	4
Intussusception	41	3	5	2	–	–	1	–	1	–	1	1	4
Stricture of Intestines	27	1	1	–	–	–	–	–	–	–	–	1	–
Stomach Disease	774	74	34	39	35	19	9	6	21	10	10	14	15
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	139	7	4	1	1	1	2	–	4	2	1	10	3
Jaundice	214	50	4	2	6	10	5	–	1	1	2	2	6
Liver Disease	477	7	4	2	2	4	2	1	11	8	4	9	16
Spleen Disease	18	–	–	–	1	–	–	–	–	1	–	–	3
VIII. Nephritis	40	–	1	–	3	1	3	2	7	1	2	1	2
Nephria	123	–	–	–	–	2	–	3	5	8	6	5	11
Ischuria	37	1	–	–	–	1	–	1	–	–	–	1	–
Diabetes	69	–	–	–	–	–	1	–	3	3	9	4	2
Stone	63	2	–	–	1	–	–	–	1	–	3	–	2
Cystitis	47	–		–	–	1	–	–	–	–	1	1	3
Stricture of Urethra	6	–	1	–	–	–	–	–	–	–	–	–	1
Kidney Disease	330	1	1	–	2	4	2	2	10	4	4	13	10
IX. Paramenia	21	–	–	–	–	–	–	–	–	3	7	2	1
Ovarian Dropsy	56	–	–	–	–	–	–	–	–	–	–	4	4
Childbirth	333	–	–	–	–	–	–	–	–	–	14	44	74
Organs of Generation	94	–	–	–	–	–	–	–	–	–	2	3	6
X. Arthritis	17	–	–	–	–	–	2	–	2	1	2	1	2
Rheumatism	112	–	–	–	–	–	1	–	2	2	2	6	–
Joint and Bone Disease	141	1	–	–	2	1	2	5	13	25	24	19	7
XI. Carbuncle	21	–	1	1	–	1	–	–	–	–	–	–	–
Phlegmon	4	1	–	–	–	–	–	–	–	–	–	1	–
Skin Disease	40	12	4	7	6	2	–	–	1	–	1	–	–
XII. Cyanosis	42	40	–	–	–	–	–	–	–	–	1	1	–
Spina Bifida	39	32	1	3	–	–	3	–	–	–	–	–	–
Other Malformations	63	54	2	3	1	–	–	1	–	–	1	1	–
XVII. Intemperance	101	–	–	–	–	–	–	–	–	–	–	1	11
Privation	6	–	–	1	1	1	–	–	–	–	–	–	–
Want of Breast Milk	47	31	6	9	1	–	–	–	–	–	–	–	–
Neglect	5	2	2	1	–	–	–	–	–	–	–	–	–
Cold	49	4	–	1	–	2	–	–	1	–	3	2	5
Poison	52	5	–	1	–	3	2	–	1	1	1	7	4
Burns and Scalds	303	–	5	12	46	42	33	17	42	6	6	9	8
Hanging, etc.	58	–	–	–	–	–	–	–	–	2	2	1	–
Suffocation	88	25	15	4	3	4	2	–	1	2	3	–	–
Drowning	421	–	–	–	12	17	8	3	25	26	40	50	34
Fracture and Contusion	722	3	–	1	8	5	13	6	37	48	66	63	45
Wounds	100	–	–	–	1	–	–	–	7	4	10	5	9
Other Violent Causes	102	14	–	–	–	–	1	2	3	4	6	4	6
Not Specified	3506	1136	274	330	306	165	79	50	158	80	80	107	68

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1859.—Both Sexes. (*Contd.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	12	12	14	9	5	3	3	6	1	4	–	1	–	–	–	–
Apoplexy	36	41	46	66	80	103	130	124	154	98	54	25	4	1	1	4
Paralysis	20	30	32	41	75	105	159	194	250	245	136	51	15	4	1	3
Delirium Tremens	7	10	6	11	3	5	2	1	–	–	1	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Epilepsy	16	18	7	17	6	10	6	8	6	7	1	1	–	–	–	1
Tetanus	3	1	2	2	2	1	1	–	1	1	1	–	–	–	–	–
Insanity	1	5	5	8	4	6	7	4	2	1	–	2	–	–	–	–
Convulsions	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	40	51	44	45	36	47	47	43	35	24	18	4	–	–	–	1
Pericarditis	2	9	4	5	2	5	–	3	10	5	–	–	–	–	–	–
Aneurism	3	13	3	5	13	12	9	3	1	2	–	–	–	–	–	–
Heart Disease	107	115	142	126	180	171	232	243	209	183	62	22	4	–	1	5
Laryngitis	6	7	5	4	4	6	5	5	2	1	–	1	–	–	–	–
Bronchitis	45	45	80	84	125	177	196	226	213	195	123	42	8	2	–	5
Pleurisy	6	8	14	10	20	15	24	34	23	26	5	1	–	1	–	–
Pneumonia	53	52	64	67	65	78	69	73	73	45	22	11	3	–	–	2
Asthma	10	16	26	45	60	56	98	80	65	57	30	5	–	–	–	–
Lung Disease	17	21	20	27	23	29	30	28	21	9	3	–	–	1	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	2	–	–	–	2	–	2	2	–	2	–	–	–	–	–	–
Gastritis	4	6	5	7	11	10	10	12	13	7	6	5	–	–	–	–
Enteritis	18	19	30	18	23	17	17	29	17	15	11	3	–	–	–	–
Peritonitis	18	14	13	10	8	9	17	9	13	11	4	–	–	–	–	–
Ascites	6	3	1	12	8	7	7	7	10	7	3	–	1	–	–	–
Ulceration of Intestines	9	16	10	13	12	16	8	15	14	3	3	1	–	–	–	–
Hernia	–	1	2	–	5	6	11	11	5	10	12	1	–	–	–	–
Ileus	10	10	12	11	12	23	23	22	23	14	14	1	2	–	–	–
Intussusception	–	3	2	3	2	3	4	2	1	2	–	1	–	–	–	–
Stricture of Intestines	1	–	1	2	3	4	5	3	4	–	–	1	–	–	–	–
Stomach Disease	22	25	30	30	46	54	68	72	69	47	19	4	2	–	–	–
Pancreas Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	13	10	8	12	9	15	11	11	8	1	–	–	–	–	–
Jaundice	6	2	7	10	10	7	19	13	17	18	9	5	1	–	1	–
Liver Disease	17	19	32	52	57	58	46	59	40	18	6	3	–	–	–	–
Spleen Disease	1	3	2	1	–	1	2	1	2	–	–	–	–	–	–	–
Nephritis	3	–	1	2	–	2	2	1	2	–	3	–	–	1	–	–
Nephria	14	13	5	8	12	15	8	6	5	1	1	–	–	–	–	–
Ischuria	2	–	2	2	–	2	2	2	3	9	7	2	–	–	–	–
Diabetes	9	8	6	5	4	5	1	3	5	–	–	–	–	–	–	1
Stone	–	1	1	1	1	3	5	6	10	18	8	–	–	–	–	–
Cystitis	–	4	1	1	1	2	7	5	3	11	3	3	–	–	–	–
Stricture of Urethra	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–
Kidney Disease	12	7	20	18	12	22	36	34	38	43	24	7	2	1	–	1
Paramenia	–	2	1	2	3	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	5	5	4	7	8	4	7	2	4	1	1	–	–	–	–	–
Childbirth	75	77	39	10	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	12	16	5	14	15	10	5	3	2	1	–	–	–	–	–	–
Arthritis	–	–	1	1	1	2	2	–	–	–	–	–	–	–	–	–
Rheumatism	6	2	4	7	8	8	18	13	13	10	8	1	1	–	–	–
Joint Disease	8	3	6	3	5	2	5	3	3	1	2	1	–	–	–	–
Carbuncle	–	2	1	1	2	2	–	2	4	2	1	1	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Skin Disease	2	–	–	–	1	1	–	2	–	–	–	–	–	–	–	1
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	4	14	12	14	15	8	12	4	4	1	–	–	–	–	–	1
Privation	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	4	3	1	5	6	1	2	1	2	3	1	–	–	–	–	2
Poison	1	6	7	3	4	1	1	1	3	–	–	–	–	–	–	–
Burns and Scalds	5	6	2	3	4	5	4	8	11	7	10	6	5	–	–	1
Hanging, etc.	8	4	5	7	4	12	6	4	–	2	–	–	–	–	–	1
Suffocation	3	2	3	2	3	1	4	3	1	3	–	–	–	–	–	4
Drowning	35	25	30	16	19	12	22	11	5	5	1	–	–	–	–	25
Fracture and Contusion	52	49	54	47	41	39	34	32	26	18	15	7	3	2	–	8
Wounds	10	4	15	9	10	6	4	1	2	3	–	–	–	–	–	–
Other Violent Causes	5	5	3	6	3	7	4	2	–	3	1	1	–	–	–	22
Not Specified	73	65	78	81	95	126	131	–	1	–	2	–	–	–	–	21

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	30588	3283	1029	2149	2843	1508	976	700	1770	750	1078	1195	950
SPECIFIED CAUSES	28724	2600	884	1968	2679	1425	937	675	1692	713	1037	1142	919
I. Zymotic Class	7038	341	253	765	1311	858	585	434	847	207	163	162	110
II. Diseases of Uncertain Seat	951	20	7	12	18	16	18	16	52	15	17	18	25
III. Tubercular Class	4956	56	126	323	429	225	125	92	354	210	482	574	419
IV. Brain and Nervous System	2567	197	72	101	111	48	32	36	112	70	69	63	63
V. Organs of Circulation	1166	8	6	4	4	4	2	7	15	23	39	38	49
VI. Respiratory Organs	3324	197	177	378	350	137	86	42	127	36	48	93	69
VII. Organs of Digestion	2405	240	128	306	348	58	29	11	59	47	51	44	63
VIII. Urinary Organs	512	4	3	–	4	6	3	6	20	8	18	18	9
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	1
X. Organs of Locomotion	145	1	–	–	–	1	5	2	11	13	21	15	3
XI. Skin, etc.	34	7	3	4	2	2	–	–	1	–	–	–	–
XII. Malformation	82	73	1	3	1	–	2	1	–	–	1	–	–
XIII. Premature Debility	1549	1402	91	56	–	–	–	–	–	–	–	–	–
XIV. Atrophy	216	–	–	–	64	27	8	10	21	8	9	4	4
XV. Age	2249	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	49	7	3	2	3	–	–	1	–	–	2	2	–
XVII. Violent Deaths	1480	47	14	14	34	43	42	17	73	76	117	111	104
I. Small Pox	349	17	16	45	61	46	26	23	28	11	10	18	18
Measles	501	20	7	90	180	89	51	23	29	4	3	4	–
Scarlatina	1793	13	22	110	282	314	242	229	423	91	32	10	7
Diphtheria	172	4	4	11	33	23	15	19	33	10	5	3	2
Hooping Cough	1216	78	87	293	392	152	97	40	74	2	–	–	–
Croup	479	20	27	49	133	106	66	39	37	1	–	–	–
Thrush	18	9	4	3	2	–	–	–	–	–	–	–	–
Diarrhœa	654	105	52	85	104	31	12	9	14	10	4	9	8
Dysentery	214	4	9	9	26	6	3	6	7	4	3	4	3
Cholera	80	3	3	6	7	4	2	2	5	3	–	2	3
Influenza	133	6	3	18	17	5	–	1	4	4	2	–	1
Purpura	19	2	–	3	1	1	1	–	4	1	–	1	1
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	17	–	–	–	1	5	4	4	3	–	–	–	–
Infantile Fever	35	7	1	7	10	4	4	1	1	–	–	–	–
Typhus	1141	7	8	24	53	66	57	37	177	54	99	104	59
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	33	–	–	–	–	1	–	–	4	6	3	3	1
Erysipelas	127	27	3	4	7	2	1	1	3	6	2	4	6
Syphilis	47	19	7	8	1	2	1	–	–	–	–	–	1
Noma	9	–	–	–	1	1	1	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	43	7	–	1	2	–	–	–	1	–	–	1	2
Dropsy	435	4	2	3	11	13	16	13	36	8	11	7	9
Abscess	52	1	3	6	3	2	1	2	8	2	1	2	5
Ulcer	14	1	–	–	–	–	–	–	–	1	–	–	1
Fistula	6	–	–	–	–	–	–	1	–	–	–	2	–
Mortification	83	7	–	–	–	1	–	–	3	4	2	5	4
Cancer	310	–	2	2	2	–	1	–	4	–	3	1	4
Gout	8	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	258	3	9	12	18	6	7	6	31	32	30	30	18
Tabes Mesenterica	318	18	14	39	86	42	16	8	41	14	15	5	3
Phthisis	3424	5	26	51	85	70	38	33	148	134	433	537	398
Hydrocephalus	956	30	77	221	240	107	64	45	134	30	4	2	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	896	851	918	948	950	1056	1160	1253	1301	1230	949	517	172	59	13	84
SPECIFIED CAUSES	855	819	884	909	911	1007	1160	1253	1300	1230	949	517	172	59	13	75
Zymotic Class	65	95	79	100	87	80	106	105	102	86	60	19	10	–	–	8
Uncertain Seat	28	30	41	52	77	83	93	89	92	62	45	20	2	2	–	1
Tubercular Class	346	259	240	203	158	145	99	50	27	8	2	1	–	–	–	3
Brain, etc.	86	97	96	115	109	160	175	199	222	173	101	44	7	1	1	7
Heart, etc.	54	64	85	69	95	104	126	131	103	91	30	11	1	–	–	3
Respiratory Organs	69	80	125	142	154	182	186	219	182	138	76	24	5	–	–	2
Digestive Organs	61	65	77	91	102	117	129	137	110	76	44	10	2	–	–	–
Urinary Organs	23	22	22	27	18	35	45	42	55	69	40	10	1	2	–	2
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	5	4	6	7	10	5	16	6	4	4	4	2	–	–	–	–
Skin	1	1	–	–	1	1	–	4	4	1	1	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	6	6	5	8	14	21	1	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	50	226	362	496	538	370	141	53	12	1
Sudden Deaths	1	1	3	4	3	4	9	2	1	1	–	–	–	–	–	–
Violent Deaths	110	95	105	91	83	70	65	43	36	25	8	5	3	1	–	48
Small Pox	7	10	5	2	1	3	2	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	3	2	4	1	3	–	–	2	–	–	–	1	–	–	–	–
Diphtheria	1	1	1	3	–	1	1	2	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	7	14	7	9	14	9	25	28	30	32	27	4	4	–	–	1
Dysentery	4	2	3	12	13	9	19	20	20	17	8	1	1	–	–	1
Cholera	5	5	2	4	5	4	5	2	3	3	1	–	–	–	–	1
Influenza	1	4	–	3	3	3	7	9	12	7	10	8	3	–	–	2
Purpura	–	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	31	46	50	57	41	38	40	33	25	19	10	4	1	–	–	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	3	1	3	–	1	2	2	–	2	–	–	–	–	–	–
Erysipelas	3	6	3	6	5	8	4	6	10	5	3	1	1	–	–	–
Syphilis	1	–	3	–	1	2	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	2	–	1	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	4	4	6	1	4	2	1	3	2	1	1	–	–	–	–	–
Dropsy	13	9	12	15	31	34	36	45	37	34	23	11	1	–	–	1
Abscess	3	1	1	–	1	5	2	–	1	1	–	–	1	–	–	–
Ulcer	1	1	–	1	–	1	1	3	1	1	1	–	–	–	–	–
Fistula	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Mortification	4	3	2	–	5	1	8	6	9	5	8	5	–	1	–	–
Cancer	3	11	20	34	34	39	43	29	42	20	11	4	–	1	–	–
Gout	–	1	–	–	1	1	2	2	–	–	1	–	–	–	–	–
Scrofula	11	6	8	6	7	10	2	3	3	–	–	–	–	–	–	–
Tabes Mesenterica	3	–	3	1	2	2	2	3	1	–	–	–	–	–	–	–
Phthisis	332	253	229	195	149	133	95	44	23	8	2	1	–	–	–	2
Hydrocephalus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	185	1	9	14	24	6	8	10	25	13	13	11	8
Apoplexy	597	3	7	6	10	–	–	7	15	10	10	9	16
Paralysis	672	–	1	–	–	1	–	–	5	1	7	7	9
Delirium Tremens	40	–	–	–	–	–	–	–	–	–	–	–	4
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	101	–	–	–	–	–	–	–	3	9	8	12	8
Tetanus	38	11	1	1	–	1	–	–	1	7	3	1	2
Insanity	21	–	–	–	–	–	–	–	–	–	–	1	3
Convulsions	438	177	45	70	68	30	16	13	18	–	–	–	–
Brain Disease	475	5	9	10	9	10	8	6	45	30	28	22	19
V. Pericarditis	38	–	–	–	1	1	1	1	6	2	3	2	2
Aneurism	52	–	–	1	–	–	–	–	–	–	1	1	3
Heart Disease	1076	8	6	3	3	3	1	6	9	21	35	35	44
VI. Laryngitis	77	2	4	8	12	7	2	1	6	2	2	3	2
Bronchitis	1549	107	106	225	199	68	49	24	49	11	13	15	8
Pleurisy	166	7	3	5	3	2	2	–	7	4	6	17	9
Pneumonia	1091	73	60	135	127	56	29	16	55	14	23	41	36
Asthma	262	–	–	–	1	–	1	–	–	–	–	3	7
Lung Disease	179	8	4	5	8	4	3	1	10	5	4	14	7
VII. Teething	525	2	24	224	257	16	2	–	–	–	–	–	–
Quinsey	39	7	5	2	8	4	1	1	3	–	3	–	–
Gastritis	74	2	–	2	3	–	1	1	4	4	6	1	3
Enteritis	461	123	59	46	47	14	10	3	16	9	14	8	11
Peritonitis	118	7	4	1	2	2	3	1	8	6	8	9	10
Ascites	45	–	–	–	–	–	1	–	5	4	2	1	3
Ulceration of Intestines	86	1	1	2	3	1	–	1	4	3	4	3	6
Hernia	35	2	1	–	–	–	–	–	–	1	–	1	1
Ileus	134	14	4	1	2	3	2	–	1	4	4	1	2
Intussusception	27	2	4	1	–	–	–	–	–	–	1	–	4
Stricture of Intestines	16	–	–	–	–	–	–	–	–	–	–	1	–
Stomach Disease	383	38	18	24	19	10	3	3	8	8	4	5	5
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	81	4	3	1	1	1	2	–	2	2	1	8	1
Jaundice	111	33	4	1	3	3	3	–	–	1	1	–	3
Liver Disease	262	5	1	1	2	4	1	1	8	5	3	6	11
Spleen Disease	8	–	–	–	1	–	–	–	–	–	–	–	3
VIII. Nephritis	27	–	1	–	1	–	3	–	6	–	1	1	2
Nephria	75	–	–	–	–	1	–	3	5	6	4	4	–
Ischuria	32	1	–	–	–	1	–	1	–	–	–	1	–
Diabetes	44	–	–	–	–	–	–	–	2	1	7	3	–
Stone	55	2	–	–	1	–	–	–	1	–	2	–	1
Cystitis	36	–	–	–	–	–	–	–	–	–	1	1	1
Stricture of Urethra	5	–	1	–	–	–	–	–	–	–	–	–	1
Kidney Disease	238	1	1	–	2	4	–	2	6	1	3	8	4
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	11	–	–	–	–	–	2	–	1	1	2	–	1
Rheumatism	44	–	–	–	–	–	1	–	1	1	–	2	–
Joint and Bone Disease	90	1	–	–	–	1	2	2	9	11	19	13	2
XI. Carbuncle	12	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	21	7	2	4	2	2	–	–	1	–	–	–	–
XII. Cyanosis	22	22	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	17	14	–	1	–	–	2	–	–	–	–	–	–
Other Malformations	43	37	1	2	1	–	–	1	–	–	1	–	–
XVII. Intemperance	65	–	–	–	–	–	–	–	–	–	–	1	9
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	25	19	2	3	1	–	–	–	–	–	–	–	–
Neglect	4	1	2	1	–	–	–	–	–	–	–	–	–
Cold	32	1	–	–	–	1	–	–	1	–	2	2	4
Poison	24	2	–	1	–	2	–	–	–	–	–	2	2
Burns and Scalds	137	–	2	7	22	23	25	10	13	2	5	4	4
Hanging, etc.	42	–	–	–	–	–	–	–	–	2	1	1	–
Suffocation	52	10	8	1	1	3	2	–	1	1	2	–	–
Drowning	350	–	–	–	6	10	6	2	22	23	38	39	27
Fracture and Contusion	590	3	–	1	3	4	8	4	27	41	55	55	44
Wounds	79	–	–	–	1	–	–	–	6	3	9	4	8
Other Violent Causes	79	11	–	–	–	–	1	1	3	4	5	3	6
Not Specified	1864	683	145	181	164	83	39	25	78	37	41	53	31

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	6	7	8	5	2	3	2	4	1	4	–	1	–	–	–	–
Apoplexy	21	23	27	28	39	60	71	71	78	50	25	12	2	–	–	3
Paralysis	14	18	18	23	36	58	69	90	113	102	65	25	5	1	1	3
Delirium Tremens	6	8	5	11	3	1	1	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	12	8	3	14	6	5	2	3	4	2	1	1	–	–	–	–
Tetanus	1	1	2	1	2	1	1	–	–	1	–	–	–	–	–	–
Insanity	–	3	2	3	1	1	2	3	–	1	–	1	–	–	–	–
Convulsions	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	26	29	31	29	20	31	27	27	26	13	10	4	–	–	–	1
Pericarditis	–	2	3	2	2	2	–	3	4	1	–	–	–	–	–	–
Aneurism	2	9	3	4	11	9	5	2	1	–	–	–	–	–	–	–
Heart Disease	52	53	79	63	82	93	121	126	98	90	30	11	1	–	–	3
Laryngitis	2	6	1	2	1	4	4	3	1	1	–	1	–	–	–	–
Bronchitis	17	20	42	42	58	88	76	101	85	72	52	17	4	–	–	1
Pleurisy	2	3	4	6	16	8	11	19	13	14	4	1	–	–	–	–
Pneumonia	39	35	47	52	43	40	39	45	47	23	10	4	1	–	–	1
Asthma	5	7	17	26	21	29	44	38	29	24	9	1	–	–	–	–
Lung Disease	4	9	14	14	15	13	12	13	7	4	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–
Gastritis	2	1	3	5	3	6	5	6	9	3	4	–	–	–	–	–
Enteritis	10	8	8	8	10	9	10	15	7	6	7	3	–	–	–	–
Peritonitis	5	7	4	6	4	4	7	5	5	6	4	–	–	–	–	–
Ascites	4	3	–	5	3	2	–	4	5	2	1	–	–	–	–	–
Ulceration of Intestines	6	5	5	6	4	10	5	8	6	1	1	–	–	–	–	–
Hernia	–	–	–	–	2	2	3	6	3	4	8	1	–	–	–	–
Ileus	4	6	8	7	7	11	12	14	10	10	7	–	–	–	–	–
Intussusception	–	2	2	3	1	1	3	1	1	–	–	1	–	–	–	–
Stricture of Intestines	1	–	1	1	2	3	4	2	1	–	–	–	–	–	–	–
Stomach Disease	14	12	12	13	25	29	37	36	29	22	8	–	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	8	6	5	3	4	8	6	6	6	–	–	–	–	–	–
Jaundice	2	2	5	3	5	3	10	5	9	8	2	4	1	–	–	–
Liver Disease	8	10	22	29	32	32	23	28	19	8	2	1	–	–	–	–
Spleen Disease	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	1	1	–	2	2	1	2	–	1	–	–	1	–	–
Nephria	6	8	5	4	5	10	5	3	4	1	1	–	–	–	–	–
Ischuria	1	–	1	2	–	1	1	2	3	9	6	2	–	–	–	–
Diabetes	8	5	1	3	4	3	1	–	5	–	–	–	–	–	–	1
Stone	–	1	1	1	1	1	3	5	10	18	7	–	–	–	–	–
Cystitis	–	4	1	1	1	–	6	5	2	9	2	2	–	–	–	–
Stricture of Urethra	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Kidney Disease	7	4	12	14	7	17	27	25	29	32	23	6	1	1	–	1
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–
Rheumatism	2	1	1	4	5	3	9	5	2	4	2	1	–	–	–	–
Joint Disease	3	3	5	3	4	1	5	1	2	–	2	1	–	–	–	–
Carbuncle	–	1	–	–	1	–	–	2	4	1	1	1	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–			–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	4	7	4	9	9	5	10	3	3	–	–	–	–	–	–	1
Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	4	2	1	2	6	1	1	–	1	1	1	–	–	–	–	1
Poison	1	4	3	2	1	–	1	–	3	–	–	–	–	–	–	–
Burns and Scalds	3	3	1	1	1	1	–	1	2	1	1	3	2	–	–	–
Hanging, etc.	4	1	4	6	4	11	4	2	–	2	–	–	–	–	–	–
Suffocation	2	2	2	2	2	1	4	2	1	3	–	–	–	–	–	2
Drowning	33	22	28	12	16	11	16	9	4	3	1	–	–	–	–	22
Fracture and Contusion	48	46	49	43	36	30	24	23	20	9	5	2	1	1	–	8
Wounds	8	3	11	7	6	4	3	1	2	3	–	–	–	–	–	–
Other Violent Causes	3	5	2	6	2	6	2	2	–	3	–	–	–	–	–	14
Not Specified	41	32	34	39	39	49	60	–	1	–	–	–	–	–	–	9

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	31126	2412	790	1860	2714	1503	1005	723	1723	780	969	1126	1120
SPECIFIED CAUSES	29484	1959	661	1711	2572	1421	965	698	1643	737	930	1072	1083
I. Zymotic Class	7602	264	219	734	1308	863	629	479	972	302	218	203	192
II. Diseases of Uncertain Seat	1482	16	5	6	15	16	12	9	28	19	22	25	28
III. Tubercular Class	4995	45	81	265	382	219	119	88	297	218	481	540	486
IV. Brain and Nervous System	2203	147	40	88	80	50	43	23	91	47	41	52	48
V. Organs of Circulation	1148	14	2	1	3	2	3	4	17	29	34	34	61
VI. Respiratory Organs	3181	117	150	285	337	150	100	58	110	44	41	54	66
VII. Organs of Digestion	2189	148	82	242	315	73	27	19	56	34	32	55	61
VIII. Urinary Organs	208	–	–	–	2	3	3	2	6	8	7	7	22
IX. Organs of Generation	503	–	–	–	–	–	–	–	–	3	23	53	84
X. Organs of Locomotion	125	–	–	–	2	–	–	3	6	15	7	11	6
XI. Skin, etc.	31	6	2	4	4	1	–	–	–	–	1	1	–
XII. Malformation	62	53	2	3	–	–	1	–	–	–	1	2	–
XIII. Premature Debility	1227	1104	59	64	–	–	–	–	–	–	–	–	–
XIV. Atrophy	250	–	–	1	84	12	11	1	15	1	1	3	9
XV. Age	3664	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	40	8	5	2	2	1	–	1	1	–	1	1	2
XVII. Violent Deaths	574	37	14	16	38	31	17	11	44	17	20	31	18
I. Small Pox	333	14	23	47	59	46	32	18	33	6	9	15	13
Measles	471	10	9	61	172	86	46	34	39	6	1	1	4
Scarlatina	1821	11	9	95	274	292	244	215	482	103	31	25	13
Diphtheria	243	8	6	15	33	30	25	16	50	24	13	4	5
Hooping Cough	1444	73	86	321	450	208	130	85	88	2	1	–	–
Croup	442	21	10	38	110	84	68	56	50	3	–	–	1
Thrush	14	8	1	2	2	–	1	–	–	–	–	–	–
Diarrhœa	619	64	41	87	99	33	7	8	16	4	6	3	12
Dysentery	255	1	4	13	16	8	2	1	3	2	2	8	7
Cholera	66	2	–	8	6	3	5	–	3	1	–	1	4
Influenza	161	4	4	8	11	1	–	1	3	2	2	–	2
Purpura	12	1	–	1	2	1	–	–	1	1	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	13	–	–	–	1	3	2	3	4	–	–	–	–
Infantile Fever	37	3	2	11	9	4	3	2	3	–	–	–	–
Typhus	1295	3	8	17	56	59	60	40	188	138	134	95	69
Metria	175	–	–	–	–	–	–	–	–	–	8	41	55
Rheumatic Fever	34	–	–	–	–	–	–	–	2	5	2	2	3
Erysipelas	120	27	8	5	4	4	3	–	5	5	8	4	4
Syphilis	43	14	8	5	4	1	–	–	1	–	–	4	–
Noma	3	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia	1	–	–	–	–	–	1	–	–	–	–	–	–
II. Hæmorrhage	48	6	1	–	1	1	–	1	2	1	4	3	2
Dropsy	592	–	–	3	6	7	10	5	21	15	11	12	11
Abscess	61	6	1	2	1	3	2	1	2	2	3	4	5
Ulcer	12	1	–	–	1	1	–	–	–	–	–	1	1
Fistula	6	–	–	–	–	–	–	–	–	–	1	1	2
Mortification	65	2	1	1	5	2	–	2	1	1	1	–	1
Cancer	694	1	2	–	1	2	–	–	2	–	2	4	6
Gout	4	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	189	3	4	18	10	9	5	3	14	16	21	18	15
Tabes Mesenterica	292	17	16	25	71	36	18	10	29	22	16	10	7
Phthisis	3748	4	21	50	100	75	37	33	144	165	438	512	463
Hydrocephalus	766	21	40	172	201	99	59	42	110	15	6	–	1

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1038	1011	895	859	989	1043	1346	1339	1630	1631	1375	760	294	114	26	51
SPECIFIED CAUSES	1006	978	851	817	933	966	1275	1339	1630	1631	1373	760	294	114	26	39
Zymotic Class	149	121	97	66	86	90	119	109	126	129	70	37	11	3	–	6
Uncertain Seat	48	66	101	113	137	132	185	133	154	87	81	31	9	2	1	1
Tubercular Class	431	362	259	218	150	154	103	42	29	18	5	2	–	1	–	–
Brain, etc.	49	72	60	85	102	120	180	181	227	208	110	40	12	4	1	2
Heart, etc.	58	73	64	67	100	84	115	118	117	99	32	11	3	–	1	2
Respiratory Organs	68	69	84	95	143	179	236	227	215	195	107	36	6	4	–	5
Digestive Organs	58	69	80	87	109	107	125	131	129	86	44	15	4	–	1	–
Urinary Organs	17	11	14	11	12	17	16	17	11	13	6	2	1	–	–	–
Generative Organs	92	100	49	33	26	14	12	5	6	2	1	–	–	–	–	–
Locomotive Organs	9	1	5	4	4	7	9	10	12	7	6	–	1	–	–	–
Skin	1	1	1	1	2	2	–	2	–	1	–	–	–	–	–	1
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	8	8	8	14	35	37	1	–	–	–	–	–	–	–	–	1
Age	–	–	–	–	–	–	140	337	585	766	891	577	242	99	22	5
Sudden Deaths	–	2	2	–	1	1	6	3	1	–	–	–	–	–	–	–
Violent Deaths	18	23	27	23	26	22	28	24	18	20	20	9	5	1	–	16
Small Pox	7	6	2	–	1	1	–	1	–	–	–	–	–	–	–	–
Measles	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	17	3	4	–	–	1	1	–	–	–	–	–	–	–	–	1
Diphtheria	2	1	1	4	1	1	2	–	1	1	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	10	20	10	9	16	13	23	25	35	41	18	12	6	–	–	1
Dysentery	10	11	8	8	10	22	27	17	23	26	18	7	1	–	–	–
Cholera	3	3	1	2	4	6	3	–	3	5	3	–	–	–	–	–
Influenza	–	–	2	1	4	2	13	12	20	29	20	14	3	2	–	1
Purpura	–	–	1	–	–	–	1	2	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	53	47	48	38	46	43	42	40	37	22	8	2	–	–	–	2
Metria	37	21	10	3	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	5	3	–	2	–	3	4	–	–	–	–	–	–	–	–
Erysipelas	4	3	4	–	2	1	4	6	7	4	3	2	1	1	–	1
Syphilis	2	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	3	2	4	3	4	1	4	1	3	1	–	–	–	–	–	–
Dropsy	16	20	34	38	37	44	58	63	68	45	42	20	5	–	–	1
Abscess	7	5	1	4	2	1	1	2	3	1	2	–	–	–	–	–
Ulcer	2	–	1	2	–	–	1	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Mortification	–	2	1	–	4	4	1	4	9	9	7	3	4	–	–	–
Cancer	20	36	60	66	89	81	119	63	69	31	30	7	–	2	1	–
Gout	–	1	–	–	–	–	1	–	1	–	–	1	–	–	–	–
Scrofula	8	9	4	6	4	8	3	5	3	2	1	–	–	–	–	–
Tabes Mesenterica	1	4	2	3	–	2	–	1	1	1	–	–	–	–	–	–
Phthisis	422	349	253	209	146	144	100	36	25	15	4	2	–	1	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1859.—Females. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	136	–	6	11	12	7	10	6	22	13	9	6	7
Apoplexy	538	2	4	4	7	7	5	4	17	4	9	11	7
Paralysis	743	–	–	–	1	1	–	–	2	3	5	6	5
Delirium Tremens	10	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	3	–	–	–	–	–	–	–	1	1	–	–	–
Epilepsy	86	–	–	–	1	–	–	–	6	7	5	13	11
Tetanus	22	8	–	–	2	–	–	–	4	1	1	–	1
Insanity	31	–	–	–	–	–	–	–	–	–	–	–	3
Convulsions	315	135	28	57	40	25	13	6	9	1	–	–	–
Brain Disease	319	2	2	16	17	10	15	7	30	17	12	16	14
V. Pericarditis	39	2	–	–	–	1	1	2	1	–	3	2	1
Aneurism	23	–	–	–	–	–	–	–	–	1	–	1	3
Heart Disease	1086	12	2	1	3	1	2	2	16	28	31	31	57
VI. Laryngitis	79	4	4	9	10	9	4	3	11	2	2	–	1
Bronchitis	1679	65	98	176	194	70	55	21	44	13	12	15	25
Pleurisy	136	5	3	1	5	4	1	2	6	3	3	5	12
Pneumonia	809	40	42	97	118	64	37	31	43	18	22	28	18
Asthma	304	–	–	–	–	1	–	–	–	1	1	1	2
Lung Disease	174	3	3	2	10	2	3	1	6	7	1	5	8
VII. Teething	471	2	20	179	233	32	5	–	–	–	–	–	–
Quinsey	31	5	5	3	4	2	2	1	1	1	–	1	1
Gastritis	72	1	1	4	4	4	–	–	3	1	1	1	3
Enteritis	387	75	31	33	50	18	6	8	18	7	5	6	14
Peritonitis	145	2	2	3	1	–	3	2	7	11	8	21	16
Ascites	59	–	–	–	1	–	–	2	2	1	3	4	3
Ulceration of Intestines	81	–	–	–	1	1	1	2	4	3	3	1	2
Hernia	36	–	–	–	–	–	–	–	–	–	1	–	–
Ileus	104	3	1	2	2	–	–	1	1	4	3	4	2
Intussusception	14	1	1	1	–	–	1	–	1	–	–	1	–
Stricture of Intestines	11	1	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	391	36	16	15	16	9	6	3	13	2	6	9	10
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	58	3	1	–	–	–	–	–	2	–	–	2	2
Jaundice	103	17	–	1	3	7	2	–	1	–	1	2	3
Liver Disease	215	2	3	1	–	–	1	–	3	3	1	3	5
Spleen Disease	10	–	–	–	–	–	–	–	–	1	–	–	–
VIII. Nephritis	13	–	–	–	2	1	–	2	1	1	1	–	–
Nephria	53	–	–	–	–	1	–	–	–	2	2	1	11
Ischuria	5	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	25	–	–	–	–	–	1	–	1	2	2	1	2
Stone	8	–	–	–	–	–	–	–	–	–	1	–	1
Cystitis	11	–	–	–	–	1	–	–	–	–	–	–	2
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	92	–	–	–	–	–	2	–	4	3	1	5	6
IX. Paramenia	21	–	–	–	–	–	–	–	–	3	7	2	1
Ovarian Dropsy	56	–	–	–	–	–	–	–	–	–	–	4	4
Childbirth	333	–	–	–	–	–	–	–	–	–	14	44	74
Organs of Generation	93	–	–	–	–	–	–	–	–	–	2	3	5
X. Arthritis	6	–	–	–	–	–	–	–	1	–	–	1	1
Rheumatism	68	–	–	–	–	–	–	–	1	1	2	4	–
Joint and Bone Disease	51	–	–	–	2	–	–	3	4	14	5	6	5
XI. Carbuncle	9	–	–	1	–	1	–	–	–	–	–	–	–
Phlegmon	3	1	–	–	–	–	–	–	–	–	–	1	–
Skin Disease	19	5	2	3	4	–	–	–	–	–	1	–	–
XII. Cyanosis	20	18	–	–	–	–	–	–	–	–	1	1	–
Spina Bifida	22	18	1	2	–	–	1	–	–	–	–	–	–
Other Malformations	20	17	1	1	–	–	–	–	–	–	–	1	–
XVII. Intemperance	36	–	–	–	–	–	–	–	–	–	–	–	2
Privation	5	–	–	1	1	1	–	–	–	–	–	–	–
Want of Breast Milk	22	12	4	6	–	–	–	–	–	–	–	–	–
Neglect	1	1	–	–	–	–	–	–	–	–	–	–	–
Cold	17	3	–	1	–	1	–	–	–	–	1	–	1
Poison	28	3	–	–	–	1	2	–	1	1	1	5	2
Burns and Scalds	166	–	3	5	24	19	8	7	29	4	1	5	4
Hanging, etc.	16	–	–	–	–	–	–	–	–	–	1	–	–
Suffocation	36	15	7	3	2	1	–	–	–	1	1	–	–
Drowning	71	–	–	–	6	7	2	1	3	3	2	11	7
Fracture and Contusion	132	–	–	–	5	1	5	2	10	7	11	8	1
Wounds	21	–	–	–	–	–	–	–	1	1	1	1	1
Other Violent Causes	23	3	–	–	–	–	–	1	–	–	1	1	–
Not Specified	1642	453	129	149	142	82	40	25	80	43	39	54	37

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	6	5	6	4	3	–	1	2	–	–	–	–	–	–	–	–
Apoplexy	15	18	19	38	41	43	59	53	76	48	29	13	2	1	1	1
Paralysis	6	12	14	18	39	47	90	104	137	143	71	26	10	3	–	–
Delirium Tremens	1	2	1	–	–	4	1	–	–	–	1	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Epilepsy	4	10	4	3	–	5	4	5	2	5	–	–	–	–	–	1
Tetanus	2	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–
Insanity	1	2	3	5	3	5	5	1	2	–	–	1	–	–	–	–
Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	14	22	13	16	16	16	20	16	9	11	8	–	–	–	–	–
Pericarditis	2	7	1	3	–	3	–	–	6	4	–	–	–	–	–	–
Aneurism	1	4	–	1	2	3	4	1	–	2	–	–	–	–	–	–
Heart Disease	55	62	63	63	98	78	111	117	111	93	32	11	3	–	1	2
Laryngitis	4	1	4	2	3	2	1	2	1	–	–	–	–	–	–	–
Bronchitis	28	25	38	42	67	89	120	125	128	123	71	25	4	2	–	4
Pleurisy	4	5	10	4	4	7	13	15	10	12	1	–	–	1	–	–
Pneumonia	14	17	17	15	22	38	30	28	26	22	12	7	2	–	–	1
Asthma	5	9	9	19	39	27	54	42	36	33	21	4	–	–	–	–
Lung Disease	13	12	6	13	8	16	18	15	14	5	2	–	–	1	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	1	–	–	1	–	2	–	–	–	–	–	–
Gastritis	2	5	2	2	8	4	5	6	4	4	2	5	–	–	–	–
Enteritis	8	11	22	10	13	8	7	14	10	9	4	–	–	–	–	–
Peritonitis	13	7	9	4	4	5	10	4	8	5	–	–	–	–	–	–
Ascites	2	–	1	7	5	5	7	3	5	5	2	–	1	–	–	–
Ulceration of Intestines	3	11	5	7	8	6	3	7	8	2	2	1	–	–	–	–
Hernia	–	1	2	–	3	4	8	5	2	6	4	–	–	–	–	–
Ileus	6	4	4	4	5	12	11	8	13	4	7	1	2	–	–	–
Intussusception	–	1	–	–	1	2	1	1	–	2	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	1	1	1	1	3	–	–	1	–	–	–	–
Stomach Disease	8	13	18	17	21	25	31	36	40	25	11	4	1	–	–	–
Pancreas Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	5	4	3	9	5	7	5	5	2	1	–	–	–	–	–
Jaundice	4	–	2	7	5	4	9	8	8	10	7	1	–	–	1	–
Liver Disease	9	9	10	23	25	26	23	31	21	10	4	2	–	–	–	–
Spleen Disease	–	2	1	1	–	–	2	1	2	–	–	–	–	–	–	–
Nephritis	2	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–
Nephria	8	5	–	4	7	5	3	3	1	–	–	–	–	–	–	–
Ischuria	1	–	1	–	–	1	1	–	–	–	1	–	–	–	–	–
Diabetes	1	3	5	2	–	2	–	3	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	2	2	1	–	–	1	–	–	–	–	–
Cystitis	–	–	–	–	–	2	1	–	1	2	1	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	5	3	8	4	5	5	9	9	9	11	1	1	1	–	–	–
Paramenia	–	2	1	2	3	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	5	5	4	7	8	4	7	2	4	1	1	–	–	–	–	–
Childbirth	75	77	39	10	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	12	16	5	14	15	10	5	3	2	1	–	–	–	–	–	–
Arthritis	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	4	1	3	3	3	5	9	8	11	6	6	–	1	–	–	–
Joint Disease	5	–	1	–	1	1	–	2	1	1	–	–	–	–	–	–
Carbuncle	–	1	1	1	1	2	–	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	7	8	5	6	3	2	1	1	1	–	–	–	–	–	–
Privation	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	–	3	–	–	1	1	1	2	–	–	–	–	–	1
Poison	–	2	4	1	3	1	–	1	–	–	–	–	–	–	–	–
Burns and Scalds	2	3	1	2	3	4	4	7	9	6	9	3	3	–	–	1
Hanging, etc.	4	3	1	1	–	1	2	2	–	–	–	–	–	–	–	1
Suffocation	1	–	1	–	1	–	–	1	–	–	–	–	–	–	–	2
Drowning	2	3	2	4	3	1	6	2	1	2	–	–	–	–	–	3
Fracture and Contusion	4	3	5	4	5	9	10	9	6	9	10	5	2	1	–	–
Wounds	2	1	4	2	4	2	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	1	–	1	1	2	–	–	–	1	1	–	–	–	8
Not Specified	32	33	44	42	56	77	71	–	–	–	2	–	–	–	–	12

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2633	262	64	113	133	68	33	34	85	54	83	112	104
SPECIFIED CAUSES	2189	134	36	81	104	50	23	23	68	40	69	99	89
I. Zymotic Class	400	33	13	45	67	29	13	13	37	13	16	10	16
II. Diseases of Uncertain Seat	116	–	–	1	–	–	–	–	–	–	1	3	4
III. Tubercular Class	321	1	1	13	13	8	4	4	10	10	31	49	43
IV. Brain and Nervous System	113	12	3	–	4	–	–	–	6	5	1	7	3
V. Organs of Circulation	39	–	–	–	–	–	–	–	1	1	1	2	1
VI. Respiratory Organs	199	17	11	12	9	6	2	3	4	3	5	10	9
VII. Organs of Digestion	136	4	3	7	3	3	–	–	2	3	4	3	4
VIII. Urinary Organs	22	–	1	–	–	–	1	1	1	–	1	–	1
IX. Organs of Generation	29	–	–	–	–	–	–	–	–	–	1	2	3
X. Organs of Locomotion	20	–	–	–	–	–	–	–	–	2	–	–	–
XI. Skin, etc.	2	–	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	7	6	–	–	–	–	1	–	–	–	–	–	–
XIII. Premature Debility	64	59	3	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	10	–	–	–	4	–	–	–	2	–	1	–	–
XV. Age	597	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	10	1	–	–	–	–	–	–	–	–	1	–	–
XVII. Violent Deaths	104	1	–	1	4	4	2	2	5	3	6	13	5
I. Small Pox	8	1	–	–	–	–	–	1	2	–	1	–	2
Measles	63	9	–	13	21	2	4	2	5	–	2	1	3
Scarlatina	35	1	1	3	4	8	1	2	9	5	–	1	–
Diphtheria	3	–	–	–	–	1	–	–	–	–	–	–	1
Hooping Cough	42	3	2	5	15	7	2	4	4	–	–	–	–
Croup	46	10	4	5	9	5	4	3	6	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	35	3	2	3	1	1	1	–	1	3	1	–	1
Dysentery	8	–	1	–	–	–	–	–	–	–	1	–	1
Cholera	4	–	–	–	1	–	–	–	–	–	–	–	–
Influenza	74	6	3	15	13	2	–	–	2	–	2	–	–
Purpura	2	–	–	–	–	–	–	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	2	–	–	–	–	–	–	–
Infantile Fever	2	–	–	–	1	–	1	–	–	–	–	–	–
Typhus	59	–	–	–	1	1	–	1	6	4	9	7	6
Metria	6	–	–	–	–	–	–	–	–	–	–	1	2
Rheumatic Fever	3	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	6	–	–	1	–	–	–	–	1	1	–	–	–
Syphilis	2	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	71	–	–	1	–	–	–	–	–	–	1	3	2
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	3	–	–	–	–	–	–	–	–	–	–	–	1
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	36	–	–	–	–	–	–	–	–	–	–	–	1
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	15	–	–	1	–	–	1	–	2	1	1	4	2
Tabes Mesenterica	11	–	1	3	1	2	1	–	1	2	–	–	–
Phthisis	270	–	–	2	7	5	–	–	4	6	29	45	41
Hydrocephalus	25	1	–	7	5	1	2	4	3	1	1	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	84	71	79	67	85	91	127	124	167	192	180	119	45	23	14	20
Specified Causes	73	64	65	55	63	71	104	124	167	192	178	119	45	23	14	16
Zymotic Class	9	8	5	3	6	8	6	11	6	15	7	8	–	1	–	2
Uncertain Seat	7	9	11	9	10	9	18	5	12	5	10	2	–	–	–	–
Tubercular Class	30	22	22	21	5	16	10	3	2	2	–	–	–	–	–	1
Brain, etc.	4	1	3	4	4	7	10	5	6	14	11	1	1	–	–	1
Heart, etc.	2	1	2	–	6	4	4	3	5	3	2	1	–	–	–	–
Respiratory Organs	2	4	6	2	12	10	15	15	15	17	8	1	–	1	–	–
Digestive Organs	4	9	5	6	11	12	18	14	8	5	6	1	–	–	1	–
Urinary Organs	–	–	3	1	1	–	–	1	3	6	–	1	–	–	–	–
Generative Organs	9	6	2	4	1	–	–	1	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	1	3	2	4	3	3	–	1	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	9	56	103	120	129	103	43	21	13	–
Sudden Deaths	–	–	2	–	1	–	4	1	–	–	–	–	–	–	–	–
Violent Deaths	6	3	4	4	6	2	7	7	3	2	2	–	–	–	–	12
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	–	2	2	4	2	5	2	–	–	–	–	–
Dysentery	–	2	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Cholera	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Influenza	–	–	1	–	1	1	3	4	2	5	5	6	–	1	–	2
Purpura	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	4	3	2	3	4	1	–	1	2	–	1	–	–	–	–
Metria	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–
Syphilis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	3	5	8	4	6	11	4	6	4	8	2	–	–	–	–
Abscess	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	2	3	6	1	5	3	6	1	5	1	2	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Scrofula	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	29	22	21	21	5	16	10	3	1	2	–	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	7	–	1	–	–	–	–	–	–	2	–	1	1
Apoplexy	18	–	–	–	–	–	–	–	–	–	–	1	1
Paralysis	40	–	–	–	–	–	–	–	1	–	1	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	1	1	–	–	–
Tetanus	7	4	–	–	2	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	12	8	2	–	2	–	–	–	–	–	–	–	–
Brain Disease	22	–	–	–	–	–	–	–	4	2	–	5	1
V. Pericarditis	3	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	36	–	–	–	–	–	–	–	1	1	1	2	1
VI. Laryngitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	87	6	9	9	7	5	1	1	2	2	2	2	2
Pleurisy	33	10	1	1	–	1	–	–	2	–	1	3	3
Pneumonia	20	–	1	2	–	–	1	1	–	1	2	1	2
Asthma	42	–	–	–	–	–	–	–	–	–	–	1	1
Lung Disease	15	1	–	–	2	–	–	1	–	–	–	3	1
VII. Teething	6	–	1	3	1	1	–	–	–	–	–	–	–
Quinsey	2	1	–	–	–	–	–	–	–	–	–	1	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	22	1	–	3	1	1	–	–	–	–	3	–	–
Peritonitis	5	–	–	–	–	1	–	–	–	1	–	–	–
Ascites	5	–	–	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	2	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	7	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	15	–	–	–	–	–	–	–	–	1	–	–	–
Intussusception	3	–	–	–	–	–	–	–	–	–	–	–	2
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	32	2	2	1	–	–	–	–	2	1	1	1	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	7	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	17	–	–	–	–	–	–	–	–	–	–	1	–
Spleen Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	1	–	–	–	–	1	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	5	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	1	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	8	–	–	–	–	–	1	–	1	–	–	–	1
IX. Paramenia	3	–	–	–	–	–	–	–	–	–	1	1	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	24	–	–	–	–	–	–	–	–	–	–	1	3
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	19	–	–	–	–	–	–	–	–	2	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	5	4	–	–	–	–	1	–	–	–	–	–	–
Other Malformations	2	2	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	6	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	4	–	–	–	–	1	–	–	–	–	–	–	–
Poison	7	–	7	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	15	–	–	1	3	3	2	2	2	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	1	–	–	1	–	–	–	–	–	–	–	–
Drowning	57	–	–	–	–	–	–	–	2	2	4	12	3
Fracture and Contusion	16	–	–	–	–	–	–	–	1	1	1	1	1
Wounds	1	–	–	–	–	–	–	–	–	–	1	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	1
Not Specified	444	128	28	32	29	18	10	11	17	14	14	13	15

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	1	2	2	3	2	1	1	2	1	–	–	–	–
Paralysis	–	–	1	–	2	4	5	1	4	11	8	–	1	–	–	1
Delirium Tremens	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–
Tetanus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	–	–	–	–	–	1	2	1	1	1	–	–	–	–	–
Pericarditis	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	1	1	–	6	3	4	3	4	3	2	1	–	–	–	–
Laryngitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	2	1	4	4	4	6	5	8	3	1	–	–	–	–
Pleurisy	1	1	3	–	–	–	2	–	2	–	1	–	–	1	–	–
Pneumonia	–	–	1	–	–	1	3	1	–	3	–	–	–	–	–	–
Asthma	–	1	–	1	5	4	6	7	7	6	3	–	–	–	–	–
Lung Disease	–	–	–	–	3	1	–	1	1	–	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Enteritis	–	2	2	–	–	1	3	1	2	–	2	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Ascites	1	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	3	2	–	–	1	–	–	–	–	–
Ileus	1	–	–	–	–	3	3	3	–	2	2	–	–	–	–	–
Intussusception	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Stomach Disease	1	3	–	–	2	4	2	4	3	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	2	–	1	2	–	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	1	1	–	–	1	–	1	1	1	–	–	–	1	–
Liver Disease	1	–	1	3	6	1	1	1	1	–	–	1	–	–	–	–
Spleen Disease	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephria	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	1	–	–	–	–	1	2	–	–	–	–	–	–
Paramenia	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	8	6	2	4	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	1	2	2	4	3	3	–	1	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	1	–	2	1	–	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	2	4	1	1	1	6	2	–	1	1	–	–	–	–	11
Fracture and Contusion	1	–	–	–	3	–	1	4	2	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	11	7	14	12	22	20	23	–	–	–	2	–	–	–	–	4

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1252	156	36	67	66	41	19	16	40	21	45	69	46
SPECIFIED CAUSES	1014	65	23	48	50	32	11	12	30	13	37	61	43
I. Zymotic Class	196	15	8	27	30	22	6	6	16	5	6	5	6
II. Diseases of Uncertain Seat	51	–	–	1	–	–	–	–	–	–	–	1	3
III. Tubercular Class	143	–	1	7	6	5	2	3	3	3	17	27	19
IV. Brain and Nervous System	61	7	1	–	2	–	–	–	3	1	–	7	2
V. Organs of Circulation	17	–	–	–	–	–	–	–	–	–	–	1	1
VI. Respiratory Organs	91	10	7	9	4	3	1	2	2	–	4	7	5
VII. Organs of Digestion	71	1	2	3	3	1	–	–	1	1	3	2	2
VIII. Urinary Organs	17	–	1	–	–	–	–	–	1	–	1	–	1
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	6	–	–	–	–	–	–	–	–	1	–	–	–
XI. Skin, etc.	2	–	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	2	–	–	–	–	1	–	–	–	–	–	–
XIII. Premature Debility	32	29	2	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	2	–	–	–	1	–	1	–	–
XV. Age	232	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	82	–	–	–	3	1	1	1	3	2	5	11	4
I. Small Pox	4	–	–	–	–	–	–	1	2	–	–	–	–
Measles	30	6	–	6	8	2	3	1	–	–	2	1	–
Scarlatina	22	–	1	2	3	6	1	1	4	4	–	–	–
Diphtheria	1	–	–	–	–	1	–	–	–	–	–	–	–
Hooping Cough	16	1	1	2	5	4	1	2	–	–	–	–	–
Croup	22	2	4	3	3	3	1	1	5	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	16	2	–	2	1	1	–	–	–	1	–	–	1
Dysentery	3	–	1	–	–	–	–	–	–	–	1	–	–
Cholera	4	–	–	–	1	–	–	–	–	–	–	–	–
Influenza	38	4	1	11	9	2	–	–	2	–	–	–	–
Purpura	2	–	–	–	–	–	–	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	2	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	31	–	–	–	–	1	–	–	2	–	3	4	5
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	–	–	1	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	29	–	–	1	–	–	–	–	–	–	–	1	2
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	3	–	–	–	–	–	–	–	–	–	–	–	1
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	18	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	9	–	–	–	–	–	–	–	2	–	1	2	2
Tabes Mesenterica	5	–	1	–	1	2	1	–	–	–	–	–	–
Phthisis	117	–	–	2	2	3	–	–	1	3	16	25	17
Hydrocephalus	12	–	–	5	3	–	1	3	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	30	34	37	32	34	37	59	54	66	85	64	47	19	11	5	16
SPECIFIED CAUSES	26	30	34	26	23	33	52	54	66	85	64	47	19	11	5	11
Zymotic Class	2	4	2	3	4	6	2	5	2	6	3	4	–	–	–	1
Uncertain Seat	4	6	5	3	3	3	8	4	5	3	2	–	–	–	–	–
Tubercular Class	11	8	11	9	1	4	3	1	1	–	–	–	–	–	–	1
Brain, etc.	2	–	2	1	2	4	7	3	5	6	4	1	–	–	–	1
Heart, etc.	–	1	–	–	2	3	2	1	2	2	1	1	–	–	–	–
Respiratory Organs	1	2	4	1	1	5	5	4	7	6	1	–	–	–	–	–
Digestive Organs	1	6	3	5	5	4	10	7	4	3	4	–	–	–	–	–
Urinary Organs	–	–	2	1	–	–	–	1	2	6	–	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	1	2	1	–	–	1	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	20	36	52	46	39	19	11	5	–
Sudden Deaths	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–	–
Violent Deaths	5	3	4	3	5	2	6	7	2	1	2	–	–	–	–	11
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	–	1	1	2	1	1	1	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	2	–	2	2	2	–	–	–	1
Purpura	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	3	2	2	2	4	1	–	–	1	–	1	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Syphilis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	2	2	2	2	2	6	3	2	2	1	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	3	3	1	1	1	2	1	3	1	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	10	8	10	9	1	4	3	1	1	–	–	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	4	–	–	–	–	–	–	–	–	–	–	1	1
Apoplexy	10	–	–	–	–	–	–	–	–	–	–	1	1
Paralysis	21	–	–	–	–	–	–	–	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	2	2	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	8	5	1	–	2	–	–	–	–	–	–	–	–
Brain Disease	15	–	–	–	–	–	–	–	2	1	–	5	–
V. Pericarditis	2	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	15	–	–	–	–	–	–	–	–	–	–	1	1
VI. Laryngitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	40	3	7	6	4	3	1	1	2	–	1	2	1
Pleurisy	16	6	–	1	–	–	–	–	–	–	1	1	2
Pneumonia	11	–	–	2	–	–	–	–	–	–	2	1	1
Asthma	14	–	–	–	–	–	–	–	–	–	–	1	–
Lung Disease	8	1	–	–	–	–	–	1	–	–	–	2	1
VII. Teething	3	–	1	1	1	–	–	–	–	–	–	–	–
Quinsey	1	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	14	–	–	1	1	–	–	–	–	–	2	–	–
Peritonitis	2	–	–	–	–	1	–	–	–	–	–	–	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	4	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	3	–	–	–	–	–	–	–	–	–	–	–	2
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	14	–	1	1	–	–	–	–	1	1	1	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	4	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	9	–	–	–	–	–	–	–	–	–	–	1	–
Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	1	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	5	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	1	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	–	–	–	–	–	1	–	–	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	5	–	–	–	–	–	–	–	–	1	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	–	–	–	–	–	1	–	–	–	–	–	–
Other Malformations	2	2	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	6	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	–	–	–	2	1	1	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	1	–	–	–	–	–	–	–	–
Drowning	50	–	–	–	–	–	–	–	2	2	4	10	2
Fracture and Contusion	14	–	–	–	–	–	–	–	1	–	–	1	1
Wounds	1	–	–	–	–	–	–	–	–	–	1	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	1
Not Specified	238	91	13	19	16	9	8	4	10	8	8	8	3

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	–	2	2	1	1	–	–	1	–	–	–	–
Paralysis	–	–	–	–	2	2	4	1	3	4	3	–	–	–	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	–	–	–	–	–	1	1	1	1	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	1	–	–	2	2	2	1	1	2	1	1	–	–	–	–
Laryngitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	–	–	2	2	–	1	2	1	–	–	–	–	–
Pleurisy	–	–	2	–	–	–	1	–	2	–	–	–	–	–	–	–
Pneumonia	–	–	1	–	–	–	1	1	–	2	–	–	–	–	–	–
Asthma	–	1	–	1	–	2	1	2	4	2	–	–	–	–	–	–
Lung Disease	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	–	2	1	–	–	1	3	–	1	–	2	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–
Ileus	–	–	–	–	–	–	2	2	–	1	1	–	–	–	–	–
Intussusception	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Stomach Disease	1	1	–	–	2	1	–	1	1	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	1	–	–	–	1	–	1	1	–	–	–	–	–	–
Liver Disease	–	–	–	3	2	1	1	–	1	–	–	–	–	–	–	–
Spleen Disease	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	1	–	–	–	–	–	2	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	1	–	2	1	–	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	2	4	–	–	1	5	2	–	1	1	–	–	–	–	11
Fracture and Contusion	1	–	–	–	3	–	1	4	2	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	4	4	3	6	11	4	7	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1381	106	28	46	67	27	14	18	45	33	38	43	58
SPECIFIED CAUSES	1175	69	13	33	54	18	12	11	38	27	32	38	46
I. Zymotic Class	204	18	5	18	37	7	7	7	21	8	10	5	10
II. Diseases of Uncertain Seat	65	–	–	–	–	–	–	–	–	–	1	2	1
III. Tubercular Class	178	1	–	6	7	3	2	1	7	7	14	22	24
IV. Brain and Nervous System	52	5	2	–	2	–	–	–	3	4	1	–	1
V. Organs of Circulation	22	–	–	–	–	–	–	–	1	1	1	1	–
VI. Respiratory Organs	108	7	4	3	5	3	1	1	2	3	1	3	4
VII. Organs of Digestion	65	3	1	4	–	2	–	–	1	2	1	1	2
VIII. Urinary Organs	5	–	–	–	–	–	1	1	–	–	–	–	–
IX. Organs of Generation	29	–	–	–	–	–	–	–	–	–	1	2	3
X. Organs of Locomotion	14	–	–	–	–	–	–	–	–	1	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	4	4	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	32	30	1	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	2	–	–	–	1	–	–	–	–
XV. Age	365	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	–	–	–	–	–	–	–	–	–	1	–	–
XVII. Violent Deaths	22	1	–	1	1	3	1	1	2	1	1	2	1
I. Small Pox	4	1	–	–	–	–	–	–	–	–	1	–	2
Measles	33	3	–	7	13	–	1	1	5	–	–	–	3
Scarlatina	13	1	–	1	1	2	–	1	5	1	–	1	–
Diphtheria	2	–	–	–	–	–	–	–	–	–	–	–	1
Hooping Cough	26	2	1	3	10	3	1	2	4	–	–	–	–
Croup	24	8	–	2	6	2	3	2	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	19	1	2	1	–	–	1	–	1	2	1	–	–
Dysentery	5	–	–	–	–	–	–	–	–	–	–	–	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	36	2	2	4	4	–	–	–	–	–	2	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	2	–	–	–	1	–	1	–	–	–	–	–	–
Typhus	28	–	–	–	1	–	–	1	4	4	6	3	1
Metria	6	–	–	–	–	–	–	–	–	–	–	1	2
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	–	–	–	–	–	–	–	1	1	–	–	–
Syphilis	1	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	42	–	–	–	–	–	–	–	–	–	1	2	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	18	–	–	–	–	–	–	–	–	–	–	–	1
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	1	–	–	1	–	–	1	–	2	–
Tabes Mesenterica	6	–	–	3	–	–	–	–	1	2	–	–	–
Phthisis	153	–	–	–	5	2	–	–	3	3	13	20	24
Hydrocephalus	13	1	–	2	2	1	1	1	3	1	1	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	54	37	42	35	51	54	68	70	101	107	116	72	26	12	9	4
SPECIFIED CAUSES	47	34	31	29	40	38	52	70	101	107	114	72	26	12	9	2
Zymotic Class	7	4	3	–	2	2	4	6	4	9	4	4	–	1	–	1
Uncertain Seat	3	3	6	6	7	6	10	1	7	2	8	2	–	–	–	–
Tubercular Class	19	14	11	12	4	12	7	2	1	2	–	–	–	–	–	–
Brain, etc.	2	1	1	3	2	3	3	2	1	8	7	–	1	–	–	–
Heart, etc.	2	–	2	–	4	1	2	2	3	1	1	–	–	–	–	–
Respiratory Organs	1	2	2	1	11	5	10	11	8	11	7	1	–	1	–	–
Digestive Organs	3	3	2	1	6	8	8	7	4	2	2	1	–	–	1	–
Urinary Organs	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Generative Organs	9	6	2	4	1	–	–	1	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	–	1	1	4	3	2	–	1	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	36	67	68	83	64	24	10	8	–
Sudden Deaths	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–
Violent Deaths	1	–	–	1	1	–	1	–	1	1	–	–	–	–	–	1
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	1	1	2	1	4	1	–	–	–	–	–
Dysentery	–	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	1	–	1	1	3	2	2	3	3	4	–	1	–	1
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	1	1	–	1	–	–	–	1	1	–	–	–	–	–	–
Metria	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	1	3	6	2	4	5	1	4	2	7	2	–	–	–	–
Abscess	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	1	–	3	–	4	2	4	–	2	–	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	19	14	11	12	4	12	7	2	–	2	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	3	–	1	–	–	–	–	–	–	2	–	–	–
Apoplexy	8	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	19	–	–	–	–	–	–	–	–	–	1	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	–	–	–	–	–	1	1	–	–	–
Tetanus	5	2	–	–	2	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	4	3	1	–	–	–	–	–	–	–	–	–	–
Brain Disease	7	–	–	–	–	–	–	–	2	1	–	–	1
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	21	–	–	–	–	–	–	–	1	1	1	1	–
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	47	3	2	3	3	2	–	–	–	2	1	–	1
Pleurisy	17	4	1	–	–	1	–	–	2	–	–	2	1
Pneumonia	9	–	1	–	–	–	1	1	–	1	–	–	1
Asthma	28	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	7	–	–	–	2	–	–	–	–	–	–	1	–
VII. Teething	3	–	–	2	–	1	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	1	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	8	1	–	2	–	1	–	–	–	–	1	–	–
Peritonitis	3	–	–	–	–	–	–	–	–	1	–	–	–
Ascites	3	–	–	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	9	–	–	–	–	–	–	–	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	18	2	1	–	–	–	–	–	1	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	8	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	1	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	1	–	–	–	–	–	–
IX. Paramenia	3	–	–	–	–	–	–	–	–	–	1	1	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	24	–	–	–	–	–	–	–	–	–	–	1	3
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	14	–	–	–	–	–	–	–	–	1	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	4	4	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	1	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	10	–	–	1	1	2	1	1	2	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	7	–	–	–	–	–	–	–	–	–	–	2	1
Fracture and Contusion	2	–	–	–	–	–	–	–	–	1	1	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	206	37	15	13	13	9	2	7	7	6	6	5	12

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	–	2	–	1	1	–	1	2	–	–	–	–	–
Paralysis	–	–	1	–	–	2	1	–	1	7	5	–	1	–	–	–
Delirium Tremens	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	–	1	–	4	1	2	2	3	1	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	1	1	4	2	2	6	4	6	2	1	–	–	–	–
Pleurisy	1	1	1	–	–	–	1	–	–	–	1	–	–	1	–	–
Pneumonia	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–
Asthma	–	–	–	–	5	2	5	5	3	4	3	–	–	–	–	–
Lung Disease	–	–	–	–	2	–	–	–	1	–	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	3	1	1	–	1	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	2	–	–	–	3	2	3	2	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–
Liver Disease	1	–	1	–	4	–	–	1	–	–	–	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	8	6	2	4	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	1	1	4	3	2	–	1	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	7	3	11	6	11	16	16	–	–	–	2	–	–	–	–	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	30959	2799	817	1673	2262	1233	913	579	1776	877	1079	1175	1008
SPECIFIED CAUSES	28767	2101	665	1460	2052	1143	869	553	1675	823	1027	1095	973
I. Zymotic Class	6805	281	209	580	1024	698	568	388	963	320	231	197	140
II. Diseases of Uncertain Seat	1335	23	5	6	15	12	9	8	36	20	18	17	29
III. Tubercular Class	4547	44	87	242	332	168	90	62	300	218	459	546	447
IV. Brain and Nervous System	2303	114	38	73	62	40	33	22	86	61	60	57	53
V. Organs of Circulation	1187	11	7	2	4	3	2	3	11	27	36	31	53
VI. Respiratory Organs	2937	162	134	264	261	103	84	32	116	44	44	66	58
VII. Organs of Digestion	2353	206	108	222	248	55	29	13	59	49	50	45	68
VIII. Urinary Organs	390	3	1	–	4	2	2	3	12	10	12	8	15
IX. Organs of Generation	246	–	–	–	–	–	–	–	–	1	10	29	32
X. Organs of Locomotion	154	1	–	–	1	1	2	1	7	15	22	10	8
XI. Skin, etc.	31	7	2	5	2	1	–	–	–	–	1	1	–
XII. Malformation	64	54	1	1	1	–	2	1	–	–	2	2	–
XIII. Premature Debility	1267	1156	61	50	–	–	–	–	–	–	–	–	–
XIV. Atrophy	215	–	–	1	57	15	11	6	17	3	6	4	8
XV. Age	3792	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	39	5	2	2	3	1	–	–	1	–	2	–	2
XVII. Violent Deaths	1102	34	10	12	38	44	37	14	67	55	74	82	60
I. Small Pox	176	9	9	20	29	17	18	12	19	7	4	8	7
Measles	445	11	10	68	151	83	45	23	38	9	2	4	1
Scarlatina	1741	17	11	93	237	240	241	195	487	118	38	21	12
Diphtheria	291	10	7	15	36	28	29	17	72	32	16	6	6
Hooping Cough	866	77	73	193	254	109	73	33	50	3	–	–	–
Croup	492	15	16	47	128	96	75	53	56	3	–	–	1
Thrush	17	9	4	1	3	–	–	–	–	–	–	–	–
Diarrhœa	586	73	42	75	86	26	6	4	15	7	5	8	9
Dysentery	243	2	8	11	17	7	1	3	8	2	1	6	4
Cholera	81	1	2	7	8	6	4	–	1	4	–	–	4
Influenza	177	3	3	9	8	4	–	2	3	5	2	–	2
Purpura	14	1	–	2	1	1	1	–	2	1	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	17	–	–	–	1	5	4	4	3	–	–	–	–
Infantile Fever	38	8	2	8	11	4	4	1	–	–	–	–	–
Typhus	1334	8	13	22	45	68	65	40	199	116	149	112	65
Metria	92	–	–	–	–	–	–	–	–	–	6	26	25
Rheumatic Fever	43	–	–	–	–	1	–	–	4	8	5	5	3
Erysipelas	115	25	5	6	8	3	1	1	4	5	2	1	1
Syphilis	28	12	4	3	1	–	–	–	1	–	–	–	–
Noma	8	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia	1	–	–	–	–	–	1	–	–	–	–	–	–
II. Hæmorrhage	46	8	–	–	3	–	–	1	2	1	1	2	3
Dropsy	561	3	–	2	6	8	7	4	25	14	12	6	11
Abscess	56	4	2	3	2	1	2	1	5	1	1	3	6
Ulcer	17	2	–	–	1	–	–	–	–	1	–	1	–
Fistula	3	–	–	–	–	–	–	1	–	–	–	1	–
Mortification	75	6	–	–	–	1	–	1	1	3	2	1	4
Cancer	569	–	3	1	3	2	–	–	3	–	2	3	5
Gout	8	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	229	4	7	7	17	9	4	4	17	20	25	30	23
Tabes Mesenterica	278	10	12	21	80	34	12	6	29	19	16	10	4
Phthisis	3316	7	20	46	66	46	25	24	134	149	410	506	420
Hydrocephalus	724	23	48	168	169	79	49	28	120	30	8	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	872	839	820	857	932	1039	1340	1477	1764	1825	1548	915	332	107	20	81
SPECIFIED CAUSES	826	795	780	803	874	943	1259	1477	1763	1825	1548	915	332	107	20	64
Zymotic Class	102	95	90	77	82	90	118	116	141	143	86	41	13	1	–	11
Uncertain Seat	26	41	67	73	120	126	149	134	157	97	90	42	9	3	1	2
Tubercular Class	341	284	226	189	149	141	112	48	37	15	6	1	–	1	–	2
Brain, etc.	53	77	59	84	100	123	167	218	259	245	127	64	17	2	2	7
Heart, etc.	45	57	59	64	91	82	128	138	145	120	41	18	3	–	1	5
Respiratory Organs	48	54	72	103	102	150	199	226	217	210	126	48	6	2	–	6
Digestive Organs	69	57	79	89	111	114	157	166	159	113	63	18	6	–	–	–
Urinary Organs	20	14	14	20	14	24	39	36	38	52	31	11	1	2	–	2
Generative Organs	40	50	28	20	14	8	6	3	5	–	–	–	–	–	–	–
Locomotive Organs	7	2	6	5	9	7	19	12	9	4	4	2	–	–	–	–
Skin	1	–	–	1	–	1	–	3	3	2	–	–	–	–	–	1
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	9	7	7	12	25	26	–	–	–	–	–	–	–	–	–	1
Age	–	–	–	–	–	–	109	332	560	791	956	657	272	95	16	4
Sudden Deaths	1	2	2	2	1	2	5	4	2	–	–	–	–	–	–	–
Violent Deaths	64	55	71	64	56	49	51	41	31	33	18	13	5	1	–	23
Small Pox	3	7	2	1	1	2	1	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	13	4	7	–	2	–	1	2	–	–	–	1	–	–	–	1
Diphtheria	1	2	2	4	–	2	3	2	1	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Croup	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	7	11	8	8	15	12	22	23	33	42	29	14	4	–	–	2
Dysentery	6	2	7	12	11	17	22	19	21	33	17	5	1	–	–	–
Cholera	6	4	1	1	4	5	4	2	6	6	4	–	–	–	–	1
Influenza	1	3	–	3	4	3	14	14	24	26	21	15	6	1	–	1
Purpura	–	1	–	–	–	–	–	2	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	40	43	50	42	43	43	41	41	43	27	12	4	–	–	–	3
Metria	17	11	5	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	3	3	1	1	1	2	2	–	1	–	–	–	–	–	–
Erysipelas	3	4	2	3	–	3	7	6	11	6	3	2	2	–	–	1
Syphilis	2	–	3	–	1	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	2	–	2	1	2	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	3	4	–	6	3	2	2	3	1	1	–	–	–	–	–
Dropsy	12	14	24	17	40	41	48	74	65	52	43	25	6	–	–	2
Abscess	4	3	2	3	1	4	–	–	3	2	2	–	1	–	–	–
Ulcer	2	–	1	2	–	1	1	1	2	1	1	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Mortification	1	2	2	–	5	3	6	2	9	7	10	7	2	–	–	–
Cancer	7	17	34	51	67	73	90	54	75	34	32	9	–	3	1	–
Gout	–	2	–	–	1	1	2	–	–	–	1	1	–	–	–	–
Scrofula	8	9	5	6	6	14	2	7	2	2	1	–	–	–	–	–
Tabes Mesenterica	4	4	2	3	1	3	2	4	1	1	–	–	–	–	–	–
Phthisis	329	271	219	179	142	124	108	37	34	12	5	1	–	1	–	1
Hydrocephalus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	157	1	6	9	14	5	12	5	24	13	13	7	10
Apoplexy	570	3	3	5	5	5	–	8	15	5	11	12	10
Paralysis	812	–	–	–	1	1	–	–	2	4	7	8	4
Delirium Tremens	22	–	–	–	–	–	–	–	–	–	–	–	2
Chorea	3	–	–	–	–	–	–	–	1	1	–	–	–
Epilepsy	88	–	–	–	1	–	–	–	4	8	5	9	10
Tetanus	30	9	1	–	–	1	–	–	3	4	3	–	2
Insanity	22	–	–	–	–	–	–	–	–	–	–	1	1
Convulsions	257	99	26	49	30	21	13	7	12	–	–	–	–
Brain Disease	342	2	2	10	11	7	8	2	25	26	21	20	14
V. Pericarditis	44	–	–	–	1	1	–	1	1	2	4	3	1
Aneurism	37	–	–	1	–	–	–	–	–	1	1	2	1
Heart Disease	1106	11	7	1	3	2	2	2	10	24	31	26	51
VI. Laryngitis	78	4	3	3	9	9	2	4	12	3	4	2	3
Bronchitis	1399	89	89	166	156	55	54	14	40	9	11	8	13
Pleurisy	179	2	1	3	4	2	2	1	6	4	5	10	12
Pneumonia	855	59	37	88	88	35	24	13	51	18	21	36	19
Asthma	255	–	–	–	1	–	–	–	–	–	1	–	3
Lung Disease	171	8	4	4	3	2	2	–	7	10	2	10	8
VII. Teething	359	3	17	148	175	14	2	–	–	–	–	–	–
Quinsey	31	5	5	3	3	3	1	1	1	1	3	–	–
Gastritis	83	2	1	5	1	3	1	–	2	4	5	–	4
Enteritis	421	97	53	37	41	17	8	3	16	7	7	7	11
Peritonitis	148	7	3	4	–	–	3	2	9	6	12	17	15
Ascites	66	–	–	–	–	–	–	1	4	4	3	2	4
Ulceration of Intestines	108	1	1	1	3	–	1	1	5	5	6	–	5
Hernia	37	1	–	–	–	–	–	–	–	1	1	–	–
Ileus	150	11	2	1	2	1	2	1	2	6	4	5	2
Intussusception	22	2	3	1	–	–	1	–	–	–	–	1	1
Stricture of Intestines	8	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	448	43	19	19	15	10	7	3	9	8	6	4	9
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	71	3	1	–	1	–	–	–	4	1	1	3	2
Jaundice	126	25	1	2	4	7	2	–	1	1	1	1	2
Liver Disease	262	6	2	1	2	–	1	1	6	4	1	5	11
Spleen Disease	12	–	–	–	1	–	–	–	–	1	–	–	2
VIII. Nephritis	28	–	–	–	2	1	2	1	4	1	1	1	1
Nephria	49	–	–	–	–	1	–	1	1	5	2	1	2
Ischuria	22	–	–	–	–	–	–	1	–	–	–	–	–
Diabetes	42	–	–	–	–	–	–	–	2	3	6	1	2
Stone	44	2	–	–	1	–	–	–	–	–	1	–	1
Cystitis	23	–	–	–	–	–	–	–	–	–	–	–	3
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	1
Kidney Disease	180	1	1	–	1	–	–	–	5	1	2	5	5
IX. Paramenia	11	–	–	–	–	–	–	–	–	1	3	–	1
Ovarian Dropsy	34	–	–	–	–	–	–	–	–	–	–	1	2
Childbirth	151	–	–	–	–	–	–	–	–	–	6	26	25
Organs of Generation	50	–	–	–	–	–	–	–	–	–	1	2	4
X. Arthritis	10	–	–	–	–	–	1	–	1	–	2	1	2
Rheumatism	64	–	–	–	–	–	1	–	1	–	1	2	–
Joint and Bone Disease	80	1	–	–	1	1	–	1	5	15	19	7	6
XI. Carbuncle	9	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	3	1	–	–	–	–	–	–	–	–	–	1	–
Skin Disease	19	6	2	4	2	1	–	–	–	–	1	–	–
XII. Cyanosis	19	17	–	–	–	–	–	–	–	–	1	1	–
Spina Bifida	15	13	–	–	–	–	2	–	–	–	–	–	–
Other Malformations	30	24	1	1	1	–	–	1	–	–	1	1	–
XVII. Intemperance	44	–	–	–	–	–	–	–	–	–	–	1	3
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	11	7	1	3	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	41	4	–	1	–	1	–	–	1	–	2	1	4
Poison	24	1	–	–	–	2	1	–	1	1	–	5	1
Burns and Scalds	156	–	4	5	21	26	17	8	19	3	1	4	3
Hanging, etc.	28	–	–	–	–	–	–	–	–	1	–	1	–
Suffocation	40	11	5	3	1	2	2	–	–	1	1	–	–
Drowning	246	–	–	–	10	12	8	2	15	12	27	31	18
Fracture and Contusion	403	1	–	–	6	1	8	2	23	34	35	36	22
Wounds	64	–	–	–	–	–	–	–	6	1	6	3	6
Other Violent Causes	44	10	–	–	–	–	1	2	2	2	2	–	3
Not Specified	2192	698	152	213	210	90	44	26	101	54	52	80	35

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	6	5	6	5	3	1	3	3	1	4	–	1	–	–	–	–
Apoplexy	11	25	15	26	39	41	56	69	82	68	33	15	4	–	1	3
Paralysis	10	14	15	17	35	53	75	119	150	155	83	41	13	2	1	2
Delirium Tremens	1	2	2	8	1	3	1	1	–	–	1	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Epilepsy	8	7	4	9	4	6	4	3	2	2	–	1	–	–	–	1
Tetanus	1	–	1	–	1	1	1	–	1	–	1	–	–	–	–	–
Insanity	1	2	2	3	2	2	5	–	1	–	–	2	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	15	22	14	16	15	16	22	23	22	15	9	4	–	–	–	1
Pericarditis	1	5	1	3	2	3	–	2	8	5	–	–	–	–	–	–
Aneurism	1	5	1	4	6	5	4	3	–	2	–	–	–	–	–	–
Heart Disease	43	47	57	57	83	74	124	133	137	113	41	18	3	–	1	5
Laryngitis	2	2	3	2	1	2	3	3	1	–	–	1	–	–	–	–
Bronchitis	16	12	24	29	26	66	88	94	106	112	81	32	4	1	–	4
Pleurisy	2	3	8	7	11	12	16	26	14	23	4	1	–	–	–	–
Pneumonia	18	24	25	35	31	39	34	48	48	34	16	10	2	–	–	2
Asthma	3	5	7	17	24	16	40	39	38	34	23	4	–	–	–	–
Lung Disease	7	8	5	13	9	15	18	16	10	7	2	–	–	1	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–
Gastritis	2	2	3	2	7	4	4	7	10	5	5	4	–	–	–	–
Enteritis	9	6	15	4	13	9	10	16	11	14	7	3	–	–	–	–
Peritonitis	11	4	6	6	4	4	11	4	11	5	4	–	–	–	–	–
Ascites	3	3	1	7	6	5	5	5	5	5	2	–	1	–	–	–
Ulceration of Intestines	5	11	8	10	6	10	6	9	9	1	3	1	–	–	–	–
Hernia	–	–	–	–	3	2	4	6	2	9	7	1	–	–	–	–
Ileus	6	4	8	9	7	14	16	14	14	7	10	–	2	–	–	–
Intussusception	–	1	1	–	1	1	3	2	1	2	–	1	–	–	–	–
Stricture of Intestines	–	–	–	1	–	2	2	1	1	–	–	1	–	–	–	–
Stomach Disease	12	12	13	16	29	28	45	41	47	35	13	3	2	–	–	–
Pancreas Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	4	6	3	4	3	9	6	8	7	1	–	–	–	–	–
Jaundice	3	1	3	7	5	3	11	9	13	12	7	4	1	–	–	–
Liver Disease	12	7	15	23	25	28	29	44	25	10	4	–	–	–	–	–
Spleen Disease	1	2	–	–	–	1	1	1	2	–	–	–	–	–	–	–
Nephritis	3	–	–	2	–	1	2	1	1	–	3	–	–	1	–	–
Nephria	4	5	1	4	3	10	4	1	2	1	1	–	–	–	–	–
Ischuria	–	–	1	–	–	1	2	2	2	5	6	2	–	–	–	–
Diabetes	5	4	4	4	2	4	1	1	2	–	–	–	–	–	–	1
Stone	–	–	–	1	1	1	5	4	7	14	6	–	–	–	–	–
Cystitis	–	1	1	–	–	–	4	3	1	6	2	2	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	8	4	7	9	8	7	21	23	23	26	13	7	1	1	–	1
Paramenia	–	2	1	2	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	3	3	6	5	2	4	2	4	–	–	–	–	–	–	–
Childbirth	34	34	24	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	4	11	–	10	8	6	2	1	1	–	–	–	–	–	–	–
Arthritis	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	2	1	3	3	6	6	14	9	7	3	4	1	–	–	–	–
Joint Disease	5	1	2	1	3	1	4	3	2	1	–	1	–	–	–	–
Carbuncle	–	–	–	1	–	1	–	1	3	2	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	2	5	5	6	6	6	4	2	3	1	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	4	2	1	5	5	–	2	1	2	3	–	–	–	–	–	2
Poison	1	1	4	1	1	1	1	1	1	–	–	–	–	–	–	–
Burns and Scalds	4	3	–	2	3	2	3	5	4	5	5	6	3	–	–	–
Hanging, etc.	1	1	4	5	2	7	2	2	–	2	–	–	–	–	–	–
Suffocation	2	1	1	–	1	–	2	3	–	2	–	–	–	–	–	2
Drowning	21	12	15	9	12	9	8	8	4	4	–	–	–	–	–	9
Fracture and Contusion	23	24	29	29	17	17	23	17	15	11	13	7	2	1	–	7
Wounds	4	3	12	4	6	4	3	1	2	3	–	–	–	–	–	–
Other Violent Causes	1	3	–	3	3	3	3	1	–	2	–	–	–	–	–	3
Not Specified	46	44	40	54	58	96	81	–	1	–	–	–	–	–	–	17

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	15317	1627	466	911	1148	591	442	293	891	427	573	605	469
SPECIFIED CAUSES	14185	1229	388	794	1035	547	424	280	844	404	546	566	450
I. Zymotic Class	3236	159	122	305	512	342	277	185	449	125	99	83	47
II. Diseases of Uncertain Seat	532	14	4	5	8	4	5	5	23	9	7	6	14
III. Tubercular Class	2243	25	56	131	168	75	49	37	168	107	230	290	203
IV. Brain and Nervous System	1221	71	24	40	36	16	11	15	42	40	37	28	31
V. Organs of Circulation	621	6	5	2	2	1	1	3	4	14	21	19	25
VI. Respiratory Organs	1505	100	67	151	129	49	32	12	59	23	21	44	27
VII. Organs of Digestion	1251	134	65	125	130	23	13	6	31	29	32	16	36
VIII. Urinary Organs	281	3	1	–	2	–	2	2	9	5	7	6	5
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	74	1	–	–	–	1	2	–	3	5	17	5	3
XI. Skin, etc.	16	4	1	2	–	1	–	–	–	–	–	–	–
XII. Malformation	36	31	–	1	1	–	1	1	–	–	1	–	–
XIII. Premature Debility	717	657	36	24	–	–	–	–	–	–	–	–	–
XIV. Atrophy	104	–	–	–	28	11	5	5	10	3	5	3	3
XV. Age	1507	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	23	2	1	2	2	–	–	–	–	–	2	–	–
XVII. Violent Deaths	818	22	6	6	17	24	26	9	46	44	67	66	56
I. Small Pox	94	7	5	7	17	8	7	6	11	6	1	4	4
Measles	236	6	5	42	81	38	25	12	19	4	1	3	–
Scarlatina	868	9	9	54	115	128	126	98	232	53	20	7	5
Diphtheria	112	3	3	7	16	11	10	9	29	8	5	2	2
Hooping Cough	394	39	39	98	113	40	27	8	28	1	–	–	–
Croup	257	7	13	26	73	56	35	24	21	1	–	–	–
Thrush	11	5	3	1	2	–	–	–	–	–	–	–	–
Diarrhœa	295	46	26	32	41	7	5	2	7	6	3	7	4
Dysentery	108	1	6	8	11	4	–	2	5	2	–	–	–
Cholera	40	1	2	3	4	3	2	–	–	3	–	–	–
Influenza	80	1	1	6	5	3	–	1	1	3	2	–	1
Purpura	8	–	–	2	–	1	1	–	2	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	8	–	–	–	–	2	3	2	1	–	–	–	–
Infantile Fever	22	6	1	4	5	2	3	1	–	–	–	–	–
Typhus	608	6	7	11	24	37	33	19	89	32	64	56	30
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	21	–	–	–	–	1	–	–	2	4	3	3	1
Erysipelas	51	12	1	2	5	1	–	1	2	2	–	1	–
Syphilis	18	10	1	2	–	–	–	–	–	–	–	–	–
Noma	5	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	24	6	–	–	2	–	–	–	1	–	–	–	2
Dropsy	240	3	–	1	3	4	4	3	16	6	4	4	4
Abscess	26	–	2	3	1	–	1	1	4	–	–	1	4
Ulcer	8	1	–	–	–	–	–	–	–	1	–	–	–
Fistula	2	–	–	–	–	–	–	1	–	–	–	–	–
Mortification	43	4	–	–	–	–	–	–	–	2	2	1	3
Cancer	184	–	2	1	2	–	–	–	2	–	1	–	1
Gout	5	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	132	3	6	2	12	2	3	2	12	14	14	20	12
Tabes Mesenterica	140	7	5	11	36	18	4	4	19	7	10	4	1
Phthisis	1564	4	11	28	30	17	12	14	66	65	203	266	190
Hydrocephalus	407	11	34	90	90	38	30	17	71	21	3	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	406	379	423	439	473	519	624	740	795	811	645	393	131	40	7	49
SPECIFIED CAUSES	379	356	404	416	456	478	586	740	794	811	645	393	131	40	7	42
Zymotic Class	32	44	37	42	37	43	53	60	65	50	41	14	7	–	–	6
Uncertain Seat	8	11	24	26	49	58	47	51	57	43	34	16	2	1	–	1
Tubercular Class	144	115	109	84	78	67	57	24	18	4	2	–	–	–	–	2
Brain, etc.	34	40	35	48	55	65	85	113	129	117	60	36	7	–	1	5
Heart, etc.	26	27	40	29	46	44	74	76	66	58	20	8	1	–	–	3
Respiratory Organs	25	35	45	67	62	70	85	122	106	91	57	21	3	–	–	2
Digestive Organs	32	27	40	43	57	64	81	96	73	57	30	9	2	–	–	–
Urinary Organs	13	9	9	14	10	16	28	25	32	43	27	9	–	2	–	2
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	3	1	1	3	5	2	11	5	2	1	1	2	–	–	–	–
Skin	1	–	–	–	–	–	–	3	3	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	3	1	3	6	8	10	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	27	138	222	328	368	273	107	37	6	1
Sudden Deaths	1	1	2	2	1	2	2	2	1	–	–	–	–	–	–	–
Violent Deaths	57	45	59	52	48	37	36	25	20	18	5	5	2	–	–	20
Small Pox	1	5	2	1	–	1	1	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	2	3	–	2	–	–	2	–	–	–	1	–	–	–	–
Diphtheria	–	1	1	1	–	1	1	2	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	3	7	2	3	6	6	12	8	19	17	19	4	2	–	–	1
Dysentery	1	–	2	9	5	4	8	11	8	14	5	1	1	–	–	–
Cholera	4	2	1	–	3	1	2	2	3	2	1	–	–	–	–	1
Influenza	1	3	–	3	3	2	6	7	9	4	8	6	3	–	–	1
Purpura	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	18	22	23	21	17	22	18	22	18	9	7	2	–	–	–	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	1	1	–	1	1	1	–	1	–	–	–	–	–	–
Erysipelas	–	1	–	3	–	3	3	4	6	2	1	–	1	–	–	–
Syphilis	1	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	2	–	1	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	3	2	–	3	2	–	1	–	1	1	–	–	–	–	–
Dropsy	5	3	7	7	20	24	16	32	23	23	17	9	1	–	–	1
Abscess	1	1	1	–	1	3	–	–	–	1	–	–	1	–	–	–
Ulcer	–	–	–	1	–	1	–	1	1	1	1	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Mortification	1	1	1	–	2	1	6	1	5	4	5	4	–	–	–	–
Cancer	1	2	13	18	22	26	24	15	28	13	9	3	–	1	–	–
Gout	–	1	–	–	1	1	1	–	–	–	1	–	–	–	–	–
Scrofula	5	4	4	2	3	8	1	2	1	–	–	–	–	–	–	–
Tabes Mesenterica	3	–	2	1	1	2	2	3	–	–	–	–	–	–	–	–
Phthisis	136	111	103	80	74	57	54	19	17	4	2	–	–	–	–	1
Hydrocephalus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	89	1	4	5	11	1	4	3	9	8	9	3	7
Apoplexy	293	1	3	4	3	–	–	6	7	3	5	6	6
Paralysis	386	–	–	–	–	–	–	–	–	1	4	3	3
Delirium Tremens	19	–	–	–	–	–	–	–	–	–	–	–	2
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	51	–	–	–	–	–	–	–	1	5	4	5	3
Tetanus	17	3	1	–	–	1	–	–	1	4	2	–	1
Insanity	7	–	–	–	–	–	–	–	–	–	–	1	–
Convulsions	150	65	14	26	16	9	5	6	9	–	–	–	–
Brain Disease	209	1	2	5	6	5	2	–	15	19	13	10	9
V. Pericarditis	21	–	–	–	1	–	–	1	1	2	1	1	1
Aneurism	23	–	–	1	–	–	–	–	–	–	1	1	–
Heart Disease	577	6	5	1	1	1	1	2	3	12	19	17	24
VI. Laryngitis	41	2	1	1	6	3	1	1	5	2	2	2	2
Bronchitis	655	52	44	96	66	27	21	7	18	4	5	4	2
Pleurisy	99	1	1	3	3	–	1	–	4	3	3	9	4
Pneumonia	495	40	19	48	51	18	9	4	28	10	10	21	12
Asthma	127	–	–	–	1	–	–	–	–	–	–	–	3
Lung Disease	88	5	2	3	2	1	–	–	4	4	1	8	4
VII. Teething	189	1	9	83	94	2	–	–	–	–	–	–	–
Quinsey	18	3	2	1	3	2	–	1	1	–	3	–	–
Gastritis	44	1	–	2	1	–	1	–	1	3	5	–	1
Enteritis	238	66	36	21	17	9	4	2	7	3	6	4	5
Peritonitis	63	6	2	1	–	–	2	–	5	1	5	3	7
Ascites	29	–	–	–	–	–	–	–	3	3	2	–	2
Ulceration of Intestines	59	1	1	1	2	–	–	1	2	3	4	–	4
Hernia	20	1	–	–	–	–	–	–	–	1	–	–	–
Ileus	90	8	2	1	1	1	2	–	1	3	3	1	2
Intussusception	15	2	3	1	–	–	–	–	–	–	–	–	1
Stricture of Intestines	5	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	226	24	7	13	6	6	2	1	5	6	3	3	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	41	1	1	–	1	–	–	–	2	1	1	2	–
Jaundice	67	16	1	1	2	3	2	–	–	1	–	–	2
Liver Disease	142	4	1	–	2	–	–	1	4	4	–	3	7
Spleen Disease	5	–	–	–	1	–	–	–	–	–	–	–	2
VIII. Nephritis	16	–	–	–	–	–	2	–	3	–	–	1	1
Nephria	27	–	–	–	–	–	–	1	1	3	1	1	–
Ischuria	20	–	–	–	–	–	–	1	–	–	–	–	–
Diabetes	27	–	–	–	–	–	–	–	1	1	4	1	–
Stone	38	2	–	–	1	–	–	–	–	–	1	–	–
Cystitis	19	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	1
Kidney Disease	133	1	1	–	1	–	–	–	4	1	1	3	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	6	–	–	–	–	–	1	–	1	–	2	–	1
Rheumatism	21	–	–	–	–	–	1	–	–	–	–	–	–
Joint and Bone Disease	47	1	–	–	–	1	–	–	2	5	15	5	2
XI. Carbuncle	5	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	10	4	1	2	–	1	–	–	–	–	–	–	–
XII. Cyanosis	7	7	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	8	7	–	–	–	–	1	–	–	–	–	–	–
Other Malformations	21	17	–	1	1	–	–	1	–	–	1	–	–
XVII. Intemperance	28	–	–	–	–	–	–	–	–	–	–	1	3
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	9	6	1	2	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	27	1	–	–	–	1	–	–	1	–	2	1	4
Poison	11	1	–	–	–	1	–	–	–	–	–	1	1
Burns and Scalds	66	–	1	3	10	13	12	4	8	–	1	–	2
Hanging, etc.	24	–	–	–	–	–	–	–	–	1	–	1	–
Suffocation	27	4	4	1	–	2	2	–	–	1	1	–	–
Drowning	202	–	–	–	5	6	6	2	12	9	26	24	16
Fracture and Contusion	336	1	–	–	2	1	5	2	18	30	31	35	22
Wounds	51	–	–	–	–	–	–	–	5	1	5	3	5
Other Violent Causes	37	9	–	–	–	–	1	1	2	2	1	–	3
Not Specified	1132	398	78	117	113	44	18	13	47	23	27	39	19

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	2	4	3	1	1	2	3	1	4	–	1	–	–	–	–
Apoplexy	7	11	6	14	19	22	31	40	36	36	15	8	2	–	–	2
Paralysis	6	9	8	7	19	29	34	52	73	69	40	21	5	–	1	2
Delirium Tremens	1	2	2	8	1	1	1	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	3	2	8	4	3	2	2	2	–	–	1	–	–	–	–
Tetanus	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–
Insanity	–	1	1	–	1	1	1	–	–	–	–	1	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	12	12	11	8	9	7	13	15	17	8	5	4	–	–	–	1
Pericarditis	–	1	1	2	2	1	–	2	3	1	–	–	–	–	–	–
Aneurism	1	2	1	3	4	4	3	2	–	–	–	–	–	–	–	–
Heart Disease	25	24	38	24	40	39	71	72	63	57	20	8	1	–	–	3
Laryngitis	–	2	1	1	1	1	3	2	1	–	–	1	–	–	–	–
Bronchitis	8	6	15	15	17	28	28	49	46	43	36	15	2	–	–	1
Pleurisy	1	1	2	5	7	7	5	14	8	12	4	1	–	–	–	–
Pneumonia	13	17	17	28	18	19	20	29	32	18	9	3	1	–	–	1
Asthma	1	4	6	11	12	9	21	21	15	15	7	1	–	–	–	–
Lung Disease	2	5	4	7	7	6	8	7	4	3	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Gastritis	1	–	3	1	2	3	1	4	7	3	4	–	–	–	–	–
Enteritis	6	3	5	2	7	5	5	10	4	5	3	3	–	–	–	–
Peritonitis	2	1	1	5	2	2	3	3	4	4	4	–	–	–	–	–
Ascites	3	3	–	1	2	1	–	4	2	2	1	–	–	–	–	–
Ulceration of Intestines	3	2	3	6	3	5	4	6	6	1	1	–	–	–	–	–
Hernia	–	–	–	–	1	2	2	3	2	3	4	1	–	–	–	–
Ileus	3	3	5	6	5	8	8	10	5	6	6	–	–	–	–	–
Intussusception	–	1	1	–	1	–	2	1	1	–	–	1	–	–	–	–
Stricture of Intestines	–	–	–	–	–	2	2	1	–	–	–	–	–	–	–	–
Stomach Disease	6	9	5	5	14	18	25	22	21	16	5	–	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	1	5	2	2	2	5	4	3	6	–	–	–	–	–	–
Jaundice	–	1	1	2	3	3	6	5	6	6	1	4	1	–	–	–
Liver Disease	5	3	11	13	14	12	17	23	12	5	1	–	–	–	–	–
Spleen Disease	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	1	–	1	2	1	1	–	1	–	–	1	–	–
Nephria	1	4	1	2	1	5	2	1	1	1	1	–	–	–	–	–
Ischuria	–	–	1	–	–	1	1	2	2	5	5	2	–	–	–	–
Diabetes	5	2	1	3	2	3	1	–	2	–	–	–	–	–	–	1
Stone	–	–	–	1	1	–	3	3	7	14	5	–	–	–	–	–
Cystitis	–	1	1	–	–	–	4	3	1	5	2	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	2	5	7	6	6	15	15	18	18	13	6	–	1	–	1
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	2	3	1	6	4	1	1	1	1	–	–	–	–
Joint Disease	3	1	1	1	2	1	4	1	1	–	–	1	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	3	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	2	3	1	4	5	3	3	1	2	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	4	1	1	2	5	–	1	–	1	1	–	–	–	–	–	1
Poison	1	1	2	1	–	–	1	–	1	–	–	–	–	–	–	–
Burns and Scalds	2	1	–	1	1	1	–	–	–	1	–	3	2	–	–	–
Hanging, etc.	–	–	3	5	2	7	1	2	–	2	–	–	–	–	–	–
Suffocation	2	1	1	–	1	–	2	2	–	2	–	–	–	–	–	1
Drowning	20	10	14	6	12	9	6	6	3	2	–	–	–	–	–	8
Fracture and Contusion	22	23	28	27	16	13	18	12	11	5	5	2	–	–	–	7
Wounds	4	2	9	3	4	2	2	1	2	3	–	–	–	–	–	–
Other Violent Causes	–	3	–	3	2	2	2	1	–	2	–	–	–	–	–	3
Not Specified	27	23	19	23	17	41	38	–	1	–	–	–	–	–	–	7

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	15642	1172	351	762	1114	642	471	286	885	450	506	570	539
SPECIFIED CAUSES	14582	872	277	666	1017	596	445	273	831	419	481	529	523
I. Zymotic Class	3569	122	87	275	512	356	291	203	514	195	132	114	93
II. Diseases of Uncertain Seat	803	9	1	1	7	8	4	3	13	11	11	11	15
III. Tubercular Class	2304	19	31	111	164	93	41	25	132	111	229	256	244
IV. Brain and Nervous System	1082	43	14	33	26	24	22	7	44	21	23	29	22
V. Organs of Circulation	566	5	2	–	2	2	1	–	7	13	15	12	28
VI. Respiratory Organs	1432	62	67	113	132	54	52	20	57	21	23	22	31
VII. Organs of Digestion	1102	72	43	97	118	32	16	7	28	20	18	29	32
VIII. Urinary Organs	109	–	–	–	2	2	–	1	3	5	5	2	10
IX. Organs of Generation	246	–	–	–	–	–	–	–	–	1	10	29	32
X. Organs of Locomotion	80	–	–	–	1	–	–	1	4	10	5	5	5
XI. Skin, etc.	15	3	1	3	2	–	–	–	–	–	1	1	–
XII. Malformation	28	23	1	–	–	–	1	–	–	–	1	2	–
XIII. Premature Debility	550	499	25	26	–	–	–	–	–	–	–	–	–
XIV. Atrophy	111	–	–	1	29	4	6	1	7	–	1	1	5
XV. Age	2285	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	16	3	1	–	1	1	–	–	1	–	–	–	2
XVII. Violent Deaths	284	12	4	6	21	20	11	5	21	11	7	16	4
I. Small Pox	82	2	4	13	12	9	11	6	8	1	3	4	3
Measles	209	5	5	26	70	45	20	11	19	5	1	1	1
Scarlatina	873	8	2	39	122	112	115	97	255	65	18	14	7
Diphtheria	179	7	4	8	20	17	19	8	43	24	11	4	4
Hooping Cough	472	38	34	95	141	69	46	25	22	2	–	–	–
Croup	235	8	3	21	55	40	40	29	35	2	–	–	1
Thrush	6	4	1	–	1	–	–	–	–	–	–	–	–
Diarrhœa	291	27	16	43	45	19	1	2	8	1	2	1	5
Dysentery	135	1	2	3	6	3	1	1	3	–	1	6	4
Cholera	41	–	–	4	4	3	2	–	1	1	–	–	4
Influenza	97	2	2	3	3	1	–	1	2	2	–	–	1
Purpura	6	1	–	–	1	–	–	–	–	1	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	9	–	–	–	1	3	1	2	2	–	–	–	–
Infantile Fever	16	2	1	4	6	2	1	–	–	–	–	–	–
Typhus	726	2	6	11	21	31	32	21	110	84	85	56	35
Metria	92	–	–	–	–	–	–	–	–	–	6	26	25
Rheumatic Fever	22	–	–	–	–	–	–	–	2	4	2	2	2
Erysipelas	64	13	4	4	3	2	1	–	2	3	2	–	1
Syphilis	10	2	3	1	1	–	–	–	1	–	–	–	–
Noma	3	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia	1	–	–	–	–	–	1	–	–	–	–	–	–
II. Hæmorrhage	22	2	–	–	1	–	–	1	1	1	1	2	1
Dropsy	321	–	–	1	3	4	3	1	9	8	8	2	7
Abscess	30	4	–	–	1	1	1	–	1	1	1	2	2
Ulcer	9	1	–	–	1	–	–	–	–	–	–	1	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	32	2	–	–	–	1	–	1	1	1	–	–	1
Cancer	385	–	1	–	1	2	–	–	1	–	1	3	4
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	97	1	1	5	5	7	1	2	5	6	11	10	11
Tabes Mesenterica	138	3	7	10	44	16	8	2	10	12	6	6	3
Phthisis	1752	3	9	18	36	29	13	10	68	84	207	240	230
Hydrocephalus	317	12	14	78	79	41	19	11	49	9	5	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	466	460	397	418	459	520	716	737	969	1014	903	522	201	67	13	32
SPECIFIED CAUSES	447	439	376	387	418	465	673	737	969	1014	903	522	201	67	13	22
Zymotic Class	70	51	53	35	45	47	65	56	76	93	45	27	6	1	–	5
Uncertain Seat	18	30	43	47	71	68	102	83	100	54	56	26	7	2	1	1
Tubercular Class	197	169	117	105	71	74	55	24	19	11	4	1	–	1	–	–
Brain, etc.	19	37	24	36	45	58	82	105	130	128	67	28	10	2	1	2
Heart, etc.	19	30	19	35	45	38	54	62	79	62	21	10	2	–	1	2
Respiratory Organs	23	19	27	36	40	80	114	104	111	119	69	27	3	2	–	4
Digestive Organs	37	30	39	46	54	50	76	70	86	56	33	9	4	–	–	–
Urinary Organs	7	5	5	6	4	8	11	11	6	9	4	2	1	–	–	–
Generative Organs	40	50	28	20	14	8	6	3	5	–	–	–	–	–	–	–
Locomotive Organs	4	1	5	2	4	5	8	7	7	3	3	–	–	–	–	–
Skin	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	1
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	6	6	4	6	17	16	–	–	–	–	–	–	–	–	–	1
Age	–	–	–	–	–	–	82	194	338	463	588	384	165	58	10	3
Sudden Deaths	–	1	–	–	–	–	3	2	1	–	–	–	–	–	–	–
Violent Deaths	7	10	12	12	8	12	15	16	11	15	13	8	3	1	–	3
Small Pox	2	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	11	2	4	–	–	–	1	–	–	–	–	–	–	–	–	1
Diphtheria	1	1	1	3	–	1	2	–	1	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	4	6	5	9	6	10	15	14	25	10	10	2	–	–	1
Dysentery	5	2	5	3	6	13	14	8	13	19	12	4	–	–	–	–
Cholera	2	2	–	1	1	4	2	–	3	4	3	–	–	–	–	–
Influenza	–	–	–	–	1	1	8	7	15	22	13	9	3	1	–	–
Purpura	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	22	21	27	21	26	21	23	19	25	18	5	2	–	–	–	2
Metria	17	11	5	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	3	2	–	1	–	1	1	–	–	–	–	–	–	–	–
Erysipelas	3	3	2	–	–	–	4	2	5	4	2	2	1	–	–	1
Syphilis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	2	–	3	1	2	1	3	–	–	–	–	–	–	–
Dropsy	7	11	17	10	20	17	32	42	42	29	26	16	5	–	–	1
Abscess	3	2	1	3	–	1	–	–	3	1	2	–	–	–	–	–
Ulcer	2	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	1	–	3	2	–	1	4	3	5	3	2	–	–	–
Cancer	6	15	21	33	45	47	66	39	47	21	23	6	–	2	1	–
Gout	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Scrofula	3	5	1	4	3	6	1	5	1	2	1	–	–	–	–	–
Tabes Mesenterica	1	4	–	2	–	1	–	1	1	1	–	–	–	–	–	–
Phthisis	193	160	116	99	68	67	54	18	17	8	3	1	–	1	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	68	–	2	4	3	4	8	2	15	5	4	4	3
Apoplexy	277	2	–	1	2	5	–	2	8	2	6	6	4
Paralysis	426	–	–	–	1	1	–	–	2	3	3	5	1
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	3	–	–	–	–	–	–	–	1	1	–	–	–
Epilepsy	37	–	–	–	1	–	–	–	3	3	1	4	7
Tetanus	13	6	–	–	–	–	–	–	2	–	1	–	1
Insanity	15	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	107	34	12	23	14	12	8	1	3	–	–	–	–
Brain Disease	133	1	–	5	5	2	6	2	10	7	8	10	5
V. Pericarditis	23	–	–	–	–	1	–	–	–	–	3	2	–
Aneurism	14	–	–	–	–	–	–	–	–	1	–	1	1
Heart Disease	529	5	2	–	2	1	1	–	7	12	12	9	27
VI. Laryngitis	37	2	2	2	3	6	1	3	7	1	2	–	1
Bronchitis	744	37	45	70	90	28	33	7	22	5	6	4	11
Pleurisy	80	1	–	–	1	2	1	1	2	1	2	1	8
Pneumonia	360	19	18	40	37	17	15	9	23	8	11	15	7
Asthma	128	–	–	–	–	–	–	–	–	–	1	–	–
Lung Disease	83	3	2	1	1	1	2	–	3	6	1	2	4
VII. Teething	170	2	8	65	81	12	2	–	–	–	–	–	–
Quinsey	13	2	3	2	–	1	1	–	–	1	–	–	–
Gastritis	39	1	1	3	–	3	–	–	1	1	–	–	3
Enteritis	183	31	17	16	24	8	4	1	9	4	1	3	6
Peritonitis	85	1	1	3	–	–	1	2	4	5	7	14	8
Ascites	37	–	–	–	–	–	–	1	1	1	1	2	2
Ulceration of Intestines	49	–	–	–	1	–	1	–	3	2	2	–	1
Hernia	17	–	–	–	–	–	–	–	–	–	1	–	–
Ileus	60	3	–	–	1	–	–	1	1	3	1	4	–
Intussusception	7	–	–	–	–	–	1	–	–	–	–	1	–
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	222	19	12	6	9	4	5	2	4	2	3	1	6
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	30	2	–	–	–	–	–	–	2	–	–	1	2
Jaundice	59	9	–	1	2	4	–	–	1	–	1	1	–
Liver Disease	120	2	1	1	–	–	1	–	2	–	1	2	4
Spleen Disease	7	–	–	–	–	–	–	–	–	1	–	–	–
VIII. Nephritis	12	–	–	–	2	1	–	1	1	1	1	–	–
Nephria	22	–	–	–	–	1	–	–	–	2	1	–	2
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	15	–	–	–	–	–	–	–	1	2	2	–	2
Stone	6	–	–	–	–	–	–	–	–	–	–	–	1
Cystitis	4	–	–	–	–	–	–	–	–	–	–	–	2
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	47	–	–	–	–	–	–	–	1	–	1	2	3
IX. Paramenia	11	–	–	–	–	–	–	–	–	1	3	–	1
Ovarian Dropsy	34	–	–	–	–	–	–	–	–	–	–	1	2
Childbirth	151	–	–	–	–	–	–	–	–	–	6	26	25
Organs of Generation	50	–	–	–	–	–	–	–	–	–	1	2	4
X. Arthritis	4	–	–	–	–	–	–	–	–	–	–	1	1
Rheumatism	43	–	–	–	–	–	–	–	1	–	1	2	–
Joint and Bone Disease	33	–	–	–	1	–	–	1	3	10	4	2	4
XI. Carbuncle	4	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	2	1	–	–	–	–	–	–	–	–	–	1	–
Skin Disease	9	2	1	2	2	–	–	–	–	–	1	–	–
XII. Cyanosis	12	10	–	–	–	–	–	–	–	–	1	1	–
Spina Bifida	7	6	–	–	–	–	1	–	–	–	–	–	–
Other Malformations	9	7	1	–	–	–	–	–	–	–	–	1	–
XVII. Intemperance	16	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	1	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	14	3	–	1	–	–	–	–	–	–	–	–	–
Poison	13	–	–	–	–	1	1	–	1	1	–	4	–
Burns and Scalds	90	–	3	2	11	13	5	4	11	3	–	4	1
Hanging, etc.	4	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	13	7	1	2	1	–	–	–	–	–	–	–	–
Drowning	44	–	–	–	5	6	2	–	3	3	1	7	2
Fracture and Contusion	67	–	–	–	4	–	3	–	5	4	4	1	–
Wounds	13	–	–	–	–	–	–	–	1	–	1	–	1
Other Violent Causes	7	1	–	–	–	–	–	1	–	–	1	–	–
Not Specified	1060	300	74	96	97	46	26	13	54	31	25	41	16

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	3	2	2	2	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	4	14	9	12	20	19	25	29	46	32	18	7	2	–	1	1
Paralysis	4	5	7	10	16	24	41	67	77	86	43	20	8	2	–	–
Delirium Tremens	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Epilepsy	2	4	2	1	–	3	2	1	–	2	–	–	–	–	–	1
Tetanus	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Insanity	1	1	1	3	1	1	4	–	1	–	–	1	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	10	3	8	6	9	9	8	5	7	4	–	–	–	–	–
Pericarditis	1	4	–	1	–	2	–	–	5	4	–	–	–	–	–	–
Aneurism	–	3	–	1	2	1	1	1	–	2	–	–	–	–	–	–
Heart Disease	18	23	19	33	43	35	53	61	74	56	21	10	2	–	1	2
Laryngitis	2	–	2	1	–	1	–	1	–	–	–	–	–	–	–	–
Bronchitis	8	6	9	14	9	38	60	45	60	69	45	17	2	1	–	3
Pleurisy	1	2	6	2	4	5	11	12	6	11	–	–	–	–	–	–
Pneumonia	5	7	8	7	13	20	14	19	16	16	7	7	1	–	–	1
Asthma	2	1	1	6	12	7	19	18	23	19	16	3	–	–	–	–
Lung Disease	5	3	1	6	2	9	10	9	6	4	1	–	–	1	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Gastritis	1	2	–	1	5	1	3	3	3	2	1	4	–	–	–	–
Enteritis	3	3	10	2	6	4	5	6	7	9	4	–	–	–	–	–
Peritonitis	9	3	5	1	2	2	8	1	7	1	–	–	–	–	–	–
Ascites	–	–	1	6	4	4	5	1	3	3	1	–	1	–	–	–
Ulceration of Intestines	2	9	5	4	3	5	2	3	3	–	2	1	–	–	–	–
Hernia	–	–	–	–	2	–	2	3	–	6	3	–	–	–	–	–
Ileus	3	1	3	3	2	6	8	4	9	1	4	–	2	–	–	–
Intussusception	–	–	–	–	–	1	1	1	–	2	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–
Stomach Disease	6	3	8	11	15	10	20	19	26	19	8	3	1	–	–	–
Pancreas Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	3	1	1	2	1	4	2	5	1	1	–	–	–	–	–
Jaundice	3	–	2	5	2	–	5	4	7	6	6	–	–	–	–	–
Liver Disease	7	4	4	10	11	16	12	21	13	5	3	–	–	–	–	–
Spleen Disease	–	2	–	–	–	–	1	1	2	–	–	–	–	–	–	–
Nephritis	2	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–
Nephria	3	1	–	2	2	5	2	–	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Diabetes	–	2	3	1	–	1	–	1	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	2	1	–	–	1	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	2	2	2	2	2	1	6	8	5	8	–	1	1	–	–	–
Paramenia	–	2	1	2	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	3	3	6	5	2	4	2	4	–	–	–	–	–	–	–
Childbirth	34	34	24	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	4	11	–	10	8	6	2	1	1	–	–	–	–	–	–	–
Arthritis	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	1	3	1	3	5	8	5	6	2	3	–	–	–	–	–
Joint Disease	2	–	1	–	1	–	–	2	1	1	–	–	–	–	–	–
Carbuncle	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	2	4	2	1	3	1	1	1	1	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	–	3	–	–	1	1	1	2	–	–	–	–	–	1
Poison	–	–	2	–	1	1	–	1	–	–	–	–	–	–	–	–
Burns and Scalds	2	2	–	1	2	1	3	5	4	4	5	3	1	–	–	–
Hanging, etc.	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
Drowning	1	2	1	3	–	–	2	2	1	2	–	–	–	–	–	1
Fracture and Contusion	1	1	1	2	1	4	5	5	4	6	8	5	2	1	–	–
Wounds	–	1	3	1	2	2	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Not Specified	19	21	21	31	41	55	43	–	–	–	–	–	–	–	–	10

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	28122	2634	938	2223	3162	1710	1035	810	1632	599	885	1034	958
SPECIFIED CAUSES	27252	2324	844	2138	3095	1653	1010	797	1592	587	871	1020	940
I. Zymotic Class	7435	291	250	874	1528	994	633	512	819	176	134	158	146
II. Diseases of Uncertain Seat	982	13	7	11	18	20	21	17	44	14	20	23	20
III. Tubercular Class	5083	56	119	333	466	268	150	114	341	200	473	519	415
IV. Brain and Nervous System	2354	218	71	116	125	58	42	37	111	51	49	51	55
V. Organs of Circulation	1088	11	1	3	3	3	3	8	20	24	36	39	56
VI. Respiratory Organs	3369	135	182	387	417	178	100	65	117	33	40	71	68
VII. Organs of Digestion	2105	178	99	319	412	73	27	17	54	29	29	51	52
VIII. Urinary Organs	308	1	1	–	2	7	3	4	13	6	12	17	15
IX. Organs of Generation	229	–	–	–	–	–	–	–	–	2	12	22	50
X. Organs of Locomotion	96	–	–	–	1	–	3	4	10	11	6	16	1
XI. Skin, etc.	32	6	2	3	4	2	–	–	1	–	–	–	–
XII. Malformation	73	66	2	5	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	1445	1291	86	68	–	–	–	–	–	–	–	–	–
XIV. Atrophy	241	–	–	–	87	24	8	5	17	6	3	3	5
XV. Age	1524	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	40	9	6	2	2	–	–	2	–	–	–	3	–
XVII. Violent Deaths	848	49	18	17	30	26	20	12	45	35	57	47	57
I. Small Pox	498	21	30	72	91	75	40	28	40	10	14	25	22
Measles	464	10	6	70	180	90	48	32	25	1	–	–	–
Scarlatina	1838	6	19	109	315	358	246	247	409	71	25	13	8
Diphtheria	121	2	3	11	30	24	11	18	11	2	2	1	–
Hooping Cough	1752	71	98	416	573	244	152	88	108	1	1	–	–
Croup	383	16	17	35	106	89	55	39	25	1	–	–	–
Thrush	15	8	1	4	1	–	1	–	–	–	–	–	–
Diarrhœa	652	93	49	94	116	37	12	13	14	4	4	4	10
Dysentery	218	3	4	11	25	7	4	4	2	4	3	6	5
Cholera	61	4	1	7	4	1	3	2	7	–	–	3	3
Influenza	43	1	1	2	7	–	–	–	2	1	–	–	1
Purpura	15	2	–	2	2	1	–	–	2	1	–	1	1
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	11	–	–	–	1	1	2	3	4	–	–	–	–
Infantile Fever	32	2	1	10	7	4	2	2	4	–	–	–	–
Typhus	1043	2	3	19	63	56	52	36	160	72	75	80	57
Metria	77	–	–	–	–	–	–	–	–	–	2	14	28
Rheumatic Fever	21	–	–	–	–	–	–	–	2	3	–	–	1
Erysipelas	126	29	6	2	3	3	3	–	3	5	8	7	9
Syphilis	60	21	11	10	3	3	1	–	–	–	–	4	1
Noma	4	–	–	–	1	1	1	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	44	5	1	1	–	1	–	–	1	–	3	2	1
Dropsy	395	1	2	3	11	12	19	14	32	9	9	10	7
Abscess	56	3	2	5	2	4	1	2	5	3	3	3	4
Ulcer	6	–	–	–	–	1	–	–	–	–	–	–	1
Fistula	9	–	–	–	–	–	–	–	–	–	1	2	2
Mortification	70	3	1	1	5	2	–	1	3	2	1	4	1
Cancer	399	1	1	1	–	–	1	–	3	–	3	2	4
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	203	2	6	22	11	6	7	5	26	27	25	14	8
Tabes Mesenterica	321	25	17	40	76	42	21	12	40	15	15	5	6
Phthisis	3586	2	27	53	112	94	50	42	154	144	432	498	400
Hydrocephalus	973	27	69	218	267	126	72	55	121	14	1	2	1

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	978	952	914	883	922	969	1039	991	1000	844	596	243	89	43	5	34
SPECIFIED CAUSES	962	938	890	868	907	959	1012	991	1000	844	596	243	89	43	5	34
Zymotic Class	103	113	81	86	85	72	101	87	81	57	37	7	8	1	–	1
Uncertain Seat	43	46	64	83	84	80	111	83	77	47	26	7	2	1	–	–
Tubercular Class	406	315	251	211	154	142	80	41	17	9	1	2	–	–	–	–
Brain, etc.	78	91	94	112	107	150	178	157	184	122	73	19	1	3	–	1
Heart, etc.	65	79	88	72	98	102	109	108	70	67	19	3	1	–	–	–
Respiratory Organs	87	91	131	132	183	201	208	205	165	106	49	11	5	1	–	1
Digestive Organs	46	68	73	83	89	98	79	88	72	44	19	6	–	–	–	–
Urinary Organs	20	19	19	17	15	28	22	22	25	24	15	–	1	–	–	–
Generative Organs	43	44	19	9	11	6	6	1	1	2	1	–	–	–	–	–
Locomotive Organs	7	3	5	5	5	4	3	2	3	4	3	–	–	–	–	–
Skin	1	2	1	–	3	2	–	3	1	–	1	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	5	6	6	10	24	30	2	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	72	175	284	351	344	187	68	36	5	2
Sudden Deaths	–	1	1	2	2	3	6	–	–	1	–	–	–	–	–	–
Violent Deaths	58	60	57	46	47	41	35	19	20	10	8	1	3	1	–	29
Small Pox	10	9	5	1	1	2	1	1	–	–	–	–	–	–	–	–
Measles	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	7	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	3	1	–	–	–	–	1	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	10	23	9	9	15	8	24	26	30	26	14	2	6	–	–	–
Dysentery	8	9	4	8	12	14	24	17	21	9	9	3	1	–	–	1
Cholera	2	3	2	5	4	5	4	–	–	1	–	–	–	–	–	–
Influenza	–	1	1	1	2	1	3	3	6	5	4	1	–	–	–	–
Purpura	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	41	46	45	51	41	34	40	32	18	12	6	1	1	–	–	–
Metria	17	10	5	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	4	1	2	1	–	3	2	–	1	–	–	–	–	–	–
Erysipelas	4	5	4	3	7	6	1	6	6	2	3	–	–	1	–	–
Syphilis	1	–	3	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	7	3	6	4	1	–	3	2	2	1	–	–	–	–	–	–
Dropsy	14	12	17	28	24	31	35	30	34	23	14	4	–	–	–	–
Abscess	6	2	–	1	2	2	3	2	1	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–
Fistula	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–
Mortification	2	2	1	–	4	2	2	8	9	7	5	1	2	1	–	–
Cancer	14	27	40	48	51	44	66	37	31	16	7	2	–	–	–	–
Gout	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–
Scrofula	10	6	6	6	5	4	3	1	3	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	3	1	1	1	–	–	1	–	–	–	–	–	–	–
Phthisis	396	309	242	204	148	137	77	40	13	9	1	2	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	157	–	8	16	22	8	6	11	23	11	9	9	4
Apoplexy	547	2	8	5	12	2	5	3	17	9	8	7	6
Paralysis	563	–	1	–	–	1	–	–	4	–	4	5	10
Delirium Tremens	27	–	–	–	–	–	–	–	–	–	–	–	2
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	94	–	–	–	–	–	–	–	4	7	8	16	9
Tetanus	23	6	–	1	–	–	–	–	2	4	1	1	1
Insanity	29	–	–	–	–	–	–	–	–	–	–	–	5
Convulsions	484	205	45	78	76	34	16	12	15	1	–	–	–
Brain Disease	430	5	9	16	15	13	15	11	46	19	19	13	18
V. Pericarditis	30	2	–	–	–	1	2	2	6	–	2	1	2
Aneurism	38	–	–	–	–	–	–	–	–	–	–	–	5
Heart Disease	1020	9	1	3	3	2	1	6	14	24	34	38	49
VI. Laryngitis	76	2	5	14	13	7	4	–	5	1	–	1	–
Bronchitis	1742	77	106	226	230	78	49	30	51	13	12	20	18
Pleurisy	90	–	4	2	4	3	1	1	5	3	3	9	6
Pneumonia	1025	54	64	142	157	85	41	33	47	13	22	32	33
Asthma	269	–	–	–	–	1	1	–	–	1	–	3	5
Lung Disease	167	2	3	3	13	4	4	1	9	2	3	6	6
VII. Teething	631	1	26	252	314	33	5	–	–	–	–	–	–
Quinsey	37	6	5	2	9	3	2	1	3	–	–	–	1
Gastritis	61	1	–	1	6	1	–	1	5	1	2	2	2
Enteritis	405	100	37	39	55	14	8	8	18	9	9	7	14
Peritonitis	110	2	3	–	3	1	3	1	6	10	4	13	11
Ascites	33	–	–	–	1	–	1	1	3	1	2	3	1
Ulceration of Intestines	57	–	–	1	–	2	–	2	3	1	1	4	3
Hernia	27	1	1	–	–	–	–	–	–	–	–	1	1
Ileus	73	6	3	2	2	2	–	–	–	1	3	–	2
Intussusception	16	1	2	1	–	–	–	–	1	–	1	–	1
Stricture of Intestines	17	1	1	–	–	–	–	–	–	–	–	1	–
Stomach Disease	294	29	13	19	20	9	2	3	10	1	3	9	5
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	62	4	3	1	–	1	2	–	–	1	–	7	1
Jaundice	81	25	3	–	2	3	3	–	–	–	1	1	4
Liver Disease	198	1	2	1	–	4	1	–	5	4	3	3	5
Spleen Disease	3	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	9	–	–	–	1	–	1	–	3	–	1	–	1
Nephria	77	–	–	–	–	1	–	2	4	3	4	4	9
Ischuria	14	1	–	–	–	1	–	–	–	–	–	1	–
Diabetes	26	–	–	–	–	–	1	–	1	–	3	3	–
Stone	14	–	–	–	–	–	–	–	1	–	2	–	1
Cystitis	22	–	–	–	–	1	–	–	–	–	–	1	–
Stricture of Urethra	4	–	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	142	–	–	–	1	4	1	2	4	3	2	8	4
IX. Paramenia	7	–	–	–	–	–	–	–	–	2	3	1	–
Ovarian Dropsy	22	–	–	–	–	–	–	–	–	–	–	3	2
Childbirth	158	–	–	–	–	–	–	–	–	–	8	17	46
Organs of Generation	42	–	–	–	–	–	–	–	–	–	1	1	2
X. Arthritis	6	–	–	–	–	–	1	–	1	1	–	–	–
Rheumatism	29	–	–	–	–	–	–	–	1	–	1	4	–
Joint and Bone Disease	61	–	–	–	1	–	2	4	8	10	5	12	1
XI. Carbuncle	11	–	1	–	–	1	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	20	6	1	3	4	1	–	–	1	–	–	–	–
XII. Cyanosis	23	23	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	19	15	1	3	–	–	–	–	–	–	–	–	–
Other Malformations	31	28	1	2	–	–	–	–	–	–	–	–	–
XVII. Intemperance	51	–	–	–	–	–	–	–	–	–	–	–	8
Privation	4	–	–	1	1	1	–	–	–	–	–	–	–
Want of Breast Milk	36	24	5	6	1	–	–	–	–	–	–	–	–
Neglect	5	2	2	1	–	–	–	–	–	–	–	–	–
Cold	4	–	–	–	–	–	–	–	–	–	1	1	1
Poison	28	4	–	1	–	1	1	–	–	–	1	2	3
Burns and Scalds	132	–	1	6	22	13	14	7	21	3	5	5	5
Hanging, etc.	29	–	–	–	–	–	–	–	–	1	2	–	–
Suffocation	46	13	10	1	1	2	–	–	1	1	2	–	–
Drowning	118	–	–	–	2	5	–	1	8	12	9	7	13
Fracture and Contusion	303	2	–	1	2	4	5	4	13	13	30	26	22
Wounds	35	–	–	–	1	–	–	–	1	3	3	2	3
Other Violent Causes	57	4	–	–	–	–	–	–	1	2	4	4	2
Not Specified	870	310	94	85	67	57	25	13	40	12	14	14	18

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	6	7	6	4	2	2	–	3	–	–	–	–	–	–	–	–
Apoplexy	25	15	31	39	39	60	71	53	71	29	19	9	–	1	–	1
Paralysis	10	16	16	24	38	48	79	74	96	79	45	10	1	2	–	–
Delirium Tremens	6	8	4	3	2	1	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	8	11	3	6	2	4	2	5	4	4	1	–	–	–	–	–
Tetanus	2	1	1	1	1	–	–	–	–	1	–	–	–	–	–	–
Insanity	–	3	3	5	2	4	1	4	1	1	–	–	–	–	–	–
Convulsions	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	21	29	30	29	21	31	24	18	12	8	8	–	–	–	–	–
Pericarditis	1	4	2	2	–	1	–	1	1	–	–	–	–	–	–	–
Aneurism	2	8	2	1	7	7	5	–	1	–	–	–	–	–	–	–
Heart Disease	62	67	84	69	91	94	104	107	68	67	19	3	1	–	–	–
Laryngitis	3	4	2	2	3	4	2	2	1	1	–	–	–	–	–	–
Bronchitis	29	32	54	54	95	107	104	26	102	75	39	9	4	1	–	1
Pleurisy	3	4	3	3	9	3	6	8	7	3	–	–	–	–	–	–
Pneumonia	35	28	38	32	34	38	32	24	25	8	6	1	1	–	–	–
Asthma	7	10	19	27	31	36	52	34	20	17	4	1	–	–	–	–
Lung Disease	10	13	15	14	11	13	12	11	10	2	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–
Gastritis	2	4	2	5	4	6	4	5	3	2	1	1	–	–	–	–
Enteritis	9	11	13	14	10	7	4	12	4	1	2	–	–	–	–	–
Peritonitis	7	10	7	4	4	5	5	4	1	6	–	–	–	–	–	–
Ascites	2	–	–	4	1	2	2	1	5	2	1	–	–	–	–	–
Ulceration of Intestines	4	5	2	3	6	5	2	6	5	2	–	–	–	–	–	–
Hernia	–	1	2	–	2	3	4	3	3	1	4	–	–	–	–	–
Ileus	3	6	4	2	5	6	4	5	9	5	2	1	–	–	–	–
Intussusception	–	1	1	3	1	2	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	1	1	3	1	3	1	3	–	–	–	–	–	–	–
Stomach Disease	9	10	17	14	15	22	21	27	19	10	6	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	7	4	4	6	6	5	5	3	1	–	–	–	–	–	–
Jaundice	3	1	3	2	5	4	7	4	3	5	1	1	–	–	–	–
Liver Disease	4	12	16	26	26	29	16	14	14	8	2	2	–	–	–	–
Spleen Disease	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Nephria	10	8	3	4	8	5	4	5	3	–	–	–	–	–	–	–
Ischuria	2	–	–	2	–	1	–	–	1	4	1	–	–	–	–	–
Diabetes	4	4	2	1	2	1	–	2	2	–	–	–	–	–	–	–
Stone	–	1	1	–	–	2	–	1	3	–	2	–	–	–	–	–
Cystitis	–	3	–	1	1	2	3	2	2	5	1	–	–	–	–	–
Stricture of Urethra	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Kidney Disease	4	3	12	8	4	15	15	11	14	15	11	–	1	–	–	–
Paramenia	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	2	1	1	3	2	3	–	–	1	1	–	–	–	–	–
Childbirth	33	37	13	4	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	7	5	5	4	7	4	3	1	1	1	–	–	–	–	–	–
Arthritis	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Rheumatism	4	1	1	3	2	1	2	2	2	4	1	–	–	–	–	–
Joint Disease	3	2	4	2	2	1	1	–	1	–	2	–	–	–	–	–
Carbuncle	–	2	1	–	2	1	–	1	1	–	1	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	8	7	6	8	2	8	1	1	–	–	–	–	–	–	1
Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	5	3	2	3	–	–	–	2	–	–	–	–	–	–	–
Burns and Scalds	1	3	2	1	1	3	1	3	6	1	5	–	2	–	–	1
Hanging, etc.	7	3	1	2	2	5	4	2	–	–	–	–	–	–	–	–
Suffocation	1	1	2	2	2	1	2	–	1	1	–	–	–	–	–	2
Drowning	10	11	11	6	6	2	8	1	1	–	–	–	–	–	–	5
Fracture and Contusion	28	25	25	18	21	22	10	11	9	7	2	–	1	1	–	1
Wounds	6	1	3	5	4	2	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	4	2	3	3	–	4	1	1	–	1	1	1	–	–	–	19
Not Specified	16	14	24	15	15	10	27	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	14019	1500	527	1171	1629	876	515	391	839	302	460	521	435
SPECIFIED CAUSES	13525	1306	473	1126	1594	846	502	383	818	296	454	515	426
I. Zymotic Class	3606	167	123	433	769	494	302	243	382	77	58	74	57
II. Diseases of Uncertain Seat	368	6	3	6	10	12	13	11	29	6	10	11	8
III. Tubercular Class	2570	31	69	185	255	145	74	52	183	100	235	257	197
IV. Brain and Nervous System	1285	119	47	61	73	32	21	21	67	29	32	28	30
V. Organs of Circulation	528	2	1	2	2	3	1	4	11	9	18	18	23
VI. Respiratory Organs	1728	87	103	218	217	85	53	28	66	13	23	42	37
VII. Organs of Digestion	1083	105	61	178	215	34	16	5	27	17	16	26	25
VIII. Urinary Organs	214	1	1	–	2	6	1	4	10	3	10	12	3
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	1
X. Organs of Locomotion	65	–	–	–	–	–	3	2	8	7	4	10	–
XI. Skin, etc.	16	3	1	2	2	1	–	–	1	–	–	–	–
XII. Malformation	43	40	1	2	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	800	716	53	31	–	–	–	–	–	–	–	–	–
XIV. Atrophy	107	–	–	–	34	16	3	5	10	5	3	1	1
XV. Age	510	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	21	4	2	–	1	–	–	1	–	–	–	2	–
XVII. Violent Deaths	580	25	8	8	14	18	15	7	24	30	45	34	44
I. Small Pox	251	10	11	38	44	38	19	16	15	5	9	14	14
Measles	235	8	2	42	91	49	23	10	10	–	–	–	–
Scarlatina	903	4	12	54	164	180	117	130	187	34	12	3	2
Diphtheria	59	1	1	4	17	11	5	10	4	2	–	1	–
Hooping Cough	806	38	47	193	274	108	69	30	46	1	–	–	–
Croup	200	11	10	20	57	47	30	14	11	–	–	–	–
Thrush	7	4	1	2	–	–	–	–	–	–	–	–	–
Diarrhœa	343	57	26	51	62	23	7	7	7	3	1	2	3
Dysentery	103	3	2	1	15	2	3	4	2	2	2	4	3
Cholera	36	2	1	3	2	1	–	2	5	–	–	2	3
Influenza	15	1	1	1	3	–	–	–	1	1	–	–	–
Purpura	9	2	–	1	1	–	–	–	1	1	–	1	1
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	7	–	–	–	1	1	1	2	2	–	–	–	–
Infantile Fever	13	1	–	3	5	2	1	–	1	–	–	–	–
Typhus	502	1	1	13	29	28	24	18	86	22	32	44	24
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	11	–	–	–	–	–	–	–	2	2	–	–	–
Erysipelas	73	15	2	1	2	1	1	–	1	4	2	3	6
Syphilis	28	9	6	6	1	2	1	–	–	–	–	–	1
Noma	4	–	–	–	1	1	1	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	19	1	–	1	–	–	–	–	–	–	–	1	–
Dropsy	166	1	2	1	8	9	12	10	20	2	7	2	3
Abscess	26	1	1	3	2	2	–	1	4	2	1	1	1
Ulcer	3	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	4	–	–	–	–	–	–	–	–	–	–	2	–
Mortification	39	3	–	–	–	1	–	–	3	2	–	4	1
Cancer	108	–	–	1	–	–	1	–	2	–	2	1	3
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	117	–	3	10	6	4	4	4	17	18	15	8	4
Tabes Mesenterica	173	11	8	28	49	22	11	4	22	7	5	1	2
Phthisis	1743	1	15	21	53	50	26	19	81	66	214	246	191
Hydrocephalus	537	19	43	126	147	69	33	25	63	9	1	2	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	460	438	458	477	443	500	477	459	440	334	240	77	22	8	1	19
SPECIFIED CAUSES	450	433	446	467	432	496	462	459	440	334	240	77	22	8	1	19
Zymotic Class	31	47	40	55	46	31	51	40	35	30	16	1	3	–	–	1
Uncertain Seat	16	13	12	23	25	22	38	34	30	16	9	4	–	1	–	–
Tubercular Class	191	136	120	110	79	74	39	25	8	4	–	1	–	–	–	–
Brain, etc.	50	57	59	66	52	91	83	83	88	50	37	7	–	1	–	1
Heart, etc.	28	36	45	40	47	57	50	54	35	31	9	2	–	–	–	–
Respiratory Organs	43	43	76	74	91	107	96	93	69	41	18	3	2	–	–	–
Digestive Organs	28	32	34	43	40	49	38	34	33	16	10	1	–	–	–	–
Urinary Organs	10	13	11	12	8	19	17	16	21	20	13	–	1	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	3	5	4	5	2	3	–	2	3	2	–	–	–	–	–
Skin	–	1	–	–	1	1	–	1	1	–	1	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	3	5	2	2	6	10	1	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	19	68	104	116	124	58	15	5	1	–
Sudden Deaths	–	–	–	2	2	2	4	–	–	1	–	–	–	–	–	–
Violent Deaths	48	47	42	36	30	31	23	11	14	6	1	–	1	1	–	17
Small Pox	5	5	3	1	1	2	1	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	7	5	5	8	2	12	18	10	14	7	–	2	–	–	–
Dysentery	3	2	1	3	8	5	11	9	11	3	3	–	–	–	–	1
Cholera	1	2	1	4	1	3	3	–	–	–	–	–	–	–	–	–
Influenza	–	1	–	–	–	1	1	–	3	1	–	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	13	21	25	34	22	12	21	11	7	9	3	1	1	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	3	–	2	–	–	1	–	–	1	–	–	–	–	–	–
Erysipelas	3	5	3	3	5	5	1	2	4	2	2	–	–	–	–	–
Syphilis	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	4	1	4	1	1	–	1	2	2	–	–	–	–	–	–	–
Dropsy	7	4	3	6	9	8	14	10	12	9	5	2	–	–	–	–
Abscess	2	–	–	–	–	2	2	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–
Fistula	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	2	1	–	3	–	2	5	4	1	3	1	–	1	–	–
Cancer	1	6	4	15	11	12	17	13	11	6	1	1	–	–	–	–
Gout	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–
Scrofula	5	2	3	4	4	2	1	1	2	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Phthisis	186	134	116	106	74	72	38	24	5	4	–	1	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	92	–	5	9	13	5	4	7	16	5	4	7	–
Apoplexy	294	2	4	2	7	–	–	1	8	7	5	2	3
Paralysis	265	–	1	–	–	1	–	–	4	–	3	4	6
Delirium Tremens	21	–	–	–	–	–	–	–	–	–	–	–	2
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	49	–	–	–	–	–	–	–	2	4	4	7	5
Tetanus	19	6	–	1	–	–	–	–	–	3	1	1	1
Insanity	14	–	–	–	–	–	–	–	–	–	–	–	3
Convulsions	280	107	30	44	50	21	11	7	9	–	–	–	–
Brain Disease	251	4	7	5	3	5	6	6	28	10	15	7	10
V. Pericarditis	15	–	–	–	–	1	1	–	5	–	2	1	1
Aneurism	29	–	–	–	–	–	–	–	–	–	–	–	3
Heart Disease	484	2	1	2	2	2	–	4	6	9	16	17	19
VI. Laryngitis	34	–	3	7	6	4	1	–	1	–	–	1	–
Bronchitis	854	52	55	123	129	38	27	16	29	7	7	9	5
Pleurisy	51	–	2	1	–	2	1	–	3	1	2	7	3
Pneumonia	585	33	41	85	76	38	20	12	27	4	11	19	23
Asthma	121	–	–	–	–	–	1	–	–	–	–	2	4
Lung Disease	83	2	2	2	6	3	3	–	6	1	3	4	2
VII. Teething	333	1	14	140	162	14	2	–	–	–	–	–	–
Quinsey	20	3	3	1	5	2	1	–	2	–	–	–	–
Gastritis	29	1	–	–	2	–	–	1	3	1	1	1	2
Enteritis	209	57	23	24	29	5	6	1	9	6	6	4	6
Peritonitis	53	1	2	–	2	1	1	1	3	5	3	6	3
Ascites	14	–	–	–	–	–	1	–	2	1	–	1	1
Ulceration of Intestines	26	–	–	1	–	1	–	–	2	–	–	3	2
Hernia	11	1	1	–	–	–	–	–	–	–	–	1	1
Ileus	38	6	2	–	1	2	–	–	–	1	1	–	–
Intussusception	9	–	1	–	–	–	–	–	–	–	1	–	1
Stricture of Intestines	9	–	–	–	–	–	–	–	–	–	–	1	–
Stomach Disease	143	14	10	10	13	4	1	2	2	1	–	1	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	37	3	2	1	–	1	2	–	–	1	–	6	1
Jaundice	40	17	3	–	1	–	1	–	–	–	1	–	1
Liver Disease	111	1	–	1	–	4	1	–	4	1	3	2	4
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	9	–	–	–	1	–	1	–	3	–	1	–	1
Nephria	47	–	–	–	–	1	–	2	4	3	3	3	–
Ischuria	12	1	–	–	–	1	–	–	–	–	–	1	–
Diabetes	16	–	–	–	–	–	–	–	1	–	3	2	–
Stone	12	–	–	–	–	–	–	–	1	–	1	–	1
Cystitis	15	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Urethra	4	–	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	99	–	–	–	1	4	–	2	1	–	2	5	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	4	–	–	–	–	–	1	–	–	1	–	–	–
Rheumatism	18	–	–	–	–	–	–	–	1	–	–	2	–
Joint and Bone Disease	43	–	–	–	–	–	2	2	7	6	4	8	–
XI. Carbuncle	6	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	10	3	–	2	2	1	–	–	1	–	–	–	–
XII. Cyanosis	15	15	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	8	7	–	1	–	–	–	–	–	–	–	–	–
Other Malformations	20	18	1	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	31	–	–	–	–	–	–	–	–	–	–	–	6
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	16	13	1	1	1	–	–	–	–	–	–	–	–
Neglect	4	1	2	1	–	–	–	–	–	–	–	–	–
Cold	2	–	–	–	–	–	–	–	–	–	–	1	–
Poison	13	1	–	1	–	1	–	–	–	–	–	1	1
Burns and Scalds	66	–	1	4	10	9	12	5	5	2	4	4	2
Hanging, etc.	18	–	–	–	–	–	–	–	–	1	1	–	–
Suffocation	24	6	4	–	–	1	–	–	1	–	1	–	–
Drowning	98	–	–	–	1	4	–	–	8	12	8	5	9
Fracture and Contusion	240	2	–	1	1	3	3	2	8	11	24	19	21
Wounds	27	–	–	–	1	–	–	–	1	2	3	1	3
Other Violent Causes	41	2	–	–	–	–	–	–	1	2	4	3	2
Not Specified	494	194	54	45	35	30	13	8	21	6	6	6	9

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	5	2	2	1	2	–	1	–	–	–	–	–	–	–	–
Apoplexy	14	12	21	13	20	36	38	30	41	14	10	3	–	–	–	1
Paralysis	8	9	10	16	15	27	31	37	37	29	22	4	–	1	–	–
Delirium Tremens	5	6	3	3	2	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	5	1	6	2	2	–	1	2	1	1	–	–	–	–	–
Tetanus	1	1	1	1	1	–	–	–	–	1	–	–	–	–	–	–
Insanity	–	2	1	3	–	–	1	3	–	1	–	–	–	–	–	–
Convulsions	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	12	17	20	21	11	24	13	11	8	4	4	–	–	–	–	–
Pericarditis	–	1	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Aneurism	1	7	2	1	7	5	2	–	1	–	–	–	–	–	–	–
Heart Disease	27	28	41	39	40	52	48	53	34	31	9	2	–	–	–	–
Laryngitis	1	3	–	1	–	3	1	1	–	1	–	–	–	–	–	–
Bronchitis	9	14	26	27	41	58	46	52	38	27	15	2	2	–	–	–
Pleurisy	1	2	–	1	9	1	5	5	3	2	–	–	–	–	–	–
Pneumonia	26	18	29	24	25	21	18	15	15	3	1	1	–	–	–	–
Asthma	4	2	11	14	9	18	22	15	10	7	2	–	–	–	–	–
Lung Disease	2	4	10	7	7	6	4	5	3	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Gastritis	1	1	–	4	1	3	3	2	2	–	–	–	–	–	–	–
Enteritis	4	3	2	6	3	3	2	5	2	1	2	–	–	–	–	–
Peritonitis	3	6	3	1	2	2	4	1	1	2	–	–	–	–	–	–
Ascites	1	–	–	3	–	1	–	–	3	–	–	–	–	–	–	–
Ulceration of Intestines	3	3	2	–	1	5	1	2	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	1	–	–	1	1	1	3	–	–	–	–	–
Ileus	1	3	3	1	2	3	2	2	5	3	–	–	–	–	–	–
Intussusception	–	–	1	3	–	1	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	1	1	2	–	2	–	1	–	–	–	–	–	–	–
Stomach Disease	7	2	7	8	9	10	12	13	7	5	3	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	6	1	2	1	2	2	2	3	–	–	–	–	–	–	–
Jaundice	2	1	3	1	2	–	3	–	2	1	1	–	–	–	–	–
Liver Disease	3	7	11	13	16	19	5	5	6	3	1	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Nephria	5	4	3	2	4	5	3	2	3	–	–	–	–	–	–	–
Ischuria	1	–	–	2	–	–	–	–	1	4	1	–	–	–	–	–
Diabetes	3	3	–	–	2	–	–	–	2	–	–	–	–	–	–	–
Stone	–	1	1	–	–	1	–	1	3	–	2	–	–	–	–	–
Cystitis	–	3	–	1	1	–	2	2	1	4	–	–	–	–	–	–
Stricture of Urethra	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Kidney Disease	1	2	6	6	1	11	12	10	11	12	10	–	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	1	1	2	2	1	2	–	1	3	–	–	–	–	–	–
Joint Disease	–	2	4	2	2	–	1	–	1	–	2	–	–	–	–	–
Carbuncle	–	1	–	–	1	–	–	1	1	–	1	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	3	3	3	3	2	7	1	1	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	3	1	1	1	–	–	–	2	–	–	–	–	–	–	–
Burns and Scalds	1	2	1	–	–	–	–	1	2	–	1	–	–	–	–	–
Hanging, etc.	4	1	1	1	2	4	3	–	–	–	–	–	–	–	–	–
Suffocation	–	1	1	2	1	1	2	–	1	1	–	–	–	–	–	1
Drowning	10	10	10	6	4	1	5	1	1	–	–	–	–	–	–	3
Fracture and Contusion	25	23	21	16	17	17	5	7	7	4	–	–	1	1	–	1
Wounds	4	1	2	4	2	2	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	2	2	3	–	4	–	1	–	1	–	–	–	–	–	11
Not Specified	10	5	12	10	11	4	15	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	14103	1134	411	1052	1533	834	520	419	793	297	425	513	523
SPECIFIED CAUSES	13727	1018	371	1012	1501	807	508	414	774	291	417	505	514
I. Zymotic Class	3829	124	127	441	759	500	331	269	437	99	76	84	89
II. Diseases of Uncertain Seat	614	7	4	5	8	8	8	6	15	8	10	12	12
III. Tubercular Class	2513	25	50	148	211	123	76	62	158	100	238	262	218
IV. Brain and Nervous System	1069	99	24	55	52	26	21	16	44	22	17	23	25
V. Organs of Circulation	560	9	–	1	1	–	2	4	9	15	18	21	33
VI. Respiratory Organs	1641	48	79	169	200	93	47	37	51	20	17	29	31
VII. Organs of Digestion	1022	73	38	141	197	39	11	12	27	12	13	25	27
VIII. Urinary Organs	94	–	–	–	–	1	2	–	3	3	2	5	12
IX. Organs of Generation	228	–	–	–	–	–	–	–	–	2	12	22	49
X. Organs of Locomotion	31	–	–	–	1	–	–	2	2	4	2	6	1
XI. Skin, etc.	16	3	1	1	2	1	–	–	–	–	–	–	–
XII. Malformation	30	26	1	3	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	645	575	33	37	–	–	–	–	–	–	–	–	–
XIV. Atrophy	134	–	–	–	53	8	5	–	7	1	–	2	4
XV. Age	1014	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	19	5	4	2	1	–	–	1	–	–	–	1	–
XVII. Violent Deaths	268	24	10	9	16	8	5	5	21	5	12	13	13
I. Small Pox	247	11	19	34	47	37	21	12	25	5	5	11	8
Measles	229	2	4	28	89	41	25	22	15	1	–	–	–
Scarlatina	935	2	7	55	151	178	129	117	222	37	13	10	6
Diphtheria	62	1	2	7	13	13	6	8	7	–	2	–	–
Hooping Cough	946	33	51	223	299	136	83	58	62	–	1	–	–
Croup	183	5	7	15	49	42	25	25	14	1	–	–	–
Thrush	8	4	–	2	1	–	1	–	–	–	–	–	–
Diarrhœa	309	36	23	43	54	14	5	6	7	1	3	2	7
Dysentery	115	–	2	10	10	5	1	–	–	2	1	2	2
Cholera	25	2	–	4	2	–	3	–	2	–	–	1	–
Influenza	28	–	–	1	4	–	–	–	1	–	–	–	1
Purpura	6	–	–	1	1	1	–	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	4	–	–	–	–	–	1	1	2	–	–	–	–
Infantile Fever	19	1	1	7	2	2	1	2	3	–	–	–	–
Typhus	541	1	2	6	34	28	28	18	74	50	43	36	33
Metria	77	–	–	–	–	–	–	–	–	–	2	14	28
Rheumatic Fever	10	–	–	–	–	–	–	–	–	1	–	–	1
Erysipelas	53	14	4	1	1	2	2	–	2	1	6	4	3
Syphilis	32	12	5	4	2	1	–	–	–	–	–	4	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	25	4	1	–	–	1	–	–	1	–	3	1	1
Dropsy	229	–	–	2	3	3	7	4	12	7	2	8	4
Abscess	30	2	1	2	–	2	1	1	1	1	2	2	3
Ulcer	3	–	–	–	–	1	–	–	–	–	–	–	1
Fistula	5	–	–	–	–	–	–	–	–	–	1	–	2
Mortification	31	–	1	1	5	1	–	1	–	–	1	–	–
Cancer	291	1	1	–	–	–	–	–	1	–	1	1	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	86	2	3	12	5	2	3	1	9	9	10	6	4
Tabes Mesenterica	148	14	9	12	27	20	10	8	18	8	10	4	4
Phthisis	1843	1	12	32	59	44	24	23	73	78	218	252	209
Hydrocephalus	436	8	26	92	120	57	39	30	58	5	–	–	1

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	518	514	456	406	479	469	562	532	560	510	356	166	67	35	4	15
SPECIFIED CAUSES	512	505	444	401	475	463	550	532	560	510	356	166	67	35	4	15
Zymotic Class	72	66	41	31	39	41	50	47	46	27	21	6	5	1	–	–
Uncertain Seat	27	33	52	60	59	58	73	49	47	31	17	3	2	–	–	–
Tubercular Class	215	179	131	101	75	68	41	16	9	5	1	1	–	–	–	–
Brain, etc.	28	34	35	46	55	59	95	74	96	72	36	12	1	2	–	–
Heart, etc.	37	43	43	32	51	45	59	54	35	36	10	1	1	–	–	–
Respiratory Organs	44	48	55	58	92	94	112	112	96	65	31	8	3	1	–	1
Digestive Organs	18	36	39	40	49	49	41	54	39	28	9	5	–	–	–	–
Urinary Organs	10	6	8	5	7	9	5	6	4	4	2	–	–	–	–	–
Generative Organs	43	44	19	9	11	6	6	1	1	2	1	–	–	–	–	–
Locomotive Organs	5	–	–	1	–	2	–	2	1	1	1	–	–	–	–	–
Skin	1	1	1	–	2	1	–	2	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	1	4	8	18	20	1	–	–	–	–	–	–		–	–
Age	–	–	–	–	–	–	53	107	180	235	220	129	53	31	4	2
Sudden Deaths	–	1	1	–	–	1	2	–	–	–	–	–	–	–	–	–
Violent Deaths	10	13	15	10	17	10	12	8	6	4	7	1	2	–	–	12
Small Pox	5	4	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Measles	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	6	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	6	16	4	4	7	6	12	8	20	12	7	2	4	–	–	–
Dysentery	5	7	3	5	4	9	13	8	10	6	6	3	1	–	–	–
Cholera	1	1	1	1	3	2	1	–	–	1	–	–	–	–	–	–
Influenza	–	–	1	1	2	–	2	3	3	4	4	1	–	–	–	–
Purpura	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	28	25	20	17	19	22	19	21	11	3	3	–	–	–	–	–
Metria	17	10	5	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	1	–	1	–	2	2	–	–	–	–	–	–	–	–
Erysipelas	1	–	1	–	2	1	–	4	2	–	1	–	–	1	–	–
Syphilis	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	3	2	2	3	–	–	2	–	–	1	–	–	–	–	–	–
Dropsy	7	8	14	22	15	23	21	20	22	14	9	2	–	–	–	–
Abscess	4	2	–	1	2	–	1	2	–	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	2	–	3	5	6	2	–	2	–	–	–
Cancer	13	21	36	33	40	32	49	24	20	10	6	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	5	4	3	2	1	2	2	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis	210	175	126	98	74	65	39	16	8	5	1	1	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	65	–	3	7	9	3	2	4	7	6	5	2	4
Apoplexy	253	–	4	3	5	2	5	2	9	2	3	5	3
Paralysis	298	–	–	–	–	–	–	–	–	–	1	1	4
Delirium Tremens	6	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	45	–	–	–	–	–	–	–	2	3	4	9	4
Tetanus	4	–	–	–	–	–	–	–	2	1	–	–	–
Insanity	15	–	–	–	–	–	–	–	–	–	–	–	2
Convulsions	204	98	15	34	26	13	5	5	6	1	–	–	–
Brain Disease	179	1	2	11	12	8	9	5	18	9	4	6	8
V. Pericarditis	15	2	–	–	–	–	1	2	1	–	–	–	1
Aneurism	9	–	–	–	–	–	–	–	–	–	–	–	2
Heart Disease	536	7	–	1	1	–	1	2	8	15	18	21	30
VI. Laryngitis	42	2	2	7	7	3	3	–	4	1	–	–	–
Bronchitis	888	25	51	103	101	40	22	14	22	6	5	11	13
Pleurisy	39	–	2	1	4	1	–	1	2	2	1	2	3
Pneumonia	440	21	23	57	81	47	21	21	20	9	11	13	10
Asthma	148	–	–	–	–	1	–	–	–	1	–	1	1
Lung Disease	84	–	1	1	7	1	1	1	3	1	–	2	4
VII. Teething	298	–	12	112	152	19	3	–	–	–	–	–	–
Quinsey	17	3	2	1	4	1	1	1	1	–	–	–	1
Gastritis	32	–	–	1	4	1	–	–	2	–	1	1	–
Enteritis	196	43	14	15	26	9	2	7	9	3	3	3	8
Peritonitis	57	1	1	–	1	–	2	–	3	5	1	7	8
Ascites	19	–	–	–	1	–	–	1	1	–	2	2	–
Ulceration of Intestines	31	–	–	–	–	1	–	2	1	1	1	1	1
Hernia	16	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	35	–	1	2	1	–	–	–	–	–	2	–	2
Intussusception	7	1	1	1	–	–	–	–	1	–	–	–	–
Stricture of Intestines	8	1	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	151	15	3	9	7	5	1	1	8	–	3	8	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	25	1	1	–	–	–	–	–	–	–	–	1	–
Jaundice	41	8	–	–	1	3	2	–	–	–	–	1	3
Liver Disease	87	–	2	–	–	–	–	–	1	3	–	1	1
Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	30	–	–	–	–	–	–	–	–	–	1	1	9
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	10	–	–	–	–	–	1	–	–	–	–	1	–
Stone	2	–	–	–	–	–	–	–	–	–	1	–	–
Cystitis	7	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	43	–	–	–	–	–	1	–	3	3	–	3	3
IX. Paramenia	7	–	–	–	–	–	–	–	–	2	3	1	–
Ovarian Dropsy	22	–	–	–	–	–	–	–	–	–	–	3	2
Childbirth	158	–	–	–	–	–	–	–	–	–	8	17	46
Organs of Generation	41	–	–	–	–	–	–	–	–	–	1	1	1
X. Arthritis	2	–	–	–	–	–	–	–	1	–	–	–	–
Rheumatism	11	–	–	–	–	–	–	–	–	–	1	2	–
Joint and Bone Disease	18	–	–	–	1	–	–	2	1	4	1	4	1
XI. Carbuncle	5	–	–	–	–	1	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	10	3	1	1	2	–	–	–	–	–	–	–	–
XII. Cyanosis	8	8	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	11	8	1	2	–	–	–	–	–	–	–	–	–
Other Malformations	11	10	–	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	20	–	–	–	–	–	–	–	–	–	–	–	2
Privation	4	–	–	1	1	1	–	–	–	–	–	–	–
Want of Breast Milk	20	11	4	5	–	–	–	–	–	–	–	–	–
Neglect	1	1	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	–	–	–	–	–	–	–	–	1	–	1
Poison	15	3	–	–	–	–	1	–	–	–	1	1	2
Burns and Scalds	66	–	–	2	12	4	2	2	16	1	1	1	3
Hanging, etc.	11	–	–	–	–	–	–	–	–	–	1	–	–
Suffocation	22	7	6	1	1	1	–	–	–	1	1	–	–
Drowning	20	–	–	–	1	1	–	1	–	–	1	2	4
Fracture and Contusion	63	–	–	–	1	1	2	2	5	2	6	7	1
Wounds	8	–	–	–	–	–	–	–	–	1	–	1	–
Other Violent Causes	16	2	–	–	–	–	–	–	–	–	–	1	–
Not Specified	376	116	40	40	32	27	12	5	19	6	8	8	9

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	2	4	2	1	–	–	2	–	–	–	–	–	–	–	–
Apoplexy	11	3	10	26	19	24	33	23	30	15	9	6	–	1	–	–
Paralysis	2	7	6	8	23	21	48	37	59	50	23	6	1	1	–	–
Delirium Tremens	1	2	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	6	2	–	–	2	2	4	2	3	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	2	2	2	4	–	1	1	–	–	–	–	–	–	–
Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	9	12	10	8	10	7	11	7	4	4	4	–	–	–	–	–
Pericarditis	1	3	–	2	–	1	–	–	1	–	–	–	–	–	–	–
Aneurism	1	1	–	–	–	2	3	–	–	–	–	–	–	–	–	–
Heart Disease	35	39	43	30	51	42	56	54	34	36	10	1	1	–	–	–
Laryngitis	2	1	2	1	3	1	1	1	1	–	–	–	–	–	–	–
Bronchitis	20	18	28	27	54	49	58	74	64	48	24	7	2	1	–	1
Pleurisy	2	2	3	2	–	2	1	3	4	1	–	–	–	–	–	–
Pneumonia	9	10	9	8	9	17	14	9	10	5	5	–	1	–	–	–
Asthma	3	8	8	13	22	18	30	19	10	10	2	1	–	–	–	–
Lung Disease	8	9	5	7	4	7	8	6	7	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Gastritis	1	3	2	1	3	3	1	3	1	2	1	1	–	–	–	–
Enteritis	5	8	11	8	7	4	2	7	2	–	–	–	–	–	–	–
Peritonitis	4	4	4	3	2	3	1	3	–	4	–	–	–	–	–	–
Ascites	1	–	–	1	1	1	2	1	2	2	1	–	–	–	–	–
Ulceration of Intestines	1	2	–	3	5	–	1	4	5	2	–	–	–	–	–	–
Hernia	–	1	2	–	1	3	4	2	2	–	1	–	–	–	–	–
Ileus	2	3	1	1	3	3	2	3	4	2	2	1	–	–	–	–
Intussusception	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	1	1	1	2	–	–	–	–	–	–	–
Stomach Disease	2	8	10	6	6	12	9	14	12	5	3	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	3	2	5	4	3	3	–	1	–	–	–	–	–	–
Jaundice	1	–	–	1	3	4	4	4	1	4	–	1	–	–	–	–
Liver Disease	1	5	5	13	10	10	11	9	8	5	1	1	–	–	–	–
Spleen Disease	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	5	4	–	2	4	–	1	3	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diabetes	1	1	2	1	–	1	–	2	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	2	1	–	1	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	1	6	2	3	4	3	1	3	3	1	–	–	–	–	–
Paramenia	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	2	1	1	3	2	3	–	–	1	1	–	–	–	–	–
Childbirth	33	37	13	4	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	7	5	5	4	7	4	3	1	1	1	–	–	–	–	–	–
Arthritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	1	–	–	–	2	1	1	1	–	–	–	–	–
Joint Disease	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	5	4	3	5	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	2	2	1	2	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	1	1	1	3	1	2	4	1	4	–	2	–	–	1
Hanging, etc.	3	2	–	1	–	1	1	2	–	–	–	–	–	–	–	–
Suffocation	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Drowning	–	1	1	–	2	1	3	–	–	–	–	–	–	–	–	2
Fracture and Contusion	3	2	4	2	4	5	5	4	2	3	2	–	–	–	–	–
Wounds	2	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	1	–	–	–	1	–	–	–	1	1	–	–	–	8
Not Specified	6	9	12	5	4	6	12	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	10832	1066	391	991	1502	772	463	359	666	226	333	411	375
Specified Causes	10476	939	351	958	1481	748	451	352	651	221	327	406	369
I. Zymotic Class	3089	112	103	398	686	434	281	217	331	70	42	69	63
II. Diseases of Uncertain Seat	308	4	2	3	10	6	9	10	18	5	5	8	8
III. Tubercular Class	2031	20	49	149	228	118	64	51	137	81	194	206	157
IV. Brain and Nervous System	756	75	34	45	62	28	24	17	46	20	14	17	14
V. Organs of Circulation	298	2	–	–	2	2	1	3	4	3	12	16	16
VI. Respiratory Organs	1483	62	69	192	236	98	52	34	62	15	15	28	31
VII. Organs of Digestion	876	96	45	134	209	39	7	8	25	8	15	18	23
VIII. Urinary Organs	85	–	1	–	–	1	–	2	4	3	4	10	8
IX. Organs of Generation	87	–	–	–	–	–	–	–	–	1	6	9	22
X. Organs of Locomotion	31	–	–	–	1	–	1	3	3	3	2	8	–
XI. Skin, etc.	12	2	–	2	2	1	–	–	–	–	–	–	–
XII. Malformation	27	25	–	2	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	580	513	41	26	–	–	–	–	–	–	–	–	–
XIV. Atrophy	97	–	–	–	34	10	5	–	8	3	1	2	3
XV. Age	409	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	21	7	2	–	1	–	–	1	–	–	–	3	–
XVII. Violent Deaths	286	21	5	7	10	11	7	6	13	9	17	12	24
I. Small Pox	201	5	12	32	38	24	18	16	16	2	4	12	13
Measles	156	4	–	25	60	34	16	11	4	1	–	–	–
Scarlatina	772	3	10	38	138	159	110	101	164	33	8	3	2
Diphtheria	24	1	–	4	7	4	1	2	2	–	2	–	–
Hooping Cough	928	27	43	222	307	131	82	49	65	1	1	–	–
Croup	122	7	5	11	31	36	15	12	5	–	–	–	–
Thrush	3	1	–	1	–	–	1	–	–	–	–	–	–
Diarrhœa	268	39	21	34	58	19	5	9	5	1	–	2	7
Dysentery	66	1	2	3	13	2	1	–	–	1	2	3	3
Cholera	27	2	–	4	3	1	2	1	3	–	–	2	–
Influenza	17	–	1	2	2	–	–	–	2	1	–	–	1
Purpura	2	–	–	–	–	–	–	–	–	1	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	6	–	–	–	1	–	2	2	1	–	–	–	–
Infantile Fever	14	1	–	8	3	1	–	1	–	–	–	–	–
Typhus	381	2	2	10	22	21	26	13	61	29	24	34	23
Metria	31	–	–	–	–	–	–	–	–	–	1	9	8
Rheumatic Fever	6	–	–	–	–	–	–	–	2	–	–	–	–
Erysipelas	38	10	1	1	1	1	1	–	1	–	–	3	5
Syphilis	23	9	6	3	1	–	–	–	–	–	–	1	1
Noma	3	–	–	–	1	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	15	2	1	–	–	1	–	–	–	–	1	1	–
Dropsy	145	1	1	1	7	3	9	8	16	3	2	4	4
Abscess	17	1	–	1	1	–	–	2	–	1	2	1	1
Ulcer	2	–	–	–	–	1	–	–	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	18	–	–	–	2	1	–	–	2	1	–	2	–
Cancer	109	–	–	1	–	–	–	–	–	–	–	–	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	66	–	2	5	4	6	4	2	15	7	6	3	3
Tabes Mesenterica	142	10	9	23	39	19	8	5	13	4	6	3	1
Phthisis	1460	1	13	25	80	51	27	25	73	64	182	200	153
Hydrocephalus	363	9	25	96	105	42	25	19	36	6	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	359	350	356	316	323	322	338	284	231	183	140	39	18	9	2	7
Specified Causes	352	345	345	309	315	317	326	284	231	183	140	39	18	9	2	7
Zymotic Class	44	47	24	25	22	21	34	22	22	12	6	1	3	–	–	–
Uncertain Seat	16	16	24	28	30	21	32	20	14	11	8	–	–	–	–	–
Tubercular Class	137	112	96	83	60	46	23	11	5	3	1	–	–	–	–	–
Brain, etc.	28	26	27	33	35	50	50	39	36	19	16	–	–	–	–	1
Heart, etc.	17	23	27	23	25	31	41	25	14	9	1	1	–	–	–	–
Respiratory Organs	42	39	64	61	86	79	76	71	36	25	9	1	–	–	–	–
Digestive Organs	19	31	37	32	24	32	26	26	11	8	5	1	–	–	–	–
Urinary Organs	8	6	5	3	4	7	6	6	2	3	1	–	1	–	–	–
Generative Organs	14	18	7	1	3	1	2	1	1	–	1	–	–	–	–	–
Locomotive Organs	4	–	2	1	–	–	–	–	–	1	2	–	–	–	–	–
Skin	1	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	3	1	5	8	12	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	27	61	86	91	87	35	12	8	2	–
Sudden Deaths	–	–	–	1	2	1	3	–	–	–	–	–	–	–	–	–
Violent Deaths	20	24	30	13	15	15	6	4	4	1	3	–	2	1	–	6
Small Pox	3	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	12	1	3	4	4	12	7	9	6	3	–	3	–	–	–
Dysentery	5	3	1	2	4	5	5	3	3	2	1	1	–	–	–	–
Cholera	1	1	2	1	2	2	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	1	–	–	–	–	–	4	3	–	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	21	15	13	16	11	6	15	10	5	1	1	–	–	–	–	–
Metria	5	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	2	4	–	1	–	3	1	2	1	–	–	–	–	–	–	–
Syphilis	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	1	4	1	–	–	1	–	–	–	–	–	–	–	–	–
Dropsy	7	4	5	12	10	10	14	9	6	5	4	–	–	–	–	–
Abscess	2	2	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Mortification	1	1	–	–	–	–	–	3	1	3	1	–	–	–	–	–
Cancer	4	8	15	14	19	10	16	8	6	3	3	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	–	2	1	1	1	1	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis	135	112	94	81	59	44	22	11	4	3	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1859.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	60	–	4	8	12	4	5	4	8	4	4	1	–
Apoplexy	162	–	5	–	6	–	3	–	6	3	2	–	1
Paralysis	127	–	–	–	–	–	–	–	1	–	2	1	–
Delirium Tremens	7	–	–	–	–	–	–	–	–	–	–	–	2
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	29	–	–	–	–	–	–	–	–	2	2	6	6
Tetanus	5	–	–	1	–	–	–	–	1	–	–	1	1
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	209	72	21	32	39	19	8	8	9	–	–	–	–
Brain Disease	154	3	4	4	5	5	8	5	21	11	4	8	4
V. Pericarditis	10	–	–	–	–	–	1	–	1	–	1	1	1
Aneurism	6	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	282	2	–	–	2	2	–	3	3	3	11	15	14
VI. Laryngitis	30	2	2	5	8	3	3	–	2	–	–	–	–
Bronchitis	776	29	37	109	128	46	23	17	33	7	4	9	9
Pleurisy	28	–	2	1	–	1	1	–	1	–	1	–	2
Pneumonia	494	30	28	76	96	46	23	16	24	8	8	14	16
Asthma	94	–	–	–	–	–	–	–	–	–	–	2	3
Lung Disease	61	1	–	1	4	2	2	1	2	–	2	3	1
VII. Teething	286	–	9	104	152	20	1	–	–	–	–	–	–
Quinsey	10	2	2	–	4	1	–	–	–	–	–	–	1
Gastritis	18	–	–	–	3	1	–	1	2	–	1	–	–
Enteritis	216	58	20	22	35	4	3	4	11	5	6	3	11
Peritonitis	36	1	2	–	1	–	1	–	3	1	1	1	4
Ascites	10	–	–	–	1	–	–	1	2	–	1	1	–
Ulceration of Intestines	16	–	–	–	–	1	–	–	2	–	1	1	–
Hernia	6	1	–	–	–	–	–	–	–	–	–	–	1
Ileus	26	5	1	–	–	2	–	–	–	1	2	–	2
Intussusception	6	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	4	1	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	111	16	6	7	12	5	–	2	4	–	2	6	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	30	4	2	1	–	1	1	–	–	–	–	4	1
Jaundice	25	7	1	–	1	1	1	–	–	–	–	1	1
Liver Disease	76	1	–	–	–	3	–	–	1	1	1	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	–	–	–	–	–	2	–	–	–	1
Nephria	31	–	–	–	–	1	–	1	1	2	–	4	4
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	11	–	–	–	–	–	–	–	1	–	2	1	–
Stone	2	–	–	–	–	–	–	–	–	–	1	–	1
Cystitis	4	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Urethra	3	–	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	31	–	–	–	–	–	–	1	–	1	1	4	2
IX. Paramenia	4	–	–	–	–	–	–	–	–	1	3	–	–
Ovarian Dropsy	8	–	–	–	–	–	–	–	–	–	–	2	1
Childbirth	65	–	–	–	–	–	–	–	–	–	3	7	20
Organs of Generation	10	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	1	–	–	–	–	–	1	–	–	–	–	–	–
Rheumatism	5	–	–	–	–	–	–	–	–	–	–	1	–
Joint and Bone Disease	25	–	–	–	1	–	–	3	3	3	2	7	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	10	2	–	2	2	1	–	–	–	–	–	–	–
XII. Cyanosis	4	4	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	9	7	–	2	–	–	–	–	–	–	–	–	–
Other Malformations	14	14	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	17	–	–	–	–	–	–	–	–	–	–	–	3
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	18	13	2	2	1	–	–	–	–	–	–	–	–
Neglect	2	1	1	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	11	1	–	1	–	–	–	–	–	–	1	1	1
Burns and Scalds	48	–	–	2	6	7	5	3	8	3	2	2	1
Hanging, etc.	5	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	14	5	2	1	1	1	–	–	–	–	1	–	–
Drowning	43	–	–	–	–	2	–	–	1	2	–	3	8
Fracture and Contusion	100	–	–	1	1	1	2	3	4	3	9	4	8
Wounds	9	–	–	–	1	–	–	–	–	–	–	1	2
Other Violent Causes	19	1	–	–	–	–	–	–	–	1	4	1	1
Not Specified	356	127	40	33	21	24	12	7	15	5	6	5	6

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1859.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	13	6	10	9	15	18	21	19	13	5	6	–	–	–	–	1
Paralysis	4	2	6	10	12	16	21	13	18	13	8	–	–	–	–	–
Delirium Tremens	1	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	5	1	–	–	1	1	2	1	1	–	–	–	–	–	–
Tetanus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
Convulsions	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	7	9	10	9	7	15	6	4	3	–	2	–	–	–	–	–
Pericarditis	–	1	1	–	–	1	–	1	1	–	–	–	–	–	–	–
Aneurism	–	2	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Heart Disease	17	20	26	23	24	29	40	24	13	9	1	1	–	–	–	–
Laryngitis	–	1	–	1	–	1	1	1	–	–	–	–	–	–	–	–
Bronchitis	19	15	26	31	53	51	39	44	23	17	6	1	–	–	–	–
Pleurisy	3	1	1	2	4	2	1	3	1	1	–	–	–	–	–	–
Pneumonia	11	12	20	16	13	10	11	9	3	2	2	–	–	–	–	–
Asthma	3	3	12	6	12	8	22	11	7	4	1	–	–	–	–	–
Lung Disease	6	7	5	5	4	7	2	3	2	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	1	2	2	1	1	–	1	–	–	1	–	–	–	–	–
Enteritis	5	7	7	5	5	1	–	2	2	–	–	–	–	–	–	–
Peritonitis	4	5	3	3	–	2	2	1	–	1	–	–	–	–	–	–
Ascites	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	2	–	–	2	2	1	2	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–
Ileus	1	1	2	1	–	1	1	1	–	4	1	–	–	–	–	–
Intussusception	–	–	–	2	–	2	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Stomach Disease	2	7	8	4	4	7	5	7	4	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	2	3	1	2	2	2	3	–	1	–	–	–	–	–	–
Jaundice	–	–	3	–	3	1	4	–	–	–	1	–	–	–	–	–
Liver Disease	2	6	8	14	7	11	8	5	5	–	1	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	4	2	–	–	3	3	3	3	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	3	–	2	1	–	–	–	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	2	3	1	1	2	3	3	1	3	1	–	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
Childbirth	13	15	6	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	2	–	–	3	1	1	1	1	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Joint Disease	2	–	2	1	–	–	–	–	–	–	1	–	–	–	–	–
Carbuncle	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	4	5	2	2	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	3	2	–	–	–	–	–	1	–	–	–	–	–	–	–
Burns and Scalds	–	2	1	–	–	3	–	2	–	–	–	–	1	–	–	–
Hanging, etc.	1	1	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	4	7	2	3	1	4	–	–	–	–	–	–	–	–	2
Fracture and Contusion	12	8	9	8	7	9	1	2	3	1	2	–	1	1	–	–
Wounds	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	1	3	–	–	1	–	–	–	–	1	–	–	–	–	4
Not Specified	7	5	11	7	8	5	12	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	5436	611	219	530	776	416	231	168	342	118	167	200	173
SPECIFIED CAUSES	5227	534	195	510	770	402	222	163	334	115	164	197	169
I. Zymotic Class	1486	67	48	200	332	228	130	95	148	30	21	30	27
II. Diseases of Uncertain Seat	116	2	1	2	6	3	6	6	14	4	2	3	3
III. Tubercular Class	1024	9	30	81	125	67	33	26	77	41	92	100	76
IV. Brain and Nervous System	428	35	21	23	40	17	12	11	28	12	10	8	7
V. Organs of Circulation	138	1	–	–	1	2	–	3	3	3	6	8	5
VI. Respiratory Organs	779	42	40	109	136	51	27	13	35	7	6	18	17
VII. Organs of Digestion	449	55	26	77	105	17	6	2	14	6	8	6	10
VIII. Urinary Organs	56	–	1	–	–	1	–	2	4	2	3	7	2
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	1
X. Organs of Locomotion	17	–	–	–	–	–	1	1	2	–	1	5	–
XI. Skin, etc.	6	2	–	2	–	1	–	–	–	–	–	–	–
XII. Malformation	21	20	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	324	288	26	10	–	–	–	–	–	–	–	–	–
XIV. Atrophy	49	–	–	–	19	6	2	–	5	2	1	1	1
XV. Age	125	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	12	3	–	–	1	–	–	1	–	–	–	2	–
XVII. Violent Deaths	196	10	2	5	5	9	5	3	4	8	14	9	20
I. Small Pox	101	1	3	19	24	13	7	8	3	1	3	8	6
Measles	82	2	–	18	27	19	12	3	1	–	–	–	–
Scarlatina	384	2	6	16	72	83	52	52	78	17	4	1	–
Diphtheria	8	–	–	1	4	1	–	–	1	–	–	–	–
Hooping Cough	425	18	18	106	139	61	37	18	27	1	–	–	–
Croup	63	5	5	5	18	21	6	3	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	133	24	8	21	22	13	3	4	2	1	–	1	3
Dysentery	33	1	1	–	9	1	1	–	–	–	1	1	2
Cholera	13	1	–	2	1	1	–	1	1	–	–	1	–
Influenza	6	–	1	1	–	–	–	–	1	1	–	–	–
Purpura	2	–	–	–	–	–	–	–	–	1	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	4	–	–	–	1	–	1	1	1	–	–	–	–
Infantile Fever	7	1	–	2	3	1	–	–	–	–	–	–	–
Typhus	180	1	1	7	11	13	9	5	31	8	13	17	11
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	5	–	–	–	–	–	–	–	2	–	–	–	–
Erysipelas	23	5	1	1	–	–	1	–	–	–	–	1	4
Syphilis	13	6	4	1	–	–	–	–	–	–	–	–	1
Noma	3	–	–	–	1	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	7	1	–	–	–	–	–	–	–	–	–	1	–
Dropsy	67	1	1	–	5	3	6	5	12	2	1	–	2
Abscess	8	–	–	1	1	–	–	1	–	1	1	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	11	–	+	–	–	–	–	–	2	1	–	2	–
Cancer	23	–	–	1	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	38	–	1	2	2	4	2	2	9	5	2	1	2
Tabes Mesenterica	81	4	4	16	24	12	3	3	8	2	3	1	1
Phthisis	695	–	8	10	37	25	14	12	40	30	87	98	73
Hydrocephalus	210	5	17	53	62	26	14	9	20	4	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	158	164	168	171	144	168	147	129	88	66	58	12	5	4	–	3
SPECIFIED CAUSES	152	161	161	166	139	166	142	129	88	66	58	12	5	4	–	3
Zymotic Class	14	21	8	20	13	8	18	10	7	5	5	–	1	–	–	–
Uncertain Seat	5	4	5	9	7	6	9	7	5	5	2	–	–	–	–	–
Tubercular Class	62	51	40	42	27	23	10	8	2	2	–	–	–	–	–	–
Brain, etc.	16	15	17	21	17	32	28	22	17	9	9	–	–	–	–	1
Heart, etc.	7	12	9	11	10	16	17	11	7	4	1	1	–	–	–	–
Respiratory Organs	15	17	38	33	37	46	33	32	14	8	5	–	–	–	–	–
Digestive Organs	11	15	17	16	9	15	13	9	5	4	3	–	–	–	–	–
Urinary Organs	4	5	2	1	2	5	5	4	1	3	1	–	1	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	–	2	1	–	–	–	–	–	1	1	–	–	–	–	–
Skin	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	3	1	1	2	4	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	24	26	24	31	11	2	3	–	–
Sudden Deaths	–	–	–	1	2	–	2	–	–	–	–	–	–	–	–	–
Violent Deaths	15	18	22	10	13	10	3	2	4	1	–	–	1	1	–	2
Small Pox	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	3	3	–	3	2	1	7	5	2	2	2	–	1	–	–	–
Dysentery	2	2	–	1	3	–	3	2	1	1	1	–	–	–	–	–
Cholera	–	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	8	6	12	6	3	6	3	2	1	1	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	1	4	–	1	–	2	1	–	1	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	2	2	2	5	3	5	2	1	2	2	–	–	–	–	–
Abscess	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	1	–	–	–	–	–	2	1	1	–	–	–	–	–	–
Cancer	–	–	–	6	2	3	3	3	2	2	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	1	1	1	1	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	61	51	39	41	26	22	10	8	1	2	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	35	–	1	4	8	3	3	3	6	1	1	1	–
Apoplexy	94	–	3	–	4	–	–	–	4	2	2	–	–
Paralysis	64	–	–	–	–	–	–	–	1	–	2	1	–
Delirium Tremens	6	–	–	–	–	–	–	–	–	–	–	–	2
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	13	–	–	–	–	–	–	–	–	2	2	1	2
Tetanus	4	–	–	1	–	–	–	–	–	–	–	1	1
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	118	32	13	18	27	12	5	5	5	–	–	–	–
Brain Disease	93	3	4	–	1	2	4	3	12	7	3	4	2
V. Pericarditis	5	–	–	–	–	–	–	–	1	–	1	1	–
Aneurism	6	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	127	1	–	–	1	2	–	3	2	3	5	7	4
VI. Laryngitis	16	–	1	3	5	3	1	–	–	–	–	–	–
Bronchitis	396	21	22	62	76	24	11	8	20	4	1	5	2
Pleurisy	15	–	1	–	–	1	1	–	1	–	–	–	1
Pneumonia	283	20	16	43	52	22	13	5	12	3	3	10	12
Asthma	38	–	–	–	–	–	–	–	–	–	–	1	2
Lung Disease	31	1	–	1	3	1	1	–	2	–	2	2	–
VII. Teething	148	–	5	59	74	9	1	–	–	–	–	–	–
Quinsey	3	–	1	–	2	–	–	–	–	–	–	–	–
Gastritis	8	–	–	–	2	–	–	1	2	–	1	–	–
Enteritis	111	32	12	13	17	1	3	–	5	4	4	1	6
Peritonitis	17	–	1	–	1	–	–	–	2	1	1	1	1
Ascites	3	–	–	–	–	–	–	–	1	–	–	–	–
Ulceration of Intestines	10	–	–	–	–	–	–	–	1	–	–	1	–
Hernia	4	1	–	–	–	–	–	–	–	–	–	–	1
Ileus	17	5	–	–	–	2	–	–	–	1	1	–	–
Intussusception	4	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	50	8	5	4	9	1	–	1	2	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	16	3	1	1	–	1	1	–	–	–	–	3	1
Jaundice	15	5	1	–	–	–	1	–	–	–	–	–	–
Liver Disease	42	1	–	–	–	3	–	–	1	–	1	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	–	–	–	–	–	2	–	–	–	1
Nephria	19	–	–	–	–	1	–	1	1	2	–	3	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	8	–	–	–	–	–	–	–	1	–	2	1	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	1
Cystitis	3	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Urethra	3	–	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	19	–	–	–	–	–	–	1	–	–	1	2	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	1
X Arthritis	1	–	–	–	–	–	1	–	–	–	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	13	–	–	–	–	–	–	1	2	–	1	5	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	6	2	–	2	–	1	–	–	–	–	–	–	–
XII. Cyanosis	4	4	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	5	4	–	1	–	–	–	–	–	–	–	–	–
Other Malformations	12	12	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	9	–	–	–	–	–	–	–	–	–	–	–	2
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	9	7	–	1	1	–	–	–	–	–	–	–	–
Neglect	2	1	1	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	5	–	–	1	–	–	–	–	–	–	–	–	–
Burns and Scalds	28	–	–	2	3	6	4	2	1	2	2	2	1
Hanging, etc.	4	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	5	2	1	–	–	–	–	–	–	–	–	–	–
Drowning	34	–	–	–	–	2	–	–	1	2	–	2	6
Fracture and Contusion	82	–	–	1	–	1	1	1	2	3	8	4	8
Wounds	6	–	–	–	1	–	–	–	–	–	–	–	2
Other Violent Causes	12	–	–	–	–	–	–	–	–	1	4	1	1
Not Specified	209	77	24	20	6	14	9	5	8	3	3	3	4

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	6	4	6	3	8	10	14	13	7	3	4	–	–	–	–	1
Paralysis	2	–	4	7	5	8	11	6	8	6	3	–	–	–	–	–
Delirium Tremens	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	3	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Tetanus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	5	4	6	7	4	13	3	2	2	–	2	–	–	–	–	–
Pericarditis	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Aneurism	–	2	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Heart Disease	7	10	8	11	9	15	16	10	7	4	1	1	–	–	–	–
Laryngitis	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Bronchitis	4	5	13	16	18	28	18	21	8	4	5	–	–	–	–	–
Pleurisy	1	1	–	–	4	1	1	1	–	1	–	–	–	–	–	–
Pneumonia	8	8	14	13	10	7	5	4	2	1	–	–	–	–	–	–
Asthma	2	1	7	1	3	5	7	4	3	2	–	–	–	–	–	–
Lung Disease	–	1	4	3	2	4	1	2	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	2	1	2	3	2	1	–	1	1	–	–	–	–	–	–	–
Peritonitis	1	3	2	1	–	–	1	–	–	1	–	–	–	–	–	–
Ascites	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	1	–	–	–	2	1	2	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Ileus	1	1	2	1	–	–	–	1	–	2	–	–	–	–	–	–
Intussusception	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	2	1	3	1	2	3	3	2	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	2	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Jaundice	–	–	3	–	2	–	2	–	–	–	1	–	–	–	–	–
Liver Disease	2	4	6	5	4	8	3	1	2	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	2	–	–	2	3	2	1	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	2	–	–	1	3	3	–	3	1	–	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Joint Disease	–	–	2	1	–	–	–	–	–	–	1	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	2	2	–	2	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Burns and Scalds	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	4	6	2	2	–	2	–	–	–	–	–	–	–	–	1
Fracture and Contusion	10	6	9	7	6	8	–	1	3	1	–	–	1	1	–	–
Wounds	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	1
Not Specified	6	3	7	5	5	2	5	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	5396	455	172	461	726	356	232	191	324	108	166	211	202
SPECIFIED CAUSES	5249	405	156	448	711	346	229	189	317	106	163	209	200
I. Zymotic Class	1603	45	55	198	354	206	151	122	183	40	21	39	36
II. Diseases of Uncertain Seat	192	2	1	1	4	3	3	4	4	1	3	5	5
III. Tubercular Class	1007	11	19	68	103	51	31	25	60	40	102	106	81
IV. Brain and Nervous System	328	40	13	22	22	11	12	6	18	8	4	9	7
V. Organs of Circulation	160	1	–	–	1	–	1	–	1	–	6	8	11
VI. Respiratory Organs	704	20	29	83	100	47	25	21	27	8	9	10	14
VII. Organs of Digestion	427	41	19	57	104	22	1	6	11	2	7	12	13
VIII. Urinary Organs	29	–	–	–	–	–	–	–	–	1	1	3	6
IX. Organs of Generation	86	–	–	–	–	–	–	–	–	1	6	9	21
X. Organs of Locomotion	14	–	–	–	1	–	–	2	1	3	1	3	–
XI. Skin, etc.	6	–	–	–	2	–	–	–	–	–	–	–	–
XII. Malformation	6	5	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	256	225	15	16	–	–	–	–	–	–	–	–	–
XIV. Atrophy	48	–	–	–	15	4	3	–	3	1	–	1	2
XV. Age	284	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	9	4	2	–	–	–	–	–	–	–	–	1	–
XVII. Violent Deaths	90	11	3	2	5	2	2	3	9	1	3	3	4
I. Small Pox	100	4	9	13	14	11	11	8	13	1	1	4	7
Measles	74	2	–	7	33	15	4	8	3	1	–	–	–
Scarlatina	388	1	4	22	66	76	58	49	86	16	4	2	2
Diphtheria	16	1	–	3	3	3	1	2	1	–	2	–	–
Hooping Cough	503	9	25	116	168	70	45	31	38	–	1	–	–
Croup	59	2	–	6	13	15	9	9	5	–	–	–	–
Thrush	3	1	–	1	–	–	1	–	–	–	–	–	–
Diarrhœa	135	15	13	13	36	6	2	5	3	–	–	1	4
Dysentery	33	–	1	3	4	1	–	–	–	1	1	2	1
Cholera	14	1	–	2	2	–	2	–	2	–	–	1	–
Influenza	11	–	–	1	2	–	–	–	1	–	–	–	1
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	–	1	1	–	–	–	–	–
Infantile Fever	7	–	–	6	–	–	–	1	–	–	–	–	–
Typhus	201	1	1	3	11	8	17	8	30	21	11	17	12
Metria	31	–	–	–	–	–	–	–	–	–	1	9	8
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	15	5	–	–	1	1	–	–	1	–	–	2	1
Syphilis	10	3	2	2	1	–	–	–	–	–	–	1	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	8	1	1	–	–	1	–	–	–	–	1	–	–
Dropsy	78	–	–	1	2	–	3	3	4	1	1	4	2
Abscess	9	1	–	–	–	–	–	1	–	–	1	1	1
Ulcer	2	–	–	–	–	1	–	–	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	7	–	–	–	2	1	–	–	–	–	–	–	–
Cancer	86	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	28	–	1	3	2	2	2	–	6	2	4	2	1
Tabes Mesenterica	61	6	5	7	15	7	5	2	5	2	3	2	–
Phthisis	765	1	5	15	43	26	13	13	33	34	95	102	80
Hydrocephalus	153	4	8	43	43	16	11	10	16	2	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	201	186	188	145	179	154	191	155	143	117	82	27	13	5	2	4
SPECIFIED CAUSES	200	184	184	143	176	151	184	155	143	117	82	27	13	5	2	4
Zymotic Class	30	26	16	5	9	13	16	12	15	7	1	1	2	–	–	–
Uncertain Seat	11	12	19	19	23	15	23	13	9	6	6	–	–	–	–	–
Tubercular Class	75	61	56	41	33	23	13	3	3	1	1	–	–	–	–	–
Brain, etc.	12	11	10	12	18	18	22	17	19	10	7	–	–	–	–	–
Heart, etc.	10	11	18	12	15	15	24	14	7	5	–	–	–	–	–	–
Respiratory Organs	27	22	26	28	49	33	43	39	22	17	4	1	–	–	–	–
Digestive Organs	8	16	20	16	15	17	13	14	6	4	2	1	–	–	–	–
Urinary Organs	4	1	3	2	2	2	1	2	1	–	–	–	–	–	–	–
Generative Organs	14	18	7	1	3	1	2	1	1	–	1	–	–	–	–	–
Locomotive Organs	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Skin	1	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	4	6	8	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	23	37	60	67	56	24	10	5	2	–
Sudden Deaths	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Violent Deaths	5	6	8	3	2	5	3	2	–	–	3	–	1	–	–	4
Small Pox	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	9	1	–	2	3	5	2	7	4	1	–	2	–	–	–
Dysentery	3	1	1	1	1	5	2	1	2	1	–	1	–	–	–	–
Cholera	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	1	–	–	–	–	–	3	2	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	16	7	7	4	5	3	9	7	3	–	–	–	–	–	–	–
Metria	5	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–
Syphilis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Dropsy	4	2	3	10	5	7	9	7	5	3	2	–	–	–	–	–
Abscess	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–
Cancer	4	8	15	8	17	7	13	5	4	1	3	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis	74	61	55	40	33	22	12	3	3	1	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	25	–	3	4	4	1	2	1	2	3	3	–	–
Apoplexy	68	–	2	–	2	–	3	–	2	1	–	–	1
Paralysis	63	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	16	–	–	–	–	–	–	–	–	–	–	5	4
Tetanus	1	–	–	–	–	–	–	–	1	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	91	40	8	14	12	7	3	3	4	–	–	–	–
Brain Disease	61	–	–	4	4	3	4	2	9	4	1	4	2
V. Pericarditis	5	–	–	–	–	–	1	–	–	–	–	–	1
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	155	1	–	–	1	–	–	–	1	–	6	8	10
VI. Laryngitis	14	2	1	2	3	–	2	–	2	–	–	–	–
Bronchitis	380	8	15	47	52	22	12	9	13	3	3	4	7
Pleurisy	13	–	1	1	–	–	–	–	–	–	1	–	1
Pneumonia	211	10	12	33	44	24	10	11	12	5	5	4	4
Asthma	56	–	–	–	–	–	–	–	–	–	–	1	1
Lung Disease	30	–	–	–	1	1	1	1	–	–	–	1	1
VII. Teething	138	–	4	45	78	11	–	–	–	–	–	–	–
Quinsey	7	2	1	–	2	1	–	–	–	–	–	–	1
Gastritis	10	–	–	–	1	1	–	–	–	–	–	–	–
Enteritis	105	26	8	9	18	3	–	4	6	1	2	2	5
Peritonitis	19	1	1	–	–	–	1	–	1	–	–	–	3
Ascites	7	–	–	–	1	–	–	1	1	–	1	1	–
Ulceration of Intestines	6	–	–	–	–	1	–	–	1	–	1	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	9	–	1	–	–	–	–	–	–	–	1	–	2
Intussusception	2	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	3	1	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	61	8	1	3	3	4	–	1	2	–	2	6	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	14	1	1	–	–	–	–	–	–	–	–	1	–
Jaundice	10	2	–	–	1	1	–	–	–	–	–	1	1
Liver Disease	34	–	–	–	–	–	–	–	–	1	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	12	–	–	–	–	–	–	–	–	–	–	1	4
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	3	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	1	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	12	–	–	–	–	–	–	–	–	1	–	2	2
IX. Paramenia	4	–	–	–	–	–	–	–	–	1	3	–	–
Ovarian Dropsy	8	–	–	–	–	–	–	–	–	–	–	2	1
Childbirth	65	–	–	–	–	–	–	–	–	–	3	7	20
Organs of Generation	9	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	1	–
Joint and Bone Disease	12	–	–	–	1	–	–	2	1	3	1	2	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	4	–	–	–	2	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	4	3	–	1	–	–	–	–	–	–	–	–	–
Other Malformations	2	2	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	8	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	9	6	2	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	6	1	–	–	–	–	–	–	–	–	1	1	1
Burns and Scalds	20	–	–	–	3	1	1	1	7	1	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	9	3	1	1	1	1	–	–	–	–	1	–	–
Drowning	9	–	–	–	–	–	–	–	–	–	–	1	2
Fracture and Contusion	18	–	–	–	1	–	1	2	2	–	1	–	–
Wounds	3	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Causes	7	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	147	50	16	13	15	10	3	2	7	2	3	2	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	7	2	4	6	7	8	7	6	6	2	2	–	–	–	–	–
Paralysis	2	2	2	3	7	8	10	7	10	7	5	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	2	–	–	–	–	1	1	1	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	5	4	2	3	2	3	2	1	–	–	–	–	–	–	–
Pericarditis	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	10	10	18	12	15	14	24	14	6	5	–	–	–	–	–	–
Laryngitis	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	15	10	13	15	35	23	21	23	15	13	1	1	–	–	–	–
Pleurisy	2	–	1	2	–	1	–	2	1	–	–	–	–	–	–	–
Pneumonia	3	4	6	3	3	3	6	5	1	1	2	–	–	–	–	–
Asthma	1	2	5	5	9	3	15	7	4	2	1	–	–	–	–	–
Lung Disease	6	6	1	2	2	3	1	1	1	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	2	1	1	1	–	1	–	–	1	–	–	–	–	–
Enteritis	3	6	5	2	3	–	–	1	1	–	–	–	–	–	–	–
Peritonitis	3	2	1	2	–	2	1	1	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	1	1	–	–	2	1	–	–	–	–	–
Intussusception	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stomach Disease	–	5	7	1	3	5	2	4	2	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	3	1	2	2	–	2	–	1	–	–	–	–	–	–
Jaundice	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–
Liver Disease	–	2	2	9	3	3	5	4	3	–	–	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	1	1	1	1	–	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
Childbirth	13	15	6	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	2	–	–	3	1	1	1	1	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Joint Disease	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	2	3	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	–	–	–	3	–	1	–	–	–	–	1	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	1	–	1	1	2	–	–	–	–	–	–	–	–	1
Fracture and Contusion	2	2	–	1	1	1	1	1	–	–	2	–	–	–	–	–
Wounds	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	3
Not Specified	1	2	4	2	3	3	7	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	1250	100	41	99	165	94	49	41	75	29	32	43	36
Specified Causes	1162	75	34	87	154	84	47	41	67	28	29	41	35
I. Zymotic Class	358	6	9	37	87	57	30	27	40	10	7	2	7
II. Diseases of Uncertain Seat	47	2	–	–	4	–	1	–	3	2	2	1	–
III. Tubercular Class	193	1	3	22	18	9	3	4	14	9	11	22	18
IV. Brain and Nervous System	103	5	3	2	4	1	1	2	2	1	2	3	2
V. Organs of Circulation	38	2	–	–	–	–	–	1	–	–	1	1	1
VI. Respiratory Organs	154	5	4	12	24	11	6	4	3	2	2	5	1
VII. Organs of Digestion	67	2	4	8	11	3	3	1	2	2	1	3	–
VIII. Urinary Organs	8	–	–	–	1	–	–	1	2	–	1	–	1
IX. Organs of Generation	8	–	–	–	–	–	–	–	–	–	–	1	2
X. Organs of Locomotion	2	–	–	–	–	–	1	–	–	–	–	–	–
XI. Skin, etc.	2	1	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	60	48	10	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	15	–	–	–	5	2	1	–	–	–	–	–	–
XV. Age	71	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	35	2	1	3	–	1	1	1	1	2	2	3	3
I. Small Pox	15	–	1	2	3	1	–	2	1	2	1	–	–
Measles	22	1	–	–	14	5	1	1	–	–	–	–	–
Scarlatina	129	–	1	9	24	28	19	17	28	3	–	–	–
Diphtheria	8	–	–	2	4	–	–	1	–	–	–	–	–
Hooping Cough	56	1	3	14	23	9	3	1	2	–	–	–	–
Croup	23	–	1	1	7	6	4	3	1	–	–	–	–
Thrush	1	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	33	1	2	5	6	3	1	1	–	–	2	–	–
Dysentery	13	–	–	2	1	–	–	–	–	1	–	–	–
Cholera	1	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	45	–	–	2	2	5	2	1	8	3	4	2	5
Metria	5	–	–	–	–	–	–	–	–	–	–	–	2
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	4	1	–	–	1	–	–	–	–	1	–	–	–
Syphilis	2	2	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	1	–	–	–	–	–	–	–	–	1	–	–
Dropsy	24	–	–	–	1	–	1	–	3	1	1	1	–
Abscess	3	1	–	–	1	–	–	–	–	1	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	–	–	–	2	–	–	–	–	–	–	–	–
Cancer	12	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	11	–	–	1	1	–	–	–	1	1	–	1	1
Tabes Mesenterica	18	1	–	1	6	–	1	–	4	3	1	–	–
Phthisis	128	–	1	7	1	3	2	1	7	5	10	21	17
Hydrocephalus	36	–	2	13	10	6	–	3	2	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	50	42	45	39	42	31	47	45	41	25	21	11	5	1	–	1
Specified Causes	50	41	41	39	41	31	47	45	41	25	21	11	5	1	–	1
Zymotic Class	4	6	9	5	4	3	2	3	2	1	–	–	–	–	–	–
Uncertain Seat	2	4	3	2	3	2	3	4	4	3	1	1	–	–	–	–
Tubercular Class	19	10	8	8	7	2	2	1	2	–	–	–	–	–	–	–
Brain, etc.	8	6	7	10	6	9	8	10	4	3	4	–	–	–	–	–
Heart, etc.	5	3	2	1	2	4	5	5	1	3	1	–	–	–	–	–
Respiratory Organs	4	5	4	7	9	6	14	8	12	3	2	1	–	–	–	–
Digestive Organs	2	4	2	6	3	2	4	1	2	1	–	–	–	–	–	–
Urinary Organs	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Generative Organs	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	2	–	4	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	7	12	13	11	13	9	5	1	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	5	–	3	–	3	–	2	–	1	–	–	–	–	–	–	1
Small Pox	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	4	1	–	–	1	3	1	1	–	–	–	–	–	–
Dysentery	1	1	2	2	1	1	–	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	3	3	1	1	2	1	–	–	–	–	–	–	–	–	–
Metria	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	3	2	–	1	3	1	3	–	1	1	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Cancer	1	3	–	–	2	1	–	2	1	2	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Phthisis	18	10	7	7	6	2	2	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1859.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	8	–	–	–	–	1	–	–	1	1	–	2	–
Apoplexy	31	1	–	–	1	–	–	1	1	–	–	–	1
Paralysis	19	–	–	–	–	–	–	–	–	–	–	1	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	9	–	–	–	–	–	–	–	–	–	1	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	10	4	2	2	1	–	–	1	–	–	–	–	–
Brain Disease	22	–	1	–	2	–	1	–	–	–	1	–	–
V. Pericarditis	2	2	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	34	–	–	–	–	–	–	1	–	–	1	1	1
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	81	4	2	8	9	5	4	1	1	1	1	–	–
Pleurisy	4	–	–	–	–	–	–	–	–	1	–	2	–
Pneumonia	55	1	2	4	13	6	2	3	2	–	1	3	1
Asthma	10	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	4	–	–	–	2	–	–	–	–	–	–	–	–
VII. Teething	21	–	2	8	9	2	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	15	2	1	–	1	1	1	–	2	–	1	–	–
Peritonitis	9	–	–	–	1	–	1	1	–	1	–	2	–
Ascites	4	–	–	–	–	–	1	–	–	1	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	5	–	–	–	–	–	–	–	–	–	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	1	–	–	–	1	–	–	–	–
Nephria	3	–	–	–	–	–	–	1	1	–	–	–	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	1	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	8	–	–	–	–	–	–	–	–	–	–	1	2
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	1	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	1	–	1	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	5	2	1	2	–	–	–	–	–	–	–	–	–
Neglect	1	–	–	1	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	1	–
Poison	2	–	–	–	–	–	1	–	–	–	–	–	1
Burns and Scalds	2	–	–	–	–	–	–	–	1	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	4	–	–	–	–	1	–	–	–	–	1	–	–
Drowning	6	–	–	–	–	–	–	1	–	1	–	–	–
Fracture and Contusion	10	–	–	–	–	–	–	–	–	1	1	1	2
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	88	25	7	12	11	10	2	–	8	1	3	2	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1859.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	2	–	5	1	1	1	4	5	3	1	3	–	–	–	–	–
Paralysis	–	1	1	1	2	5	1	4	–	2	1	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	1	–	4	–	1	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	3	1	3	2	2	3	1	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	5	2	2	1	2	3	5	5	1	3	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	3	3	1	4	5	8	6	7	3	2	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pneumonia	2	1	1	1	4	1	3	1	3	–	–	–	–	–	–	–
Asthma	–	1	–	4	1	–	2	1	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	4	–	–	1	1	–	–	–	–	–	–	–	–
Peritonitis	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Liver Disease	–	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Drowning	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	3	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Not Specified	–	1	4	–	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	639	54	23	59	84	48	25	21	43	12	15	18	16
SPECIFIED CAUSES	588	38	20	53	76	42	24	21	39	12	13	17	15
I. Zymotic Class	179	4	5	22	45	28	12	14	20	2	1	2	4
II. Diseases of Uncertain Seat	24	1	–	–	2	–	1	–	2	1	1	1	–
III. Tubercular Class	91	–	1	12	14	5	3	1	10	4	4	5	5
IV. Brain and Nervous System	54	2	3	2	1	1	–	1	1	1	1	2	2
V. Organs of Circulation	23	–	–	–	–	–	–	1	–	–	–	1	1
VI. Respiratory Organs	81	4	2	8	7	5	4	2	2	–	2	3	1
VII. Organs of Digestion	36	1	2	6	6	1	2	1	2	2	1	1	–
VIII. Urinary Organs	7	–	–	–	1	–	–	1	2	–	1	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	2	–	–	–	–	–	1	–	–	–	–	–	–
XI. Skin, etc.	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	32	23	7	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	4	–	–	–	–	1	1	–	–	–	–	–	–
XV. Age	29	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	25	2	–	1	–	1	–	–	–	2	2	2	2
I. Small Pox	7	–	1	1	–	–	–	1	1	1	–	–	–
Measles	12	1	–	–	7	3	–	1	–	–	–	–	–
Scarlatina	58	–	–	8	11	12	6	7	14	–	–	–	–
Diphtheria	4	–	–	2	2	–	–	–	–	–	–	–	–
Hooping Cough	29	1	1	6	13	5	1	1	1	–	–	–	–
Croup	15	–	1	–	4	5	3	2	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	22	–	1	4	6	2	1	1	–	–	–	–	–
Dysentery	5	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	1	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	20	–	–	1	–	1	1	1	4	–	1	2	4
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	4	1	–	–	1	–	–	–	–	1	–	–	–
Syphilis	1	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	14	–	–	–	1	–	1	–	2	–	1	1	–
Abscess	3	1	–	–	1	–	–	–	–	1	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	4	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	1	1	–	–	–	1	–	–	1	–
Tabes Mesenterica	13	–	–	1	6	–	1	–	2	2	–	–	–
Phthisis	51	–	–	3	–	2	2	–	5	2	4	4	5
Hydrocephalus	21	–	1	7	7	3	–	1	2	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	19	18	26	20	20	21	28	25	20	8	8	5	1	1	–	1
SPECIFIED CAUSES	19	17	25	20	19	21	28	25	20	8	8	5	1	1	–	1
Zymotic Class	1	2	5	3	3	1	1	2	1	1	–	–	–	–	–	–
Uncertain Seat	1	2	1	1	1	1	2	2	3	–	–	1	–	–	–	–
Tubercular Class	2	7	5	4	5	1	–	1	2	–	–	–	–	–	–	–
Brain, etc.	4	2	5	6	1	6	5	4	2	1	1	–	–	–	–	–
Heart, etc.	3	2	2	–	–	3	4	3	–	2	1	–	–	–	–	–
Respiratory Organs	2	1	2	3	6	5	9	4	5	2	1	1	–	–	–	–
Digestive Organs	1	1	2	3	1	1	1	–	1	–	–	–	–	–	–	–
Urinary Organs	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	8	5	2	5	3	1	1	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	5	–	3	–	1	–	2	–	1	–	–	–	–	–	–	1
Small Pox	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	2	–	–	–	1	2	1	1	–	–	–	–	–	–
Dysentery	1	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	1	1	–	–	2	–	3	–	–	1	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	–	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Phthisis	2	7	5	4	4	1	–	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	6	–	–	–	–	1	–	–	1	1	–	2	–
Apoplexy	16	1	–	–	–	–	–	–	–	–	–	–	1
Paralysis	8	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	7	1	2	2	1	–	–	1	–	–	–	–	–
Brain Disease	9	–	1	–	–	–	–	–	–	–	1	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	23	–	–	–	–	–	–	1	–	–	–	1	1
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	44	3	1	5	6	2	3	1	–	–	1	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	1	–
Pneumonia	30	1	1	3	1	3	1	1	2	–	1	2	1
Asthma	6	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	11	–	–	6	5	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	9	1	1	–	1	1	1	–	2	–	1	–	–
Peritonitis	4	–	–	–	–	–	–	1	–	1	–	–	–
Ascites	2	–	–	–	–	–	1	–	–	1	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	3	–	–	–	–	–	–	–	–	–	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	1	–	–	–	1	–	–	–	–
Nephria	2	–	–	–	–	–	–	1	1	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	1	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	1	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–
Neglect	1	–	–	1	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	1	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	–	–	–	–	1	–	–	–	–	1	–	–
Drowning	4	–	–	–	–	–	–	–	–	1	–	–	–
Fracture and Contusion	10	–	–	–	–	–	–	–	–	1	1	1	2
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	51	16	3	6	8	6	1	–	4	–	2	1	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	5	–	–	1	3	1	2	–	1	–	–	–	–	–
Paralysis	–	–	–	–	1	4	–	2	–	1	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	–	1	–	1	2	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	2	2	–	–	3	4	3	–	2	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	2	1	1	4	4	2	2	2	1	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	–	–	–	4	1	3	1	3	–	–	–	–	–	–	–
Asthma	–	–	–	2	1	–	2	1	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Pancreas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	3	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Not Specified	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	611	46	18	40	81	46	24	20	32	17	17	25	20
SPECIFIED CAUSES	574	37	14	34	78	42	23	20	28	16	16	24	20
I. Zymotic Class	179	2	4	15	42	29	18	13	20	8	6	–	3
II. Diseases of Uncertain Seat	23	1	–	–	2	–	–	–	1	1	1	–	–
III. Tubercular Class	102	1	2	10	4	4	–	3	4	5	7	17	13
IV. Brain and Nervous System	49	3	–	–	3	–	1	1	1	–	1	1	–
V. Organs of Circulation	15	2	–	–	–	–	–	–	–	–	1	–	–
VI. Respiratory Organs	73	1	2	4	17	6	2	2	1	2	–	2	–
VII. Organs of Digestion	31	1	2	2	5	2	1	–	–	–	–	2	–
VIII. Urinary Organs	1	–	–	–	–	–	–	–	–	–	–	–	1
IX. Organs of Generation	8	–	–	–	–	–	–	–	–	–	–	1	2
X. Organs of Locomotion	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	1	–	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	28	25	3	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	11	–	–	–	5	1	–	–	–	–	–	–	–
XV. Age	42	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	10	–	1	2	–	–	1	1	1	–	–	1	1
I. Small Pox	8	–	–	1	3	1	–	1	–	1	1	–	–
Measles	10	–	–	–	7	2	1	–	–	–	–	–	–
Scarlatina	71	–	1	1	13	16	13	10	14	3	–	–	–
Diphtheria	4	–	–	–	2	–	–	1	–	–	–	–	–
Hooping Cough	27	–	2	8	10	4	2	–	1	–	–	–	–
Croup	8	–	–	1	3	1	1	1	1	–	–	–	–
Thrush	1	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	11	1	1	1	–	1	–	–	–	–	2	–	–
Dysentery	8	–	–	2	1	–	–	–	–	1	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	25	–	–	1	2	4	1	–	4	3	3	–	1
Metria	5	–	–	–	–	–	–	–	–	–	–	–	2
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	1	–	–	–	–	–	–	–	–	1	–	–
Dropsy	10	–	–	–	–	–	–	–	1	1	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	2	–	–	–	–	–	–	–	–
Cancer	8	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	5	–	–	–	–	–	–	–	–	1	–	–	1
Tabes Mesenterica	5	1	–	–	–	–	–	–	2	1	1	–	–
Phthisis	77	–	1	4	1	1	–	1	2	3	6	17	12
Hydrocephalus	15	–	1	6	3	3	–	2	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	31	24	19	19	22	10	19	20	21	17	13	6	4	–	–	–
SPECIFIED CAUSES	31	24	16	19	22	10	19	20	21	17	13	6	4	–	–	–
Zymotic Class	3	4	4	2	1	2	1	1	1	–	–	–	–	–	–	–
Uncertain Seat	1	2	2	1	2	1	1	2	1	3	1	–	–	–	–	–
Tubercular Class	17	3	3	4	2	1	2	–	–	–	–	–	–	–	–	–
Brain, etc.	4	4	2	4	5	3	3	6	2	2	3	–	–	–	–	–
Heart, etc.	2	1	–	1	2	1	1	2	1	1	–	–	–	–	–	–
Respiratory Organs	2	4	2	4	3	1	5	4	7	1	1	–	–	–	–	–
Digestive Organs	1	3	–	3	2	1	3	1	1	1	–	–	–	–	–	–
Urinary Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Generative Organs	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	2	–	3	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	4	8	9	8	6	4	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	2	1	–	–	–	1	–	–	–	–	–	–	–	–
Dysentery	–	1	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	2	1	–	–	2	1	–	–	–	–	–	–	–	–	–
Metria	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	2	1	–	1	1	1	–	–	1	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cancer	1	1	–	–	2	–	–	1	1	2	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	16	3	2	3	2	1	2	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	15	–	–	–	1	–	–	1	1	–	–	–	–
Paralysis	11	–	–	–	–	–	–	–	–	–	–	1	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	–	–	–	–	–	–	–	1	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	3	3	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	13	–	–	–	2	–	1	–	–	–	–	–	–
V. Pericarditis	2	2	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	11	–	–	–	–	–	–	–	–	–	1	–	–
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	37	1	1	3	3	3	1	–	1	1	–	–	–
Pleurisy	3	–	–	–	–	–	–	–	–	1	–	1	–
Pneumonia	25	–	1	1	12	3	1	2	–	–	–	1	–
Asthma	4	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	4	–	–	–	2	–	–	–	–	–	–	–	–
VII. Teething	10	–	2	2	4	2	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	6	1	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	5	–	–	–	1	–	1	–	–	–	–	2	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	8	–	–	–	–	–	–	–	–	–	–	1	2
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	1	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	–	1	2	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	1	–	–	–	–	–	1
Burns and Scalds	1	–	–	–	–	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	1	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	37	9	4	6	3	4	1	–	4	1	1	1	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	–	1	1	–	1	4	1	1	2	–	–	–	–	–
Paralysis	–	1	1	1	1	1	1	2	–	1	1	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	2	1	2	2	1	1	–	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	–	–	1	2	–	1	2	1	1	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	2	1	–	3	1	4	4	5	1	1	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pneumonia	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Asthma	–	1	–	2	–	–	–	–	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	3	–	–	1	1	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Liver Disease	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1859.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	3703	362	121	219	279	141	88	47	125	66	106	159	160
SPECIFIED CAUSES	3651	340	115	214	277	141	87	47	124	66	106	159	158
I. Zymotic Class	677	34	31	78	110	65	46	29	45	21	20	29	24
II. Diseases of Uncertain Seat	163	4	–	1	1	3	–	–	4	1	4	4	5
III. Tubercular Class	697	13	21	43	48	37	18	7	32	16	52	66	63
IV. Brain and Nervous System	387	39	5	16	10	6	2	3	12	6	8	5	11
V. Organs of Circulation	238	1	–	2	–	–	2	1	6	10	8	10	17
VI. Respiratory Organs	503	22	35	39	45	16	11	2	11	4	1	16	16
VII. Organs of Digestion	280	26	10	26	41	5	4	2	4	2	3	9	8
VIII. Urinary Organs	68	–	–	–	–	2	1	–	–	2	3	4	1
IX. Organs of Generation	38	–	–	–	–	–	–	–	–	–	1	6	6
X. Organs of Locomotion	19	–	–	–	–	–	–	–	2	2	2	2	–
XI. Skin, etc.	4	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	17	15	1	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	194	179	8	7	–	–	–	–	–	–	–	–	–
XIV. Atrophy	41	–	–	–	21	4	1	2	4	1	–	1	1
XV. Age	215	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	110	6	4	1	1	3	2	1	4	1	4	7	6
I. Small Pox	167	11	12	21	28	27	15	7	12	3	6	9	5
Measles	13	–	1	2	7	3	–	–	–	–	–	–	–
Scarlatina	39	–	–	2	4	9	5	6	7	2	1	–	1
Diphtheria	9	1	1	–	–	1	2	1	1	–	–	1	–
Hooping Cough	134	2	8	37	47	16	12	5	7	–	–	–	–
Croup	27	4	1	3	11	2	4	2	–	–	–	–	–
Thrush	1	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	55	9	6	7	5	–	1	1	1	2	1	–	–
Dysentery	25	–	–	–	–	–	–	2	–	1	–	–	–
Cholera	7	1	–	2	–	–	–	–	–	–	–	–	–
Influenza	3	1	–	–	1	–	–	–	–	–	–	–	–
Purpura	2	–	–	1	–	–	–	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	1	–	–	1	–	–	–	–
Infantile Fever	3	–	–	–	2	–	1	–	–	–	–	–	–
Typhus	125	–	–	1	5	6	5	5	15	9	4	13	6
Metria	19	–	–	–	–	–	–	–	–	–	1	3	10
Rheumatic Fever	5	–	–	–	–	–	–	–	–	2	–	–	–
Erysipelas	35	2	1	1	–	–	1	–	–	2	7	2	2
Syphilis	6	3	1	–	–	–	–	–	–	–	–	1	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	8	2	–	–	–	–	–	–	–	–	–	–	–
Dropsy	30	–	–	–	1	1	–	–	2	–	1	1	1
Abscess	12	1	–	–	–	2	–	–	2	–	1	–	1
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	4	–	–	–	–	–	–	–	–	–	–	2	1
Mortification	18	–	–	1	–	–	–	–	–	1	1	–	1
Cancer	87	1	–	–	–	–	–	–	–	–	1	1	1
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	27	–	–	5	2	–	2	1	1	1	5	1	1
Tabes Mesenterica	51	11	4	8	6	6	4	2	7	1	1	–	–
Phthisis	482	–	3	1	5	7	1	–	8	13	46	64	62
Hydrocephalus	137	2	14	29	35	24	11	4	16	1	–	1	–

CASUES of DEATH in EDINBURGH, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	165	176	145	161	149	168	179	177	180	157	103	42	20	6	–	2
Specified Causes	162	174	142	160	148	167	177	177	180	157	103	42	20	6	–	2
Zymotic Class	14	13	14	10	9	12	16	16	18	13	7	1	2	–	–	–
Uncertain Seat	9	12	7	15	11	18	23	16	13	8	1	1	2	–	–	–
Tubercular Class	63	58	46	36	22	27	17	9	1	2	–	–	–	–	–	–
Brain, etc.	16	24	17	24	16	21	29	27	38	26	17	8	–	1	–	–
Heart, etc.	18	17	19	16	21	20	15	25	10	16	4	–	–	–	–	–
Respiratory Organs	11	17	19	18	36	36	35	43	32	20	13	4	1	–	–	–
Digestive Organs	7	11	9	19	14	17	15	17	16	8	5	2	–	–	–	–
Urinary Organs	4	6	5	7	5	5	5	4	3	7	4	–	–	–	–	–
Generative Organs	7	8	1	2	4	2	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	2	–	2	–	2	2	–	1	1	–	–	–	–	–	–
Skin	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	1	1	–	2	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	7	15	42	54	52	26	14	5	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	11	4	4	11	7	6	12	4	6	2	–	–	1	–	–	2
Small Pox	4	4	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	3	1	–	–	1	3	3	5	4	–	1	1	–	–	–
Dysentery	–	–	–	–	1	2	8	3	4	3	–	–	1	–	–	–
Cholera	1	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	3	8	8	5	7	4	6	4	3	4	–	–	–	–	–
Metria	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	1	1	2	–	3	5	2	2	–	–	–	–	–
Syphilis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	–	1	–	–	–	1	2	–	–	–	–	–	–	–
Dropsy	2	2	2	–	3	5	1	3	2	2	1	–	–	–	–	–
Abscess	3	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Fistula	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	2	–	1	1	4	2	–	1	2	–	–	–
Cancer	3	8	5	13	6	12	19	8	5	4	–	–	–	–	–	–
Gout	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Scrofula	–	3	1	–	2	1	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	63	55	44	36	20	26	16	9	1	2	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1859.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	21	–	2	2	3	–	–	2	1	2	–	1	1
Apoplexy	74	–	–	–	–	–	–	–	1	–	3	–	1
Paralysis	102	–	–	–	–	–	–	–	2	–	1	–	2
Delirium Tremens	7	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	16	–	–	–	–	–	–	–	1	1	–	3	–
Tetanus	5	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	7	–	–	–	–	–	–	–	–	–	–	–	2
Convulsions	62	36	2	12	7	3	2	–	–	–	–	–	–
Brain Disease	93	2	1	2	–	3	–	1	7	3	4	1	5
V. Pericarditis	6	–	–	–	–	–	1	–	1	–	1	–	1
Aneurism	14	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	218	1	–	2	–	–	1	1	5	10	7	10	15
VI. Laryngitis	10	–	1	3	–	1	–	–	1	–	–	–	–
Bronchitis	264	13	24	23	29	4	6	1	2	1	–	5	4
Pleurisy	25	–	1	–	2	1	–	–	2	1	–	4	2
Pneumonia	116	9	8	13	12	9	4	1	2	2	1	5	6
Asthma	44	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	44	–	1	–	2	1	1	–	4	–	–	2	4
VII. Teething	49	–	3	17	27	1	1	–	–	–	–	–	–
Quinsey	7	2	1	–	2	–	–	–	–	–	–	–	–
Gastritis	8	–	–	–	–	–	–	–	–	–	–	1	–
Enteritis	49	14	3	4	8	2	1	1	1	–	–	1	2
Peritonitis	19	1	–	–	1	–	–	–	1	2	2	2	1
Ascites	5	–	–	–	–	–	–	–	–	–	–	1	–
Ulceration of Intestines	12	–	–	–	–	1	–	–	–	–	–	–	1
Hernia	5	–	–	–	–	–	–	–	–	–	–	1	–
Ileus	11	–	1	2	–	–	–	–	–	–	–	–	–
Intussusception	2	1	–	–	–	–	–	–	–	–	–	–	1
Stricture of Intestines	6	–	–	–	–	–	–	–	–	–	–	1	–
Stomach Disease	58	5	2	3	2	–	1	1	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	10	3	–	–	1	1	–	–	–	–	1	–	–
Liver Disease	33	–	–	–	–	–	1	–	2	–	–	1	1
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	26	–	–	–	–	–	–	–	–	1	3	–	1
Ischuria	3	–	–	–	–	–	–	–	–	–	–	1	–
Diabetes	4	–	–	–	–	–	–	–	–	–	–	1	–
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	29	–	–	–	–	2	1	–	–	1	–	2	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	1	–
Ovarian Dropsy	6	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	20	–	–	–	–	–	–	–	–	–	1	4	5
Organs of Generation	11	–	–	–	–	–	–	–	–	–	–	1	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	7	–	–	–	–	–	–	–	1	–	–	1	–
Joint and Bone Disease	11	–	–	–	–	–	–	–	1	2	2	1	–
XI. Carbuncle	3	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	5	5	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	3	3	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	9	7	1	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	14	–	–	–	–	–	–	–	–	–	–	–	2
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	3	–	–	–	–	–	–	–	–	–	–	–
Neglect	2	1	1	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	1	–	–	–	1	–	–	–	–	–	–	–
Burns and Scalds	11	–	–	1	1	–	1	1	–	–	–	1	–
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	2	–	–
Suffocation	7	1	3	–	–	–	–	–	–	1	–	–	–
Drowning	4	–	–	–	–	–	–	–	–	–	1	–	–
Fracture and Contusion	44	–	–	–	–	2	1	–	2	–	1	4	2
Wounds	9	–	–	–	–	–	–	–	1	–	–	–	1
Other Violent Causes	11	–	–	–	–	–	–	–	1	–	–	2	1
Not Specified	52	22	6	5	2	–	1	–	1	–	–	–	2

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1859.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	2	2	1	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	1	2	3	10	6	8	8	6	13	6	2	4	–	–	–	–
Paralysis	1	5	3	3	4	4	14	12	18	16	12	4	–	1	–	–
Delirium Tremens	2	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	1	1	–	–	2	–	–	1	2	–	–	–	–	–	–
Tetanus	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	2	–	1	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	6	12	5	7	3	6	7	7	6	2	3	–	–	–	–	–
Pericarditis	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	4	2	–	3	2	1	–	–	–	–	–	–	–	–	–
Heart Disease	17	11	17	16	18	18	14	25	10	16	4	–	–	–	–	–
Laryngitis	1	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Bronchitis	4	3	8	7	18	15	22	29	20	13	10	3	–	–	–	–
Pleurisy	–	2	–	–	3	1	3	3	–	–	–	–	–	–	–	–
Pneumonia	2	5	4	2	6	8	1	2	6	3	3	1	1	–	–	–
Asthma	2	4	2	4	3	9	8	5	4	3	–	–	–	–	–	–
Lung Disease	2	2	5	5	5	3	1	4	2	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Gastritis	–	–	–	2	2	–	–	1	–	1	–	1	–	–	–	–
Enteritis	1	1	3	2	–	2	1	2	–	–	–	–	–	–	–	–
Peritonitis	2	2	1	–	2	–	1	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	1	1	1	–	–	2	3	1	–	–	–	–	–	–
Hernia	–	1	–	–	–	–	1	1	–	–	1	–	–	–	–	–
Ileus	–	2	–	1	1	1	1	–	2	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	1	1	–	1	1	–	–	–	–	–	–	–
Stomach Disease	3	2	2	5	3	7	5	6	6	1	3	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
Liver Disease	–	1	2	6	4	5	3	1	2	2	1	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Nephria	3	5	2	4	3	1	1	2	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Diabetes	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
Stone	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cystitis	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	3	2	–	2	4	1	3	6	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	3	–	1	–	–	–	–	–	–	–	–	–
Childbirth	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	2	1	2	1	2	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	–	1	–	–	1	–	1	1	–	–	–	–	–	–
Joint Disease	1	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	1	4	–	5	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	1	–	4	–	–	–	1	–	–	–
Hanging, etc.	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1
Fracture and Contusion	5	2	3	6	3	4	2	3	2	2	–	–	–	–	–	–
Wounds	3	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	1	–	1	1	–	–	–	–	–	–	–	–	1
Not Specified	3	2	3	1	1	1	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1836	205	63	109	136	72	42	23	55	33	58	88	80
SPECIFIED CAUSES	1802	186	60	107	135	72	42	23	54	33	58	88	79
I. Zymotic Class	319	21	14	37	56	31	22	13	18	12	10	14	8
II. Diseases of Uncertain Seat	63	–	–	–	1	2	–	–	2	1	2	3	3
III. Tubercular Class	369	7	13	25	24	17	10	2	10	8	29	35	36
IV. Brain and Nervous System	215	24	5	7	7	3	1	2	7	2	5	2	7
V. Organs of Circulation	124	–	–	1	–	–	1	–	1	4	3	6	9
VI. Respiratory Organs	242	14	17	21	23	9	5	2	6	3	1	10	8
VII. Organs of Digestion	135	15	5	14	19	3	1	1	3	–	2	7	3
VIII. Urinary Organs	47	–	–	–	–	2	–	–	–	1	2	3	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	11	–	–	–	–	–	–	–	2	1	2	1	–
XI. Skin, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	8	7	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	101	97	2	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	14	–	–	–	4	3	–	2	2	1	–	–	–
XV. Age	78	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	74	1	3	–	1	2	2	1	3	–	2	7	5
I. Small Pox	85	6	4	12	13	15	7	4	5	1	4	5	5
Measles	5	–	–	1	4	–	–	–	–	–	–	–	–
Scarlatina	15	–	–	2	2	3	2	2	1	2	1	–	–
Diphtheria	4	1	–	–	–	–	1	–	–	–	–	1	–
Hooping Cough	65	1	6	16	24	7	4	3	4	–	–	–	–
Croup	16	4	1	2	5	2	2	–	–	–	–	–	–
Thrush	1	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	27	5	2	1	4	–	1	–	1	1	1	–	–
Dysentery	10	–	–	–	–	–	–	2	–	1	–	–	–
Cholera	3	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	2	1	–	–	1	–	–	–	–	–	–	–	–
Purpura	2	–	–	1	–	–	–	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Fever	2	–	–	–	1	–	1	–	–	–	–	–	–
Typhus	58	–	–	–	2	3	4	2	6	3	2	8	2
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	–	–	–	–	–	–	–	–	2	–	–	–
Erysipelas	17	1	–	–	–	–	–	–	–	2	2	–	1
Syphilis	3	1	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	14	–	–	–	1	1	–	–	1	–	1	–	1
Abscess	3	–	–	–	–	1	–	–	1	–	–	–	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	2	–
Mortification	8	–	–	–	–	–	–	–	–	1	–	–	1
Cancer	27	–	–	–	–	–	–	–	–	–	1	1	1
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	18	–	–	2	2	–	2	1	1	1	4	1	–
Tabes Mesenterica	21	5	2	5	2	3	2	–	2	–	–	–	–
Phthisis	259	–	1	1	1	3	1	–	3	6	25	33	36
Hydrocephalus	71	2	10	17	19	11	5	1	4	1	–	1	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	83	85	80	93	83	75	82	86	82	65	45	11	2	–	–	–
SPECIFIED CAUSES	81	85	77	92	83	75	81	86	82	65	45	11	2	–	–	–
Zymotic Class	3	6	9	7	3	4	4	7	10	7	3	–	–	–	–	–
Uncertain Seat	3	3	1	5	4	5	8	10	5	3	1	1	–	–	–	–
Tubercular Class	37	26	24	20	18	13	10	4	1	–	–	–	–	–	–	–
Brain, etc.	11	18	13	16	9	10	10	16	21	11	6	2	–	–	–	–
Heart, etc.	7	7	11	11	13	12	7	15	8	5	3	–	–	–	–	–
Respiratory Organs	3	10	9	8	23	16	16	14	11	7	5	1	–	–	–	–
Digestive Organs	5	6	3	9	5	7	8	9	5	1	3	1	–	–	–	–
Urinary Organs	3	3	3	5	4	4	4	2	3	5	3	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	2	–	1	–	–	2	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	5	17	24	21	6	2	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	9	3	3	10	3	4	9	3	1	2	–	–	–	–	–	–
Small Pox	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	–	–	–	1	2	3	3	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	1	2	4	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	1	5	5	3	2	2	2	–	2	2	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	1	–	2	–	1	3	2	1	–	–	–	–	–
Syphilis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Dropsy	2	–	–	–	–	1	1	2	–	2	1	–	–	–	–	–
Abscess	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Fistula	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	2	–	1	–	1	–	–	1	–	–	–	–
Cancer	–	2	1	4	2	3	5	4	2	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Scrofula	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	37	25	23	20	16	13	10	4	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	11	–	2	1	1	–	–	1	1	1	–	–	–
Apoplexy	40	–	–	–	–	–	–	–	–	–	1	–	–
Paralysis	46	–	–	–	–	–	–	–	2	–	–	–	1
Delirium Tremens	6	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	4	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	6	–	–	–	–	–	–	–	–	–	–	–	2
Convulsions	38	22	2	5	6	2	1	–	–	–	–	–	–
Brain Disease	57	1	1	1	–	1	–	1	4	1	4	1	4
V. Pericarditis	4	–	–	–	–	–	1	–	1	–	1	–	1
Aneurism	13	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	107	–	–	1	–	–	–	–	–	4	2	6	7
VI. Laryngitis	5	–	1	1	–	1	–	–	–	–	–	–	–
Bronchitis	121	11	11	11	15	3	4	1	2	1	–	2	1
Pleurisy	17	–	–	–	–	1	–	–	1	1	–	4	1
Pneumonia	63	3	4	9	8	3	–	1	1	1	1	3	4
Asthma	16	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	20	–	1	–	–	1	1	–	2	–	–	1	2
VII. Teething	23	–	1	11	11	–	–	–	–	–	–	–	–
Quinsey	5	1	1	–	2	–	–	–	–	–	–	–	–
Gastritis	4	–	–	–	–	–	–	–	–	–	–	1	–
Enteritis	22	9	1	2	4	2	–	–	–	–	–	–	–
Peritonitis	10	1	–	–	1	–	–	–	1	–	1	1	–
Ascites	3	–	–	–	–	–	–	–	–	–	–	1	–
Ulceration of Intestines	3	–	–	–	–	1	–	–	–	–	–	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	1	–
Ileus	3	–	1	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	1	–
Stomach Disease	28	3	1	1	–	–	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	4	1	–	–	1	–	–	–	–	–	1	–	–
Liver Disease	18	–	–	–	–	–	1	–	2	–	–	1	1
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	16	–	–	–	–	–	–	–	–	1	2	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	1	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	23	–	–	–	–	2	–	–	–	–	–	2	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	4	–	–	–	–	–	–	–	1	–	–	1	–
Joint and Bone Disease	7	–	–	–	–	–	–	–	1	1	2	–	–
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	3	3	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	4	3	1	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	8	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	1	–	1	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	1	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	–	1	–	1	1	–	–	–	1	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	1	–	–
Suffocation	4	–	2	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	34	–	–	–	–	1	1	–	1	–	1	4	2
Wounds	8	–	–	–	–	–	–	–	1	–	–	–	1
Other Violent Causes	9	–	–	–	–	–	–	–	1	–	–	2	1
Not Specified	34	19	3	2	1	–	–	–	1	–	–	–	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	2	3	4	2	5	3	5	9	3	1	1	–	–	–	–
Paralysis	1	5	2	3	2	1	3	7	6	7	5	1	–	–	–	–
Delirium Tremens	2	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Tetanus	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	2	–	–	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	8	4	5	3	3	4	3	5	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	4	2	–	3	2	–	–	–	–	–	–	–	–	–	–
Heart Disease	6	3	9	11	10	10	7	15	8	5	3	–	–	–	–	–
Laryngitis	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Bronchitis	1	2	2	2	12	8	8	9	6	4	5	–	–	–	–	–
Pleurisy	–	1	–	–	3	–	3	2	–	–	–	–	–	–	–	–
Pneumonia	–	4	3	2	5	4	1	1	3	1	–	1	–	–	–	–
Asthma	1	1	1	2	–	4	3	1	2	1	–	–	–	–	–	–
Lung Disease	1	1	3	2	3	–	1	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Peritonitis	2	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Ileus	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	–	1	2	3	3	3	4	1	1	2	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	1	3	1	3	1	1	1	–	–	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Nephria	2	2	2	2	2	1	1	1	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diabetes	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Stone	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cystitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	1	2	–	2	3	1	3	5	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	1	–	–	5	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	4	2	2	5	3	2	1	2	1	2	–	–	–	–	–	–
Wounds	2	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Not Specified	2	–	3	1	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1859.—Females.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	1867	157	58	110	143	69	46	24	70	33	48	71	80
Specified Causes	1849	154	55	107	142	69	45	24	70	33	48	71	79
I. Zymotic Class	358	13	17	41	54	34	24	16	27	9	10	15	16
II. Diseases of Uncertain Seat	100	4	–	1	–	1	–	–	2	–	2	1	2
III. Tubercular Class	328	6	8	18	24	20	8	5	22	8	23	31	27
IV. Brain and Nervous System	172	15	–	9	3	3	1	1	5	4	3	3	4
V. Organs of Circulation	114	1	–	1	–	–	1	1	5	6	5	4	8
VI. Respiratory Organs	261	8	18	18	22	7	6	–	5	1	–	6	8
VII. Organs of Digestion	145	11	5	12	22	2	3	1	1	2	1	2	5
VIII. Urinary Organs	21	–	–	–	–	–	1	–	–	1	1	1	1
IX. Organs of Generation	38	–	–	–	–	–	–	–	–	–	1	6	6
X. Organs of Locomotion	8	–	–	–	–	–	–	–	–	1	–	1	–
XI. Skin, etc.	2	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	9	8	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	93	82	6	5	–	–	–	–	–	–	–	–	–
XIV. Atrophy	27	–	–	–	17	1	1	–	2	–	–	1	1
XV. Age	137	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	36	5	1	1	–	1	–	–	1	1	2	–	1
I. Small Pox	82	5	8	9	15	12	8	3	7	2	2	4	–
Measles	8	–	1	1	3	3	–	–	–	–	–	–	–
Scarlatina	24	–	–	–	2	6	3	4	6	–	–	–	1
Diphtheria	5	–	1	–	–	1	1	1	1	–	–	–	–
Hooping Cough	69	1	2	21	23	9	8	2	3	–	–	–	–
Croup	11	–	–	1	6	–	2	2	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	28	4	4	6	1	–	–	1	–	1	–	–	–
Dysentery	15	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	4	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Infantile Fever	1	–	–	–	1	–	–	–	–	–	–	–	–
Typhus	67	–	–	1	3	3	1	3	9	6	2	5	4
Metria	19	–	–	–	–	–	–	–	–	–	1	3	10
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	18	1	1	1	–	–	1	–	–	–	5	2	1
Syphilis	3	2	–	–	–	–	–	–	–	–	–	1	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	2	–	–	–	–	–	–	–	–	–	–	–
Dropsy	16	–	–	–	–	–	–	–	1	–	–	1	–
Abscess	9	1	–	–	–	1	–	–	1	–	1	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	10	–	–	1	–	–	–	–	–	–	1	–	–
Cancer	60	1	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	9	–	–	3	–	–	–	–	–	–	1	–	1
Tabes Mesenterica	30	6	2	3	4	3	2	2	5	1	1	–	–
Phthisis	223	–	2	–	4	4	–	–	5	7	21	31	26
Hydrocephalus	66	–	4	12	16	13	6	3	12	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	82	91	65	68	66	93	97	91	98	92	58	31	18	6	–	2
SPECIFIED CAUSES	81	89	65	68	65	92	96	91	98	92	58	31	18	6	–	2
Zymotic Class	11	7	5	3	6	8	12	9	8	6	4	1	2	–	–	–
Uncertain Seat	6	9	6	10	7	13	15	6	8	5	–	–	2	–	–	–
Tubercular Class	26	32	22	16	4	14	7	5	–	2	–	–	–	–	–	–
Brain, etc.	5	6	4	8	7	11	19	11	17	15	11	6	–	1	–	–
Heart, etc.	11	10	8	5	8	8	8	10	2	11	1	–	–	–	–	–
Respiratory Organs	8	7	10	10	13	20	19	29	21	13	8	3	1	–	–	–
Digestive Organs	2	5	6	10	9	10	7	8	11	7	2	1	–	–	–	–
Urinary Organs	1	3	2	2	1	1	1	2	–	2	1	–	–	–	–	–
Generative Organs	7	8	1	2	4	2	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	1	–	2	–	–	1	1	–	–	–	–	–	–
Skin	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	10	25	30	31	20	12	5	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	1	1	1	4	2	3	1	5	–	–	–	1	–	–	2
Small Pox	4	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	2	–	–	–	1	2	1	2	1	–	1	1	–	–	–
Dysentery	–	–	–	–	1	2	7	1	–	3	–	–	1	–	–	–
Cholera	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	2	3	3	2	5	2	4	4	1	2	–	–	–	–	–
Metria	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	1	–	–	2	2	–	1	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	2	2	–	3	4	–	1	2	–	–	–	–	–	–	–
Abscess	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	3	2	–	–	2	–	–	–
Cancer	3	6	4	9	4	9	14	4	3	3	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	26	30	21	16	4	13	6	5	–	2	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	10	–	–	1	2	–	–	1	–	1	–	1	1
Apoplexy	34	–	–	–	–	–	–	–	1	–	2	–	1
Paralysis	56	–	–	–	–	–	–	–	–	–	1	–	1
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	9	–	–	–	–	–	–	–	1	1	–	2	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	24	14	–	7	1	1	1	–	–	–	–	–	–
Brain Disease	36	1	–	1	–	2	–	–	3	2	–	–	1
V. Pericarditis	2	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	111	1	–	1	–	–	1	1	5	6	5	4	8
VI. Laryngitis	5	–	–	2	–	–	–	–	1	–	–	–	–
Bronchitis	143	2	13	12	14	1	2	–	–	–	–	3	3
Pleurisy	8	–	1	–	2	–	–	–	1	–	–	–	1
Pneumonia	53	6	4	4	4	6	4	–	1	1	–	2	2
Asthma	28	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	24	–	–	–	2	–	–	–	2	–	–	1	2
VII. Teething	26	–	2	6	16	1	1	–	–	–	–	–	–
Quinsey	2	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	4	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	27	5	2	2	4	–	1	1	1	–	–	1	2
Peritonitis	9	–	–	–	–	–	–	–	–	2	1	1	1
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	9	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	8	–	–	2	–	–	–	–	–	–	–	–	–
Intussusception	1	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	30	2	1	2	2	–	1	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	6	2	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	15	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	10	–	–	–	–	–	–	–	–	–	1	–	1
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	1	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	–	–	–	1	–	–	1	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	1	–
Ovarian Dropsy	6	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	20	–	–	–	–	–	–	–	–	–	1	4	5
Organs of Generation	11	–	–	–	–	–	–	–	–	–	–	1	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	4	–	–	–	–	–	–	–	–	1	–	1	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	2	2	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	2	2	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	5	4	–	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	6	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–
Neglect	1	1	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	7	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	1	–	–
Suffocation	3	1	1	–	–	–	–	–	–	1	–	–	–
Drowning	2	–	–	–	–	–	–	–	–	–	1	–	–
Fracture and Contusion	10	–	–	–	–	1	–	–	1	–	–	–	–
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	18	3	3	3	1	–	1	–	–	–	–	–	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	6	4	3	5	1	4	3	1	3	–	–	–	–
Paralysis	–	–	1	–	2	3	11	5	12	9	7	3	–	1	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	1	–	–	1	–	–	–	2	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	4	1	2	–	3	3	4	1	1	3	–	–	–	–	–
Pericarditis	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	11	8	8	5	8	8	7	10	2	11	1	–	–	–	–	–
Laryngitis	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	1	6	5	6	7	14	20	14	9	5	3	–	–	–	–
Pleurisy	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Pneumonia	2	1	1	–	1	4	–	1	3	2	3	–	1	–	–	–
Asthma	1	3	1	2	3	5	5	4	2	2	–	–	–	–	–	–
Lung Disease	1	1	2	3	2	3	–	3	2	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Gastritis	–	–	–	–	2	–	–	–	–	1	–	1	–	–	–	–
Enteritis	1	–	3	2	–	1	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	1	–	2	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	1	1	–	–	2	3	1	–	–	–	–	–	–
Hernia	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ileus	–	2	–	1	1	1	–	–	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
Stomach Disease	1	2	1	3	–	4	2	2	5	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
Liver Disease	–	–	1	3	3	2	2	–	1	2	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	3	–	2	1	–	–	1	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	2	–	–	–	1	–	–	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	3	–	1	–	–	–	–	–	–	–	–	–
Childbirth	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	2	1	2	1	2	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	–	4	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	1	–	4	–	–	–	1	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Fracture and Contusion	1	–	1	1	–	2	1	1	1	–	–	–	–	–	–	–
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1
Not Specified	1	2	–	–	1	1	1	–	–	–	–	–	–	–	–	–

CAUSES OF DEATH in DUNDEE, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	2269	255	75	154	276	123	91	75	122	43	91	88	66
Specified Causes	2254	247	72	152	276	122	91	75	122	42	91	88	66
I. Zymotic Class	664	39	23	67	164	76	53	48	61	12	10	14	7
II. Diseases of Uncertain Seat	84	1	3	1	–	3	2	1	4	1	4	2	1
III. Tubercular Class	411	8	13	14	40	19	14	12	25	14	47	43	29
IV. Brain and Nervous System	217	51	6	7	8	4	3	5	9	3	4	5	5
V. Organs of Circulation	89	–	–	–	–	–	–	–	–	4	2	3	4
VI. Respiratory Organs	218	6	9	22	21	9	9	7	10	1	5	5	6
VII. Organs of Digestion	151	3	7	35	33	3	6	2	5	3	2	4	4
VIII. Urinary Organs	27	–	–	–	–	1	1	–	2	1	1	1	1
IX. Organs of Generation	18	–	–	–	–	–	–	–	–	–	2	2	5
X. Organs of Locomotion	5	–	–	–	–	–	–	–	1	–	1	1	–
XI. Skin, etc.	1	–	–	–	–	1	–	–	–	–	–	–	–
XII. Malformation	6	5	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	142	131	6	5	–	–	–	–	–	–	–	–	–
XIV. Atrophy	15	–	–	–	6	4	–	–	–	1	1	–	–
XV. Age	119	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	85	3	3	1	4	2	3	–	5	2	12	8	4
I. Small Pox	2	–	1	–	–	1	–	–	–	–	–	–	–
Measles	108	3	3	10	42	21	15	7	7	–	–	–	–
Scarlatina	105	1	1	7	23	21	10	15	17	6	2	2	–
Diphtheria	11	–	–	1	5	1	2	2	–	–	–	–	–
Hooping Cough	139	12	9	33	52	14	8	5	6	–	–	–	–
Croup	59	3	3	5	18	9	7	9	5	–	–	–	–
Thrush	2	2	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	42	6	3	7	7	2	2	–	1	1	–	–	1
Dysentery	34	2	2	1	5	2	2	–	1	–	–	1	–
Cholera	10	–	–	–	–	–	–	1	1	–	–	1	1
Influenza	5	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	4	2	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	5	1	–	–	–	2	–	1	1	–	–	–	–
Typhus	118	–	–	2	11	3	7	8	21	5	8	9	5
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	9	3	–	–	–	–	–	–	–	–	–	–	–
Syphilis	7	4	1	1	–	–	–	–	–	–	–	1	–
Noma	1	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	7	–	–	–	–	–	–	–	–	–	1	–	–
Dropsy	42	–	1	–	–	3	1	1	3	1	3	1	1
Abscess	6	–	1	1	–	–	1	–	–	–	–	1	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	1	1	–	–	–	–	–	–	–	–	–	–
Cancer	27	–	–	–	–	–	–	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	16	–	1	3	1	–	–	–	–	2	4	2	1
Tabes Mesenterica	16	1	2	–	2	1	1	1	4	1	1	–	2
Phthisis	290	–	1	2	7	7	5	5	14	9	42	41	26
Hydrocephalus	89	7	9	9	30	11	8	6	7	2	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes . . .	61	66	65	77	86	73	94	84	74	47	36	25	5	7	1	9
Specified Causes .	61	66	65	77	86	73	94	84	74	47	36	25	5	7	1	9
Zymotic Class . .	6	10	3	15	15	7	12	11	4	3	3	1	–	–	–	–
Uncertain Seat . .	4	1	4	9	9	9	10	4	8	1	1	1	–	–	–	–
Tubercular Class . .	30	16	22	19	17	14	12	2	1	–	–	–	–	–	–	–
Brain, etc. . . .	2	9	7	5	5	13	19	16	17	8	3	3	–	–	–	–
Heart, etc. . . .	6	10	11	7	9	5	2	10	9	7	–	–	–	–	–	–
Respiratory Organs .	5	10	5	12	13	12	18	17	9	3	4	–	–	–	–	–
Digestive Organs . .	3	2	5	3	7	4	8	7	4	1	–	–	–	–	–	–
Urinary Organs . .	–	1	1	3	2	1	3	1	4	1	2	–	–	–	–	–
Generative Organs .	1	5	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs .	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	8	15	18	22	23	20	5	7	1	–
Sudden Deaths . .	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths . .	2	2	5	3	5	8	2	1	–	1	–	–	–	–	–	9
Small Pox . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	–	–	–	1	2	–	2	3	2	1	1	–	–	–	–	–
Dysentery . . .	1	1	–	2	1	3	2	3	1	1	2	1	–	–	–	–
Cholera	–	–	–	1	1	1	3	–	–	–	–	–	–	–	–	–
Influenza . . .	–	–	–	1	2	–	1	–	–	1	–	–	–	–	–	–
Purpura . . .	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	8	1	10	6	3	3	2	1	–	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Erysipelas . . .	–	–	2	–	3	–	–	1	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	1	–	–	2	1	–	2	–	–	–	–	–	–	–	–	–
Dropsy	2	1	1	3	2	4	4	3	6	–	1	–	–	–	–	–
Abscess	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	–	3	3	6	4	4	1	2	1	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula . . .	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	29	16	22	18	17	14	12	2	1	–	–	–	–	–	–	–
Hydrocephalus . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1859.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	13	–	–	–	1	1	–	1	4	–	–	1	1
Apoplexy	49	–	–	–	1	–	–	1	2	1	–	1	1
Paralysis	46	–	–	–	–	–	–	–	–	–	–	1	2
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	–	1	1
Tetanus	4	3	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	75	48	6	7	6	3	2	2	–	1	–	–	–
Brain Disease	26	–	–	–	–	–	1	1	3	1	4	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	88	–	–	–	–	–	–	–	–	4	2	3	4
VI. Laryngitis	11	–	–	1	1	1	–	–	1	–	–	–	–
Bronchitis	78	3	4	14	8	3	5	2	1	–	1	3	2
Pleurisy	3	–	–	–	–	–	–	1	–	–	–	–	–
Pneumonia	83	3	5	7	12	5	3	4	7	–	4	2	2
Asthma	38	–	–	–	–	–	–	–	–	1	–	–	2
Lung Disease	5	–	–	–	–	–	1	–	1	–	–	–	–
VII. Teething	69	1	3	34	29	1	1	–	–	–	–	–	–
Quinsey	8	1	1	–	1	–	2	1	2	–	–	–	–
Gastritis	4	–	–	–	1	–	–	–	1	–	–	–	1
Enteritis	17	1	2	1	1	2	1	1	–	–	–	2	–
Peritonitis	8	–	–	–	–	–	1	–	1	2	–	1	1
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	5	–	–	–	1	–	–	–	–	–	1	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	15	–	–	–	–	–	–	–	1	1	–	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	1	–	–	–	–	–	–
Jaundice	3	–	1	–	–	–	–	–	–	–	–	–	1
Liver Disease	9	–	–	–	–	–	–	–	–	–	1	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	1	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	1	–	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	3	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	18	–	–	–	–	–	–	–	2	1	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	16	–	–	–	–	–	–	–	–	–	1	2	5
Organs of Generation	2	–	–	–	–	–	–	–	–	–	1	–	–
X. Arthritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	1	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	1	–
XI. Carbuncle	1	–	–	–	–	1	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	4	4	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	5	3	1	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	14	–	1	–	3	1	2	–	4	–	1	1	1
Hanging, etc.	4	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	–	1	–	–	–	–	–	–	–	–	–	–
Drowning	12	–	–	–	1	1	–	–	–	1	3	1	–
Fracture and Contusion	34	–	–	–	–	–	1	–	1	1	8	6	3
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	9	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	15	8	3	2	–	1	–	–	–	1	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1859.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	2	4	3	3	7	8	6	5	1	–	3	–	–	–	–
Paralysis	1	3	–	–	2	3	8	9	10	5	2	–	–	–	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	2	1	2	–	2	3	1	2	1	1	–	–	–	–	–
Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	5	10	11	7	9	5	2	10	9	7	–	–	–	–	–	–
Laryngitis	1	2	–	1	1	1	1	–	–	–	–	–	–	–	–	–
Bronchitis	1	2	3	2	1	3	4	4	6	2	4	–	–	–	–	–
Pleurisy	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pneumonia	3	4	1	4	5	4	4	3	1	–	–	–	–	–	–	–
Asthma	–	1	1	5	6	4	9	8	–	1	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	1	1	2	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	1	–	4	4	2	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	1	1	2	1	1	1	1	–	–	–	–	–	–	–
Spleen Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stone	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	3	2	1	3	1	1	1	2	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Drowning	1	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	3	–	3	4	1	1	–	–	–	–	–	–	–	–
Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1075	125	33	81	124	62	42	36	63	19	41	48	23
SPECIFIED CAUSES	1066	120	32	80	124	61	42	36	63	18	41	48	23
I. Zymotic Class	310	17	10	32	75	39	26	23	32	5	4	8	1
II. Diseases of Uncertain Seat	29	1	1	1	–	2	1	–	2	–	2	2	–
III. Tubercular Class	188	6	3	6	15	10	4	6	16	7	21	25	12
IV. Brain and Nervous System	121	29	3	3	6	2	2	3	3	1	3	5	2
V. Organs of Circulation	33	–	–	–	–	–	–	–	–	–	1	2	–
VI. Respiratory Organs	105	5	5	15	8	3	2	3	5	–	1	1	3
VII. Organs of Digestion	87	2	3	22	15	1	4	1	3	2	1	2	3
VIII. Urinary Organs	14	–	–	–	–	–	1	–	–	–	1	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	65	60	4	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	10	–	–	–	3	3	–	–	–	1	1	–	–
XV. Age	51	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	51	–	2	–	2	1	2	–	2	2	6	3	2
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	53	3	2	6	20	14	5	1	2	–	–	–	–
Scarlatina	50	1	1	5	11	10	4	9	6	2	–	1	–
Diphtheria	5	–	–	–	2	–	1	2	–	–	–	–	–
Hooping Cough	60	3	4	14	24	7	3	2	3	–	–	–	–
Croup	27	1	1	2	5	4	6	4	4	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	22	3	1	4	4	1	1	–	1	1	–	–	–
Dysentery	18	2	1	–	1	–	2	–	1	–	–	1	–
Cholera	7	–	–	–	–	–	–	1	1	–	–	1	1
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	3	2	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	–	–	–	1	–	–	–	–	–	–	–
Typhus	56	–	–	1	7	2	4	4	13	2	4	5	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	6	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	1	–	–	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	14	–	1	–	–	2	1	–	2	–	2	1	–
Abscess	3	–	–	1	–	–	–	–	–	–	–	1	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	9	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	–	–	–	–	–	–	1	3	–	1
Tabes Mesenterica	8	1	–	–	1	–	–	1	4	–	1	–	–
Phthisis	135	–	–	–	3	5	2	2	9	5	17	25	11
Hydrocephalus	39	5	3	6	11	5	2	3	3	1	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	29	27	33	33	36	40	46	46	36	19	15	9	2	1	–	6
SPECIFIED CAUSES	29	27	33	33	36	40	46	46	36	19	15	9	2	1	–	6
Zymotic Class	2	3	2	6	4	5	5	8	1	1	1	–	–	–	–	–
Uncertain Seat	–	–	1	–	4	1	5	–	5	–	–	1	–	–	–	–
Tubercular Class	15	6	8	6	7	8	6	1	–	–	–	–	–	–	–	–
Brain, etc.	2	7	4	2	3	9	11	8	8	4	–	1	–	–	–	–
Heart, etc.	1	4	6	5	3	1	–	4	4	2	–	–	–	–	–	–
Respiratory Organs	4	4	4	8	4	6	10	9	3	2	–	–	–	–	–	–
Digestive Organs	2	1	3	2	4	4	4	5	3	–	–	–	–	–	–	–
Urinary Organs	–	1	1	2	–	–	1	1	4	1	1	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	9	8	8	13	7	2	1	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	1	4	2	5	6	1	1	–	1	–	–	–	–	–	6
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	1	–	–	3	–	1	1	–	–	–	–	–
Dysentery	–	–	–	1	1	2	2	3	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	3	–	5	–	2	1	1	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	2	–	2	–	–	1	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	1	–	1	–	3	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	1	–	2	–	3	–	2	–	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	15	6	8	5	7	8	6	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	9	–	–	–	1	1	–	1	2	–	–	1	–
Apoplexy	32	–	–	–	1	–	–	1	1	1	–	1	–
Paralysis	20	–	–	–	–	–	–	–	–	–	–	1	1
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	1	1
Tetanus	4	3	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	40	26	3	3	4	1	2	1	–	–	–	–	–
Brain Disease	13	–	–	–	–	–	–	–	–	–	3	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	33	–	–	–	–	–	–	–	–	–	1	2	–
VI. Laryngitis	3	–	–	–	–	–	–	–	1	–	–	–	–
Bronchitis	32	2	1	11	4	1	–	1	–	–	–	1	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	44	3	4	4	4	2	1	2	4	–	1	–	1
Asthma	22	–	–	–	–	–	–	–	–	–	–	–	2
Lung Disease	3	–	–	–	–	–	1	–	–	–	–	–	–
VII. Teething	38	1	1	21	14	1	–	–	–	–	–	–	–
Quinsey	6	1	1	–	1	–	1	–	2	–	–	–	–
Gastritis	3	–	–	–	–	–	–	–	1	–	–	–	1
Enteritis	7	–	–	1	–	–	1	1	–	–	–	2	–
Peritonitis	4	–	–	–	–	–	1	–	–	1	–	–	1
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	8	–	–	–	–	–	–	–	–	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	1	–	–	–	–	–	–
Jaundice	2	–	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	8	–	–	–	–	–	–	–	–	–	1	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	1	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	1	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	3	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	7	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	–	1	–	1	1	1	–	1	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	10	–	–	–	1	–	–	–	–	1	3	–	–
Fracture and Contusion	22	–	–	–	–	–	1	–	1	1	3	3	2
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	6	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	9	5	1	1	–	1	–	–	–	1	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	2	4	1	2	4	5	3	4	1	–	1	–	–	–	–
Paralysis	1	1	–	–	1	2	4	4	3	2	–	–	–	–	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	2	–	1	–	2	2	1	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	4	6	5	3	1	–	4	4	2	–	–	–	–	–	–
Laryngitis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	2	–	–	2	2	1	1	1	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pneumonia	3	2	1	3	2	2	2	2	1	–	–	–	–	–	–	–
Asthma	–	–	1	4	2	2	6	4	–	1	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	–	–	2	3	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	1	1	2	1	–	1	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stone	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	2	–	–	1	1	1	1	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Drowning	1	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	2	–	3	3	–	1	–	–	–	–	–	–	–	–
Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1194	130	42	73	152	61	49	39	59	24	50	40	43
SPECIFIED CAUSES	1188	127	40	72	152	61	49	39	59	24	50	40	43
I. Zymotic Class	354	22	13	35	89	37	27	25	29	7	6	6	6
II. Diseases of Uncertain Seat	55	–	2	–	–	1	1	1	2	1	2	–	1
III. Tubercular Class	223	2	10	8	25	9	10	6	9	7	26	18	17
IV. Brain and Nervous System	96	22	3	4	2	2	1	2	6	2	1	–	3
V. Organs of Circulation	56	–	–	–	–	–	–	–	–	4	1	1	4
VI. Respiratory Organs	113	1	4	7	13	6	7	4	5	1	4	4	3
VII. Organs of Digestion	64	1	4	13	18	2	2	1	2	1	1	2	1
VIII. Urinary Organs	13	–	–	–	–	1	–	–	2	1	–	1	1
IX. Organs of Generation	18	–	–	–	–	–	–	–	–	–	2	2	5
X. Organs of Locomotion	4	–	–	–	–	–	–	–	1	–	1	1	–
XI. Skin, etc.	1	–	–	–	–	1	–	–	–	–	–	–	–
XII. Malformation	6	5	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	77	71	2	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	3	1	–	–	–	–	–	–	–
XV. Age	68	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	34	3	1	1	2	1	1	–	3	–	6	5	2
I. Small Pox	2	–	1	–	–	1	–	–	–	–	–	–	–
Measles	55	–	1	4	22	7	10	6	5	–	–	–	–
Scarlatina	55	–	–	2	12	11	6	6	11	4	2	1	–
Diphtheria	6	–	–	1	3	1	1	–	–	–	–	–	–
Hooping Cough	79	9	5	19	28	7	5	3	3	–	–	–	–
Croup	32	2	2	3	13	5	1	5	1	–	–	–	–
Thrush	2	2	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	20	3	2	3	3	1	1	–	–	–	–	–	1
Dysentery	16	–	1	1	4	2	–	–	–	–	–	–	–
Cholera	3	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	5	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	4	1	–	–	–	1	–	1	1	–	–	–	–
Typhus	62	–	–	1	4	1	3	4	8	3	4	4	5
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	2	–	–	–	–	–	–	–	–	–	–	–
Syphilis	6	3	1	1	–	–	–	–	–	–	–	1	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	5	–	–	–	–	–	–	–	–	–	1	–	–
Dropsy	28	–	–	–	–	1	–	1	1	1	1	–	1
Abscess	3	–	1	–	–	–	1	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	18	–	–	–	–	–	–	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	10	–	1	3	1	–	–	–	–	1	1	2	–
Tabes Mesenterica	8	–	2	–	1	1	1	–	–	1	–	–	2
Phthisis	155	–	1	2	4	2	3	3	5	4	25	16	15
Hydrocephalus	50	2	6	3	19	6	6	3	4	1	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	32	39	32	44	50	33	48	38	38	28	21	16	3	6	1	3
SPECIFIED CAUSES	32	39	32	44	50	33	48	38	38	28	21	16	3	6	1	3
Zymotic Class	4	7	1	9	11	2	7	3	3	2	2	1	–	–	–	–
Uncertain Seat	4	1	3	9	5	8	5	4	3	1	1	–	–	–	–	–
Tubercular Class	15	10	14	13	10	6	6	1	1	–	–	–	–	–	–	–
Brain, etc.	–	2	3	3	2	4	8	8	9	4	3	2	–	–	–	–
Heart, etc.	5	6	5	2	6	4	2	6	5	5	–	–	–	–	–	–
Respiratory Organs	1	6	1	4	9	6	8	8	6	1	4	–	–	–	–	–
Digestive Organs	1	1	2	1	3	–	4	2	1	1	–	–	–	–	–	–
Urinary Organs	–	–	–	1	2	1	2	–	–	–	1	–	–	–	–	–
Generative Organs	1	5	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	6	10	14	10	13	3	6	1	–
Sudden Deaths	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	1	1	1	–	2	1	–	–	–	–	–	–	–	–	3
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	1	–	2	–	2	–	–	–	–	–	–	–
Dysentery	1	1	–	1	–	1	–	–	–	1	2	1	–	–	–	–
Cholera	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	1	2	–	1	–	–	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	5	1	5	6	1	2	1	1	–	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Dropsy	2	1	1	3	1	4	3	3	3	–	1	–	–	–	–	–
Abscess	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	–	2	3	4	4	1	1	–	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	14	10	14	13	10	6	6	1	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	4	–	–	–	–	–	–	–	2	–	–	–	1
Apoplexy	17	–	–	–	–	–	–	–	1	–	–	–	1
Paralysis	26	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	35	22	3	4	2	2	–	1	–	1	–	–	–
Brain Disease	13	–	–	–	–	–	1	1	3	1	1	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	55	–	–	–	–	–	–	–	–	4	1	1	4
VI. Laryngitis	8	–	–	1	1	1	–	–	–	–	–	–	–
Bronchitis	46	1	3	3	4	2	5	1	1	–	1	2	2
Pleurisy	2	–	–	–	–	–	–	1	–	–	–	–	–
Pneumonia	39	–	1	3	8	3	2	2	3	–	3	2	1
Asthma	16	–	–	–	–	–	–	–	–	1	–	–	–
Lung Disease	2	–	–	–	–	–	–	–	1	–	–	–	–
VII. Teething	31	–	2	13	15	–	1	–	–	–	–	–	–
Quinsey	2	–	–	–	–	–	1	1	–	–	–	–	–
Gastritis	1	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	10	1	2	–	1	2	–	–	–	–	–	–	–
Peritonitis	4	–	–	–	–	–	–	–	1	1	–	1	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	–	–	–	1	–	–	–	–	–	1	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	7	–	–	–	–	–	–	–	1	–	–	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	1
Liver Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	11	–	–	–	–	–	–	–	2	1	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	16	–	–	–	–	–	–	–	–	–	1	2	5
Organs of Generation	2	–	–	–	–	–	–	–	–	–	1	–	–
X. Arthritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	1	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	1	–
XI. Carbuncle	1	–	–	–	–	1	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	4	4	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	4	3	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	9	–	–	–	2	–	1	–	3	–	1	1	1
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	1	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	1	–	–	–	–	–	1	–
Fracture and Contusion	12	–	–	–	–	–	–	–	–	–	5	3	1
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	6	3	2	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	2	1	3	3	3	1	–	–	2	–	–	–	–
Paralysis	–	2	–	–	1	1	4	5	7	3	2	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	1	1	–	–	1	–	1	1	1	–	–	–	–	–
Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	4	6	5	2	6	4	2	6	5	5	–	–	–	–	–	–
Laryngitis	1	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	1	2	1	1	2	3	5	1	4	–	–	–	–	–
Pleurisy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	2	–	1	3	2	2	1	–	–	–	–	–	–	–	–
Asthma	–	1	–	1	4	2	3	4	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	1	–	2	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	2	1	2	–	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	1676	126	44	110	124	91	49	45	96	42	56	48	49
Specified Causes	1665	122	44	110	124	90	48	45	96	42	56	47	49
I. Zymotic Class	386	15	12	38	64	55	28	26	38	10	7	8	7
II. Diseases of Uncertain Seat	89	1	1	2	–	–	3	–	6	1	–	2	3
III. Tubercular Class	341	3	12	27	23	20	11	12	32	17	29	21	24
IV. Brain and Nervous System	165	18	8	8	5	3	1	–	5	3	3	3	3
V. Organs of Circulation	81	–	–	1	–	–	–	–	3	2	5	1	3
VI. Respiratory Organs	193	10	4	13	16	7	2	3	5	2	7	4	2
VII. Organs of Digestion	119	12	3	18	12	2	3	1	1	5	2	4	4
VIII. Urinary Organs	34	–	–	–	–	1	–	1	2	–	–	1	1
IX. Organs of Generation	12	–	–	–	–	–	–	–	–	–	–	1	–
X. Organs of Locomotion	7	–	–	–	–	–	–	–	1	2	–	1	–
XI. Skin, etc.	3	1	–	–	1	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	61	56	3	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	1	–	–	–	–	–	1	–	–
XV. Age	130	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	37	4	1	1	2	2	–	2	3	–	2	1	2
I. Small Pox	17	1	1	1	2	1	1	–	4	–	1	1	1
Measles	9	–	–	1	2	2	2	–	2	–	–	–	–
Scarlatina	39	–	–	1	4	8	2	5	8	4	1	2	2
Diphtheria	40	–	–	1	7	9	6	9	5	2	–	–	–
Hooping Cough	110	5	7	23	31	22	6	7	9	–	–	–	–
Croup	34	–	–	–	11	6	9	4	3	1	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	30	3	1	5	3	2	1	–	2	–	–	–	–
Dysentery	23	–	–	2	1	1	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	6	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	1	–	–	–	–	–	–	–	–	–	–
Typhus	54	–	–	1	3	2	1	1	4	3	5	4	3
Metria	3	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	10	5	1	–	–	–	–	–	1	–	–	–	–
Syphilis	7	–	1	3	–	2	–	–	–	–	–	1	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	–	–	–	1	–	–	–	1
Dropsy	24	–	–	–	–	–	2	–	2	–	–	1	–
Abscess	7	–	1	2	–	–	–	–	1	1	–	1	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	1
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	6	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	48	–	–	–	–	–	1	–	2	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	18	–	–	3	–	–	–	1	3	4	3	1	–
Tabes Mesenterica	19	–	1	2	4	4	1	–	4	1	1	1	–
Phthisis	206	1	3	3	1	5	3	2	4	10	24	19	24
Hydrocephalus	98	2	8	19	18	11	7	9	21	2	1	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	59	52	41	54	62	75	74	72	96	114	57	23	8	4	–	5
Specified Causes	59	52	41	53	62	74	72	72	96	114	57	23	8	4	–	5
Zymotic Class	3	5	4	8	8	7	11	9	8	8	5	2	–	–	–	–
Uncertain Seat	3	4	9	6	5	7	11	4	8	10	3	–	–	–	–	–
Tubercular Class	32	22	8	16	9	12	5	2	1	3	–	–	–	–	–	–
Brain, etc.	7	5	4	9	10	10	6	16	19	14	4	1	–	–	–	–
Heart, etc.	1	6	6	1	11	3	12	6	8	8	4	–	–	–	–	–
Respiratory Organs	3	2	5	4	8	13	13	16	24	23	3	1	2	1	–	–
Digestive Organs	3	2	3	5	7	9	4	3	9	6	1	–	–	–	–	–
Urinary Organs	2	2	1	2	1	6	1	4	3	4	2	–	–	–	–	–
Generative Organs	2	2	–	2	–	2	2	–	–	1	–	–	–	–	–	–
Locomotive Organs	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	10	15	36	35	19	6	3	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	3	–	–	–	2	2	1	2	1	1	–	–	–	–	–	5
Small Pox	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	1	1	2	–	–	1	–	3	2	2	–	–	–	–	–
Dysentery	–	2	–	1	–	1	5	3	4	2	–	1	–	–	–	–
Cholera	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	2	–	1	2	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	1	2	6	4	4	4	1	3	–	1	–	–	–	–
Metria	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	–	3	2	2	–	1	3	6	1	–	–	–	–	–
Abscess	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	1	–	–	–	–	1	1	1	–	–	–	–	–	–
Cancer	1	4	7	3	2	5	11	2	4	3	2	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	31	22	8	16	9	11	4	2	1	3	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1859.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	7	–	–	–	–	–	–	–	2	1	1	1	1
Apoplexy	33	–	–	–	–	–	–	–	–	–	1	–	–
Paralysis	45	–	1	–	–	–	–	–	–	–	–	–	2
Delirium Tremens	5	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	10	–	–	–	–	–	–	–	2	1	–	2	–
Tetanus	2	1	–	–	–	–	–	–	–	1	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	41	17	7	8	5	3	1	–	–	–	–	–	–
Brain Disease	20	–	–	–	–	–	–	–	1	–	1	–	–
V. Pericarditis	3	–	–	–	–	–	–	–	2	–	–	–	–
Aneurism	5	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	73	–	–	1	–	–	–	–	1	2	5	1	2
VI. Laryngitis	8	–	–	1	2	–	1	–	1	–	–	–	–
Bronchitis	117	4	2	7	8	4	1	2	2	1	3	2	–
Pleurisy	8	–	–	–	1	–	–	–	–	–	2	1	2
Pneumonia	37	5	2	5	3	3	–	1	1	–	1	1	–
Asthma	11	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	12	1	–	–	2	–	–	–	1	1	1	–	–
VII. Teething	29	–	–	14	12	2	1	–	–	–	–	–	–
Quinsey	1	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	8	–	1	1	–	–	1	–	–	1	–	–	–
Peritonitis	10	–	–	–	–	–	–	–	–	1	1	–	3
Ascites	3	–	–	–	–	–	–	–	–	–	1	–	1
Ulceration of Intestines	9	–	–	–	–	–	–	1	–	1	–	2	–
Hernia	4	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	8	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	13	–	1	2	–	–	–	–	1	–	–	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	16	11	–	–	–	–	1	–	–	–	–	–	–
Liver Disease	12	–	1	1	–	–	–	–	–	2	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	4	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	1	–
Stone	3	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	22	–	–	–	–	–	–	1	2	–	–	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	–	–	–	–	–	–	–	–	–	–	1	–
Childbirth	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	1	–
Joint and Bone Disease	5	–	–	–	–	–	–	–	1	2	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	1	–	–	1	–	–	–	–	–	–	–	–
XII. Cyanosis	2	2	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	1	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	1	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	1	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	–	1
Burns and Scalds	7	–	–	–	2	1	–	1	1	–	–	–	1
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	5	2	–	–	–	–	–	–	–	–	–	–	–
Drowning	7	–	–	–	–	1	–	–	1	–	1	–	–
Fracture and Contusion	9	1	–	–	–	–	–	1	1	–	–	1	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	11	4	–	–	–	1	1	–	–	–	–	1	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1859.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	2	3	1	3	3	4	6	7	2	–	–	–	–	–
Paralysis	1	–	–	1	5	5	1	10	12	6	–	1	–	–	–	–
Delirium Tremens	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	2	1	–	–	–	1	–	1	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	1	2	2	2	2	2	1	–	1	1	–	–	–	–	–
Pericarditis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	1	2	–	–	–	1	–	–	–	–	–	–	–
Heart Disease	1	5	6	–	9	3	12	6	7	8	4	–	–	–	–	–
Laryngitis	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Bronchitis	–	1	3	2	6	9	7	13	16	17	3	1	2	1	–	–
Pleurisy	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Pneumonia	2	–	1	1	1	3	1	1	4	1	–	–	–	–	–	–
Asthma	–	–	–	1	–	1	2	2	1	4	–	–	–	–	–	–
Lung Disease	–	1	–	–	1	–	2	–	2	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	1	–	–	–	1	–	1	1	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	1	1	–	–	2	–	–	–	–	–	–
Ascites	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	1	–	1	–	1	–	1	–	–	–	–	–	–	–
Ileus	1	–	1	–	–	2	–	–	3	–	1	–	–	–	–	–
Intussusception	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	1	2	1	1	2	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–
Liver Disease	–	–	–	3	1	1	–	–	1	2	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	1	1	1	5	1	2	2	2	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Childbirth	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	1	–	–	2	–	–	1	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2
Drowning	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	2
Fracture and Contusion	1	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Not Specified	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	814	84	22	61	73	42	20	22	59	23	30	20	17
SPECIFIED CAUSES	811	84	22	61	73	42	19	22	59	23	30	20	17
I. Zymotic Class	176	11	3	15	34	22	10	12	22	5	2	3	2
II. Diseases of Uncertain Seat	27	1	1	1	–	–	1	–	4	–	–	–	1
III. Tubercular Class	184	3	8	18	18	12	6	7	19	9	16	8	10
IV. Brain and Nervous System	88	11	6	7	3	3	–	–	5	3	1	2	1
V. Organs of Circulation	40	–	–	1	–	–	–	–	2	1	1	–	–
VI. Respiratory Organs	99	7	2	9	7	2	1	1	2	1	7	1	1
VII. Organs of Digestion	60	9	1	8	8	1	1	–	–	2	1	3	1
VIII. Urinary Organs	25	–	–	–	–	1	–	1	1	–	–	1	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	7	–	–	–	–	–	–	–	1	2	–	1	–
XI. Skin, etc.	2	–	–	–	1	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	39	36	1	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	2	–	–	–	–	–	–	–	–	–	1	–	–
XV. Age	36	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	24	4	–	–	2	1	–	1	3	–	1	1	1
I. Small Pox	12	1	1	–	1	–	–	–	3	–	1	1	1
Measles	6	–	–	1	1	1	1	–	2	–	–	–	–
Scarlatina	17	–	–	–	1	3	1	3	6	2	1	–	–
Diphtheria	21	–	–	–	3	4	3	6	2	2	–	–	–
Hooping Cough	39	2	–	8	16	8	1	1	3	–	–	–	–
Croup	15	–	–	–	5	3	3	2	2	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	14	3	1	3	3	1	–	–	–	–	–	–	–
Dysentery	9	–	–	–	1	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	29	–	–	1	3	1	1	–	4	1	–	2	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	7	4	–	–	–	–	–	–	–	–	–	–	–
Syphilis	4	–	1	2	–	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	7	–	–	–	–	–	–	–	1	–	–	–	–
Abscess	3	–	1	1	–	–	–	–	1	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	12	–	–	–	–	–	1	–	2	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	15	–	–	2	–	–	–	1	3	3	3	1	–
Tabes Mesenterica	9	–	1	1	3	1	–	–	3	–	–	–	–
Phthisis	94	1	2	1	1	3	1	1	2	5	12	7	10
Hydrocephalus	66	2	5	14	14	8	5	5	11	1	1	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	26	21	17	29	33	41	29	34	40	42	17	6	2	–	–	4
SPECIFIED CAUSES	26	21	17	29	33	40	28	34	40	42	17	6	2	–	–	4
Zymotic Class	1	1	2	6	7	2	6	2	3	3	1	1	–	–	–	–
Uncertain Seat	2	–	3	1	1	1	2	2	2	3	1	–	–	–	–	–
Tubercular Class	12	8	5	9	4	6	3	2	–	1	–	–	–	–	–	–
Brain, etc.	5	4	–	5	5	7	2	9	5	2	2	–	–	–	–	–
Heart, etc.	–	4	5	1	4	3	8	2	3	4	1	–	–	–	–	–
Respiratory Organs	3	1	1	2	5	8	4	10	12	11	1	–	–	–	–	–
Digestive Organs	2	–	–	3	4	6	2	1	4	3	–	–	–	–	–	–
Urinary Organs	–	1	–	2	1	4	1	4	3	3	2	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	2	7	11	9	5	2	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	–	–	–	1	2	–	–	1	1	–	–	–	–	–	4
Small Pox	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	3	1	3	1	–	–	–	–	–	–
Cholera	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	–	2	5	1	3	1	–	2	–	1	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	–	–	1	–	–	1	–	2	1	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	–	–	1	1	–	1	2	–	2	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	11	8	5	9	4	6	2	2	–	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	6	–	–	–	–	–	–	–	2	1	1	1	–
Apoplexy	11	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	15	–	1	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	8	–	–	–	–	–	–	–	2	1	–	1	–
Tetanus	2	1	–	–	–	–	–	–	–	1	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	28	10	5	7	3	3	–	–	–	–	–	–	–
Brain Disease	13	–	–	–	–	–	–	–	1	–	–	–	–
V. Pericarditis	3	–	–	–	–	–	–	–	2	–	–	–	–
Aneurism	4	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	33	–	–	1	–	–	–	–	–	1	1	–	–
VI. Laryngitis	2	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	58	2	1	3	4	1	1	1	1	1	3	–	–
Pleurisy	5	–	–	–	–	–	–	–	–	–	2	–	1
Pneumonia	23	4	1	5	1	1	–	–	–	–	1	1	–
Asthma	4	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	7	1	–	–	2	–	–	–	1	–	1	–	–
VII. Teething	15	–	–	5	8	1	1	–	–	–	–	–	–
Quinsey	1	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	3	–	1	1	–	–	–	–	–	–	–	–	–
Peritonitis	5	–	–	–	–	–	–	–	–	1	1	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	3	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	7	–	–	1	–	–	–	–	–	–	–	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	10	8	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	7	–	–	1	–	–	–	–	–	1	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	3	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	1	–
Stone	3	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	15	–	–	–	–	–	–	1	1	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	1	–
Joint and Bone Disease	5	–	–	–	–	–	–	–	1	2	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	1	–	–	–	–	–	–	–	–
XII. Cyanosis	2	2	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	1
Burns and Scalds	3	–	–	–	2	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	4	2	–	–	–	–	–	–	–	–	–	–	–
Drowning	7	–	–	–	–	1	–	–	1	–	1	–	–
Fracture and Contusion	7	1	–	–	–	–	–	1	1	–	–	1	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	3	–	–	–	–	–	1	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	1	–	2	1	3	2	1	–	–	–	–	–	–
Paralysis	1	–	–	–	1	3	–	4	3	1	–	–	–	–	–	–
Delirium Tremens	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	2	1	–	–	–	–	–	1	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	1	–	2	2	2	1	1	–	–	1	–	–	–	–	–
Pericarditis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	1	2	–	–	–	1	–	–	–	–	–	–	–
Heart Disease	–	3	5	–	2	3	8	2	2	4	1	–	–	–	–	–
Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	1	1	3	5	2	8	10	8	1	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Pneumonia	2	–	–	1	1	3	–	1	1	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–
Lung Disease	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	1	1	1	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	–	–	–	2	1	1	–	–	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	–	1	1	3	1	2	2	1	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1
Drowning	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	2
Fracture and Contusion	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Not Specified	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	862	42	22	49	51	49	29	23	37	19	26	28	32
SPECIFIED CAUSES	854	38	22	49	51	48	29	23	37	19	26	27	32
I. Zymotic Class	210	4	9	23	30	33	18	14	16	5	5	5	5
II. Diseases of Uncertain Seat	62	–	–	1	–	–	2	–	2	1	–	2	2
III. Tubercular Class	157	–	4	9	5	8	5	5	13	8	13	13	14
IV. Brain and Nervous System	77	7	2	1	2	–	1	–	–	–	2	1	2
V. Organs of Circulation	41	–	–	–	–	–	–	–	1	1	4	1	3
VI. Respiratory Organs	94	3	2	4	9	5	1	2	3	1	–	3	1
VII. Organs of Digestion	59	3	2	10	4	1	2	1	1	3	1	1	3
VIII. Urinary Organs	9	–	–	–	–	–	–	–	1	–	–	–	1
IX. Organs of Generation	12	–	–	–	–	–	–	–	–	–	–	1	–
X. Organs of Locomotion	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	22	20	2	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	3	–	–	–	1	–	–	–	–	–	–	–	–
XV. Age	94	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	13	–	1	1	–	1	–	1	–	–	1	–	1
I. Small Pox	5	–	–	1	1	1	1	–	1	–	–	–	–
Measles	3	–	–	–	1	1	1	–	–	–	–	–	–
Scarlatina	22	–	–	1	3	5	1	2	2	2	–	2	2
Diphtheria	19	–	–	1	4	5	3	3	3	–	–	–	–
Hooping Cough	71	3	7	15	15	14	5	6	6	–	–	–	–
Croup	19	–	–	–	6	3	6	2	1	1	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	16	–	–	2	–	1	1	–	2	–	–	–	–
Dysentery	14	–	–	2	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	6	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	1	–	–	–	–	–	–	–	–	–	–
Typhus	25	–	–	–	–	1	–	1	–	2	5	2	3
Metria	3	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	1	1	–	–	–	–	–	1	–	–	–	–
Syphilis	3	–	–	1	–	1	–	–	–	–	–	1	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	1	–	–	–	1
Dropsy	17	–	–	–	–	–	2	–	1	–	–	1	–
Abscess	4	–	–	1	–	–	–	–	–	1	–	1	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	1
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	36	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	3	–	–	1	–	–	–	–	–	1	–	–	–
Tabes Mesenterica	10	–	–	1	1	3	1	–	1	1	1	1	–
Phthisis	112	–	1	2	–	2	2	1	2	5	12	12	14
Hydrocephalus	32	–	3	5	4	3	2	4	10	1	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	33	31	24	25	29	34	45	38	56	72	40	17	6	4	–	1
SPECIFIED CAUSES	33	31	24	24	29	34	44	38	56	72	40	17	6	4	–	1
Zymotic Class	2	4	2	2	1	5	5	7	5	5	4	1	–	–	–	–
Uncertain Seat	1	4	6	5	4	6	9	2	6	7	2	–	–	–	–	–
Tbercular Class	20	14	3	7	5	6	2	–	1	2	–	–	–	–	–	–
Brain, etc.	2	1	4	4	5	3	4	7	14	12	2	1	–	–	–	–
Heart, etc.	1	2	1	–	7	–	4	4	5	4	3	–	–	–	–	–
Respiratory Organs	–	1	4	2	3	5	9	6	12	12	2	1	2	1	–	–
Digestive Organs	1	2	3	2	3	3	2	2	5	3	1	–	–	–	–	–
Urinary Organs	2	1	1	–	–	2	–	–	–	1	–	–	–	–	–	–
Generative Organs	2	2	–	2	–	2	2	–	–	1	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	8	8	25	26	14	4	3	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	–	–	–	1	–	1	2	–	–	–	–	–	–	–	1
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	1	–	–	–	–	1	–	3	2	2	–	–	–	–	–
Dysentery	–	2	–	1	–	1	2	2	1	1	–	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	2	–	1	2	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	1	–	1	3	1	3	1	1	–	–	–	–	–	–
Metria	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	3	1	2	–	–	3	4	–	–	–	–	–	–
Abscess	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Cancer	1	4	6	2	2	4	9	2	2	2	2	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	20	14	3	7	5	5	2	–	1	2	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	1	–	–	–	–	–	–	–	–	–	–	–	1
Apoplexy	22	–	–	–	–	–	–	–	–	–	1	–	–
Paralysis	30	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	13	7	2	1	2	–	1	–	–	–	–	–	–
Brain Disease	7	–	–	–	–	–	–	–	–	–	1	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	40	–	–	–	–	–	–	–	1	1	4	1	2
VI. Laryngitis	6	–	–	–	2	–	1	–	1	–	–	–	–
Bronchitis	59	2	1	4	4	3	–	1	1	–	–	2	–
Pleurisy	3	–	–	–	1	–	–	–	–	–	–	1	1
Pneumonia	14	1	1	–	2	2	–	1	1	–	–	–	–
Asthma	7	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	5	–	–	–	–	–	–	–	–	1	–	–	–
VII. Teething	14	–	–	9	4	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	5	–	–	–	–	–	1	–	–	1	–	–	–
Peritonitis	5	–	–	–	–	–	–	–	–	–	–	–	3
Ascites	2	–	–	–	–	–	–	–	–	–	1	–	–
Ulceration of Intestines	6	–	–	–	–	–	–	1	–	1	–	1	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	–	1	1	–	–	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	6	3	–	–	–	–	1	–	–	–	–	–	–
Liver Disease	5	–	1	–	–	–	–	–	–	1	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	7	–	–	–	–	–	–	–	1	–	–	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	–	–	–	–	–	–	–	–	–	–	1	–
Childbirth	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	1	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	1	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	–	–	1	–	1	–	–	–	–	1
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	8	4	–	–	–	1	–	–	–	–	–	1	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	2	2	1	1	2	1	4	6	2	–	–	–	–	–
Paralysis	–	–	–	1	4	2	1	6	9	5	–	1	–	–	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	–	2	–	–	–	1	–	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	2	1	–	7	–	4	4	5	4	3	–	–	–	–	–
Laryngitis	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Bronchitis	–	–	2	1	3	4	5	5	6	9	2	1	2	1	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	1	–	–	–	1	–	3	1	–	–	–	–	–	–
Asthma	–	–	–	1	–	1	2	1	–	2	–	–	–	–	–	–
Lung Disease	–	1	–	–	–	–	1	–	2	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ascites	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Ileus	1	–	1	–	–	1	–	–	2	–	1	–	–	–	–	–
Intussusception	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	1	–	–	2	–	–	–	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Childbirth	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	1	–	–	2	–	–	1	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	1185	108	31	74	120	71	42	49	73	31	43	34	41
Specified Causes	1137	81	24	70	117	68	42	49	72	31	42	33	41
I. Zymotic Class	287	6	8	24	55	46	29	32	32	6	4	–	6
II. Diseases of Uncertain Seat	42	–	–	–	–	3	2	2	2	1	1	1	–
III. Tubercular Class	232	–	2	12	20	10	6	9	17	13	30	24	17
IV. Brain and Nervous System	108	3	1	3	3	1	2	1	6	4	2	3	4
V. Organs of Circulation	26	3	–	–	–	–	–	1	–	–	–	–	–
VI. Respiratory Organs	105	2	3	12	9	4	1	3	4	2	1	2	3
VII. Organs of Digestion	110	9	7	15	24	2	1	–	5	2	–	–	4
VIII. Urinary Organs	14	–	–	–	–	–	–	–	–	–	1	–	1
IX. Organs of Generation	18	–	–	–	–	–	–	–	–	1	2	1	4
X. Organs of Locomotion	4	–	–	–	–	–	–	–	–	–	1	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	3	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	58	52	2	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	14	–	–	–	5	2	–	1	2	–	–	–	–
XV. Age	86	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	29	3	1	–	1	–	1	–	4	2	–	2	2
I. Small Pox	2	–	–	–	1	–	–	–	–	1	–	–	–
Measles	25	–	–	4	6	5	4	2	4	–	–	–	–
Scarlatina	81	1	2	7	10	18	7	16	16	3	1	–	–
Diphtheria	3	–	–	–	1	1	–	1	–	–	–	–	–
Hooping Cough	76	1	2	10	28	11	13	9	2	–	–	–	–
Croup	17	–	2	1	5	4	2	2	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	23	2	1	1	3	2	–	1	–	–	–	–	1
Dysentery	6	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	2	1	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	–	–	–	2	–	–	–	–
Infantile Fever	2	–	–	–	–	1	1	–	–	–	–	–	–
Typhus	44	–	–	1	1	4	2	1	7	2	3	–	4
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	–	1	–	–	–	–	–	–	–	–	–	1
Syphilis	1	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	29	–	–	–	–	2	2	2	1	1	–	1	–
Abscess	2	–	–	–	–	1	–	–	1	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	1	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	9	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	14	–	–	–	–	–	–	1	1	4	–	3	–
Tabes Mesenterica	11	–	–	1	5	2	–	1	1	–	–	–	1
Phthisis	174	–	1	3	4	7	4	3	9	9	30	21	16
Hydrocephalus	33	–	1	8	11	1	2	4	6	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	39	40	37	39	47	45	40	49	58	34	26	11	3	–	–	–
Specified Causes	39	40	37	39	47	45	39	49	58	34	26	11	3	–	–	–
Zymotic Class	2	5	2	1	8	2	5	6	3	3	2	–	–	–	–	–
Uncertain Seat	3	1	6	3	3	4	2	4	3	–	–	1	–	–	–	–
Tubercular Class	16	14	9	8	8	10	3	3	1	–	–	–	–	–	–	–
Brain, etc.	–	2	4	6	10	6	16	5	14	5	6	–	1	–	–	–
Heart, etc.	1	5	3	2	–	5	2	2	1	1	–	–	–	–	–	–
Respiratory Organs	3	3	9	8	8	6	6	6	9	–	–	1	–	–	–	–
Digestive Organs	4	3	2	4	9	7	1	4	2	4	1	–	–	–	–	–
Urinary Organs	2	2	–	1	–	3	–	1	2	–	1	–	–	–	–	–
Generative Organs	5	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	14	22	21	14	9	2	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	4	–	3	–	1	–	3	–	–	1	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	–	3	–	1	3	2	2	–	–	–	–	–	–
Dysentery	–	–	–	–	1	–	1	2	–	–	2	–	–	–	–	–
Cholera	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	5	2	–	4	2	3	1	1	1	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	1	2	2	1	3	2	3	3	–	–	1	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	–	3	1	2	1	–	1	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	15	14	9	8	7	9	3	2	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1859.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	5	–	–	–	1	–	–	1	2	1	–	–	–
Apoplexy	31	–	1	2	–	1	1	–	3	2	1	–	–
Paralysis	36	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	–	–	–	–	–	–	–	–	–	–	1	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	5	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	7	3	–	1	2	–	–	–	1	–	–	–	–
Brain Disease	17	–	–	–	–	–	1	–	–	1	1	2	1
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	26	3	–	–	–	–	–	1	–	–	–	–	–
VI. Laryngitis	2	–	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	55	1	2	10	5	1	1	1	1	1	–	1	1
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	33	1	1	2	3	3	–	2	3	1	1	1	2
Asthma	12	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	30	–	2	10	16	1	1	–	–	–	–	–	–
Quinsey	2	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	3	–	–	1	–	–	–	–	–	–	–	–	1
Enteritis	30	7	3	3	6	–	–	–	2	1	–	–	1
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	–	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	1	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	1	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	13	1	1	1	1	–	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	–	–	–	–	–	–	–	–	1	–	–	–
Jaundice	4	1	–	–	–	–	–	–	–	–	–	–	1
Liver Disease	14	–	1	–	–	–	–	–	1	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	1	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	1	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	16	–	–	–	–	–	–	–	–	–	2	1	4
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	2	2	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	–	–	–	–	–	–	–	–	1
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	1	1	–	–	–	–	–	–	–	–	–	–
Drowning	8	–	–	–	–	–	–	–	4	1	–	–	–
Fracture and Contusion	8	–	–	–	1	–	1	–	–	1	–	2	1
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	5	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	48	27	7	4	3	3	–	–	1	–	1	1	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1859.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	3	2	2	5	–	6	1	–	–	–	–	–	–
Paralysis	–	–	–	1	4	3	8	2	7	4	5	–	1	–	–	–
Delirium Tremens	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	1	–	–	1	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	3	1	3	–	2	1	–	–	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	5	3	2	–	5	2	2	1	1	–	–	–	–	–	–
Laryngitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	1	4	5	4	3	1	5	4	–	–	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pneumonia	1	2	2	2	1	2	1	–	2	–	–	–	–	–	–	–
Asthma	–	–	2	1	3	1	3	–	2	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	1	1	3	2	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	1	–	2	–	–	1	–	2	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	2	–	–	1	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	1	1	–	1	4	2	–	2	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cystitis	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	5	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	590	53	18	33	69	35	19	22	43	18	21	17	22
SPECIFIED CAUSES	564	36	14	31	69	34	19	22	42	18	21	16	22
I. Zymotic Class	141	2	3	11	30	23	15	14	18	4	1	–	3
II. Diseases of Uncertain Seat	18	–	–	–	–	1	1	2	2	–	–	–	–
III. Tubercular Class	124	–	–	7	17	7	1	2	9	7	16	12	9
IV. Brain and Nervous System	59	3	1	1	–	–	1	1	4	3	2	2	2
V. Organs of Circulation	9	–	–	–	–	–	–	–	–	–	–	–	–
VI. Respiratory Organs	58	1	3	5	4	1	1	2	3	1	–	1	3
VII. Organs of Digestion	55	5	5	6	14	1	–	–	1	2	–	–	3
VIII. Urinary Organs	9	–	–	–	–	–	–	–	–	–	1	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	2	–	–	–	–	–	–	–	–	–	1	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	26	23	2	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	7	–	–	–	3	1	–	1	1	–	–	–	–
XV. Age	34	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	20	1	–	–	1	–	–	–	4	1	–	1	2
I. Small Pox	2	–	–	–	1	–	–	–	–	1	–	–	–
Measles	13	–	–	3	4	3	1	1	1	–	–	–	–
Scarlatina	40	1	–	4	3	11	3	6	10	2	–	–	–
Diphtheria	3	–	–	–	1	1	–	1	–	–	–	–	–
Hooping Cough	36	–	2	2	15	5	7	3	2	–	–	–	–
Croup	9	–	–	–	4	2	2	1	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	13	1	1	1	2	1	–	1	–	–	–	–	–
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	22	–	–	1	–	–	2	1	4	1	1	–	3
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	14	–	–	–	–	1	1	2	1	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	1	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	3	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	8	–	–	–	–	–	–	–	–	3	–	2	–
Tabes Mesenterica	7	–	–	1	4	1	–	–	–	–	–	–	1
Phthisis	88	–	–	1	4	5	1	–	5	4	16	10	8
Hydrocephalus	21	–	–	5	9	1	–	2	4	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	17	22	17	21	21	26	20	19	28	13	11	3	2	–	–	–
SPECIFIED CAUSES	17	22	17	21	21	26	20	19	28	13	11	3	2	–	–	–
Zymotic Class	–	2	–	1	3	–	4	3	2	2	–	–	–	–	–	–
Uncertain Seat	1	1	–	2	2	2	1	1	1	–	–	1	–	–	–	–
Tubercular Class	9	4	6	4	3	8	2	1	–	–	–	–	–	–	–	–
Brain, etc.	–	1	3	2	5	4	9	3	7	1	4	–	–	–	–	–
Heart, etc.	–	2	1	1	–	4	–	1	–	–	–	–	–	–	–	–
Respiratory Organs	1	3	6	6	4	4	1	3	5	–	–	–	–	–	–	–
Digestive Organs	3	3	1	2	4	2	–	–	1	2	–	–	–	–	–	–
Urinary Organs	1	2	–	1	–	1	–	1	1	–	1	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	4	10	8	5	2	2	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	4	–	2	–	1	–	2	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	1	–	1	2	1	1	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cholera	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	2	–	–	2	–	3	–	1	1	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	1	–	1	1	1	1	1	1	–	–	1	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	8	4	6	4	3	7	2	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	4	–	–	–	–	–	–	1	2	1	–	–	–
Apoplexy	16	–	1	1	–	–	–	–	1	1	1	–	–
Paralysis	15	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	–	–	1	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	4	3	–	–	–	–	–	–	1	–	–	–	–
Brain Disease	13	–	–	–	–	–	1	–	–	1	1	1	1
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	9	–	–	–	–	–	–	–	–	–	–	–	–
VI. Laryngitis	1	–	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	32	1	2	4	1	1	1	1	1	1	–	1	1
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	20	–	1	1	2	–	–	1	2	–	–	–	2
Asthma	4	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	15	–	2	5	8	–	–	–	–	–	–	–	–
Quinsey	2	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	1
Enteritis	16	4	2	1	5	–	–	–	1	1	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	–	1	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	–	–	–	1	–	–	–
Jaundice	2	1	–	–	–	–	–	–	–	–	–	–	1
Liver Disease	6	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	1	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	–	–	–	–	1
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	8	–	–	–	–	–	–	–	4	1	–	–	–
Fracture and Contusion	4	–	–	–	1	–	–	–	–	–	–	1	1
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	5	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	26	17	4	2	–	1	–	–	1	–	–	1	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	–	1	2	4	–	4	–	–	–	–	–	–	–
Paralysis	–	–	–	1	1	2	4	1	2	1	3	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	3	1	2	–	–	1	–	–	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	2	1	1	–	4	–	1	–	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	3	4	3	1	1	2	1	–	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pneumonia	–	2	2	2	1	2	–	–	2	–	–	–	–	–	–	–
Asthma	–	–	1	–	–	1	–	–	2	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	1	–	1	–	–	–	–	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	1	–	1	2	1	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	595	55	13	41	51	36	23	27	30	13	22	17	19
SPECIFIED CAUSES	573	45	10	39	48	34	23	27	30	13	21	17	19
I. Zymotic Class	146	4	5	13	25	23	14	18	14	2	3	–	3
II. Diseases of Uncertain Seat	24	–	–	–	–	2	1	–	–	1	1	1	–
III. Tubercular Class	108	–	2	5	3	3	5	7	8	6	14	12	8
IV. Brain and Nervous System	49	–	–	2	3	1	1	–	2	1	–	1	2
V. Organs of Circulation	17	3	–	–	–	–	–	1	–	–	–	–	–
VI. Respiratory Organs	47	1	–	7	5	3	–	1	1	1	1	1	–
VII. Organs of Digestion	55	4	2	9	10	1	1	–	4	–	–	–	1
VIII. Urinary Organs	5	–	–	–	–	–	–	–	–	–	–	–	1
IX. Organs of Generation	18	–	–	–	–	–	–	–	–	1	2	1	4
X. Organs of Locomotion	2	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	32	29	–	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	7	–	–	–	2	1	–	–	1	–	–	–	–
XV. Age	52	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	9	2	1	–	–	–	1	–	–	1	–	1	–
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	12	–	–	1	2	2	3	1	3	–	–	–	–
Scarlatina	41	–	2	3	7	7	4	10	6	1	1	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	40	1	–	8	13	6	6	6	–	–	–	–	–
Croup	8	–	2	1	1	2	–	1	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	10	1	–	–	1	1	–	–	–	–	–	–	1
Dysentery	5	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	1	1	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Infantile Fever	2	–	–	–	–	1	1	–	–	–	–	–	–
Typhus	22	–	–	–	1	4	–	–	3	1	2	–	1
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	–	1	–	–	–	–	–	–	–	–	–	1
Syphilis	1	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	15	–	–	–	–	1	1	–	–	1	–	1	–
Abscess	1	–	–	–	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	1	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	6	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	–	–	–	–	1	1	1	–	1	–
Tabes Mesenterica	4	–	–	–	1	1	–	1	1	–	–	–	–
Phthisis	86	–	1	2	–	2	3	3	4	5	14	11	8
Hydrocephalus	12	–	1	3	2	–	2	2	2	–	–	–	–

CAUSES OF DEATH in PAISLEY, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	22	18	20	18	26	19	20	30	30	21	15	8	1	–	–	–
SPECIFIED CAUSES	22	18	20	18	26	19	19	30	30	21	15	8	1	–	–	–
Zymotic Class	2	3	2	–	5	2	1	3	1	1	2	–	–	–	–	–
Uncertain Seat	2	–	6	1	1	2	1	3	2	–	–	–	–	–	–	–
Tubercular Class	7	10	3	4	5	2	1	2	1	–	–	–	–	–	–	–
Brain, etc.	–	1	1	4	5	2	7	2	7	4	2	–	1	–	–	–
Heart, etc.	1	3	2	1	–	1	2	1	1	1	–	–	–	–	–	–
Respiratory Organs	2	–	3	2	4	2	5	3	4	–	–	1	–	–	–	–
Digestive Organs	1	–	1	2	5	5	1	4	1	2	1	–	–	–	–	–
Urinary Organs	1	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–
Generative Organs	5	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	10	12	13	9	7	–	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	–	2	–	–	1	1	1	–	–	–	–	–	–
Dysentery	–	–	–	–	1	–	1	1	–	–	2	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	3	2	–	2	2	–	1	–	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	2	1	–	2	1	2	2	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	–	3	–	1	–	–	1	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	7	10	3	4	4	2	1	2	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	1	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	15	–	–	1	–	1	1	–	2	1	–	–	–
Paralysis	21	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	3	–	–	1	2	–	–	–	–	–	–	–	–
Brain Disease	4	–	–	–	–	–	–	–	–	–	–	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	17	3	–	–	–	–	–	1	–	–	–	–	–
VI. Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	23	–	–	6	4	–	–	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	13	1	–	1	1	3	–	1	1	1	1	1	–
Asthma	8	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	15	–	–	5	8	1	1	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	14	3	1	2	1	–	–	–	1	–	–	–	1
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	1	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	7	1	–	1	1	–	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	8	–	1	–	–	–	–	–	1	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	1	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	16	–	–	–	–	–	–	–	–	–	2	1	4
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	1	1	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	4	–	–	–	–	–	1	–	–	1	–	1	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	22	10	3	2	3	2	–	–	–	–	1	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	3	1	–	1	–	2	1	–	–	–	–	–	–
Paralysis	–	–	–	–	3	1	4	1	5	3	2	–	1	–	–	–
Delirium Tremens	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	3	2	1	–	1	2	1	1	1	–	–	–	–	–	–
Laryngitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	1	1	1	2	–	3	3	–	–	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Asthma	–	–	1	1	3	–	3	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	1	–	2	2	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	2	1	–	2	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	5	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	1423	115	52	146	181	110	92	61	123	26	37	38	36
Specified Causes	1382	100	44	145	177	107	89	59	123	26	36	38	36
I. Zymotic Class	556	18	15	75	105	76	65	46	90	8	4	8	9
II. Diseases of Uncertain Seat	35	–	1	–	–	2	2	2	2	1	–	1	1
III. Tubercular Class	221	1	5	16	22	10	8	6	15	10	19	22	14
IV. Brain and Nervous System	91	1	2	9	8	4	6	1	5	1	2	3	3
V. Organs of Circulation	49	1	1	–	–	–	–	1	1	1	2	–	–
VI. Respiratory Organs	150	8	12	24	14	9	5	–	4	1	4	2	1
VII. Organs of Digestion	71	5	4	16	19	5	1	–	2	1	1	–	3
VIII. Urinary Organs	15	–	–	–	–	–	–	–	1	–	–	1	1
IX. Organs of Generation	13	–	–	–	–	–	–	–	–	–	1	–	3
X. Organs of Locomotion	4	–	–	–	–	–	1	–	1	–	–	–	–
XI. Skin, etc.	2	1	–	–	–	–	–	–	1	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	69	62	4	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	13	–	–	–	7	–	–	2	–	–	–	–	–
XV. Age	55	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	1	–	–	–	–	–
XVII. Violent Deaths	35	2	–	2	2	1	1	–	1	3	3	1	1
I. Small Pox	31	1	1	4	6	6	2	1	3	1	–	1	2
Measles	7	–	–	2	4	–	1	–	–	–	–	–	–
Scarlatina	266	–	3	18	44	50	39	38	64	5	1	1	2
Diphtheria	2	–	–	1	1	–	–	–	–	–	–	–	–
Hooping Cough	116	3	5	35	33	13	14	4	9	–	–	–	–
Croup	24	1	2	4	7	4	1	2	3	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	35	10	3	9	1	1	–	–	1	–	–	–	–
Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	4	–	–	–	–	–	1	–	1	–	–	–	1
Influenza	3	–	–	–	2	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	3	–	–	2	–	–	–	–	1	–	–	–	–
Typhus	49	–	–	–	5	1	6	1	8	2	3	5	4
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	5	2	–	–	–	–	–	–	–	–	–	1	–
Syphilis	6	–	1	–	2	1	1	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	12	–	–	–	–	2	2	1	1	1	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	–	–	–	–	–	–	1	1	–	–	–	–
Cancer	17	–	1	–	–	–	–	–	–	–	–	1	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	9	–	1	–	2	–	–	–	–	3	1	–	–
Tabes Mesenterica	13	–	1	1	4	2	–	1	2	–	1	–	–
Phthisis	157	–	–	4	3	4	4	3	9	7	17	22	14
Hydrocephalus	42	1	3	11	13	4	4	2	4	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	46	39	32	33	41	36	47	27	37	29	24	9	5	1	–	–
Specified Causes	46	38	32	31	41	36	46	27	37	29	24	9	5	1	–	–
Zymotic Class	5	9	1	3	3	2	2	3	4	2	1	1	–	1	–	–
Uncertain Seat	–	2	–	3	8	3	5	1	–	1	–	–	–	–	–	–
Tubercular Class	17	11	14	6	11	5	4	3	1	–	–	1	–	–	–	–
Brain, etc.	3	4	4	4	6	5	9	–	8	1	1	1	–	–	–	–
Heart, etc.	4	1	3	4	4	3	9	4	6	2	1	1	–	–	–	–
Respiratory Organs	6	3	4	3	5	11	7	14	2	3	7	–	1	–	–	–
Digestive Organs	–	3	1	1	–	2	2	1	3	–	1	–	–	–	–	–
Urinary Organs	2	–	1	1	2	2	1	–	2	1	–	–	–	–	–	–
Generative Organs	4	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	1	10	19	13	5	4	–	–	–
Sudden Deaths	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Violent Deaths	5	2	2	4	1	1	2	–	1	–	–	–	–	–	–	–
Small Pox	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	3	–	–	1	1	–	–	1	1	1	1	–	–	–	–
Dysentery	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	3	–	2	1	1	1	3	2	1	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Dropsy	–	1	–	–	2	–	1	–	–	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Cancer	–	1	–	3	6	2	3	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	17	10	13	5	11	5	4	3	1	–	–	1	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1859.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	8	–	1	2	1	1	–	–	–	–	–	2	–
Apoplexy	20	–	–	–	–	–	1	–	–	1	–	1	–
Paralysis	24	–	–	–	–	–	–	–	1	–	–	–	2
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	1	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	16	1	–	4	5	3	2	–	1	–	–	–	–
Brain Disease	18	–	1	3	2	–	3	1	3	–	1	–	1
V. Pericarditis	4	–	–	–	–	–	–	1	1	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	44	1	1	–	–	–	–	–	–	1	2	–	–
VI. Laryngitis	2	–	–	1	–	1	–	–	–	–	–	–	–
Bronchitis	82	6	9	14	10	4	4	–	1	–	1	–	–
Pleurisy	3	–	–	1	–	–	–	–	–	–	–	–	–
Pneumonia	45	2	3	8	4	4	1	–	3	–	3	2	1
Asthma	11	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	7	–	–	–	–	–	–	–	–	1	–	–	–
VII. Teething	35	–	2	14	17	2	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Enteritis	13	4	1	1	2	2	–	–	1	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	1	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	2	–	–	–	–	–	–	–	–	–	1	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	8	1	–	1	–	–	–	–	–	–	–	–	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	4	–	1	–	–	–	1	–	–	–	–	–	–
Liver Disease	4	–	–	–	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	1	–	–	–	1
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	7	–	–	–	–	–	–	–	–	–	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	7	–	–	–	–	–	–	–	–	–	1	–	3
Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	3	–	–	–	–	–	1	–	1	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	1	–	–	–	–	–	–	1	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	5	–	–	–	–	–	–	–	–	–	–	–	–
Privation	2	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	3	2	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	–	–	1	1	–	1	–	1	–	1	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	6	–	–	–	–	1	–	–	–	2	1	–	–
Fracture and Contusion	10	–	–	–	–	–	–	–	–	1	1	–	1
Wounds	1	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	41	15	8	1	4	3	3	2	–	–	1	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1859.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	2	–	1	1	5	2	3	–	3	–	–	–	–	–	–	–
Paralysis	–	2	1	2	1	2	6	–	5	–	1	1	–	–	–	–
Delirium Tremens	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Pericarditis	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	4	1	2	3	4	3	8	4	6	2	1	1	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	–	–	1	5	3	12	1	2	7	–	1	–	–	–
Pleurisy	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	5	2	3	1	–	2	1	–	–	–	–	–	–	–	–	–
Asthma	–	–	–	2	2	3	1	1	1	1	–	–	–	–	–	–
Lung Disease	–	1	–	–	1	1	2	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	2	–	–	1	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	1	1	–	1	–	–	1	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Childbirth	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	–	2	–	1	1	–	1	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	714	75	37	78	82	54	52	28	51	16	22	21	18
SPECIFIED CAUSES	692	66	30	78	81	52	52	28	51	16	22	21	18
I. Zymotic Class	283	11	11	37	51	41	39	22	35	5	2	3	6
II. Diseases of Uncertain Seat	11	–	–	–	–	1	1	1	2	–	–	–	–
III. Tubercular Class	104	1	3	10	9	2	4	3	4	5	11	12	7
IV. Brain and Nervous System	43	–	1	4	2	–	3	–	4	1	–	2	2
V. Organs of Circulation	24	1	1	–	–	–	–	–	–	–	2	–	–
VI. Respiratory Organs	80	4	7	17	6	4	3	–	2	1	3	2	–
VII. Organs of Digestion	40	3	4	8	11	3	–	–	1	1	1	–	2
VIII. Urinary Organs	10	–	–	–	–	–	–	–	1	–	–	1	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	4	–	–	–	–	–	1	–	1	–	–	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	1	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	47	43	3	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	2	–	–	2	–	–	–	–	–
XV. Age	16	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	23	2	–	1	–	1	1	–	–	3	3	1	1
I. Small Pox	18	–	1	2	2	4	2	1	2	1	–	–	1
Measles	5	–	–	1	3	–	1	–	–	–	–	–	–
Scarlatina	128	–	3	7	22	27	22	20	22	2	–	–	2
Diphtheria	2	–	–	1	1	–	–	–	–	–	–	–	–
Hooping Cough	55	1	3	17	14	6	10	–	4	–	–	–	–
Croup	10	1	1	3	4	1	–	–	–	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	21	6	3	5	1	1	–	–	1	–	–	–	–
Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	3	–	–	–	–	–	–	–	1	–	–	–	1
Influenza	2	–	–	–	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	2	–	–	1	–	–	–	–	1	–	–	–	–
Typhus	27	–	–	–	2	1	3	1	4	1	2	2	2
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	2	–	–	–	–	–	–	–	–	–	1	–
Syphilis	3	–	–	–	1	1	1	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	6	–	–	–	–	1	1	1	1	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	1	–	–	–	–
Cancer	2	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	3	–	–	–	–	–	–	–	–	2	1	–	–
Tabes Mesenterica	7	–	1	1	2	1	–	–	–	–	1	–	–
Phthisis	75	–	–	2	1	–	4	3	2	3	9	12	7
Hydrocephalus	19	1	2	7	6	1	–	–	2	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	24	20	17	18	20	19	17	13	12	11	3	5	1	–	–	–
SPECIFIED CAUSES	24	20	17	16	20	19	16	13	12	11	3	5	1	–	–	–
Zymotic Class	2	5	–	2	3	2	2	2	1	1	–	–	–	–	–	–
Uncertain Seat	–	1	–	–	1	1	1	1	–	1	–	–	–	–	–	–
Tubercular Class	5	4	8	3	6	3	1	2	–	–	–	1	–	–	–	–
Brain, etc.	2	4	3	2	4	2	3	–	2	1	–	1	–	–	–	–
Heart, etc.	4	–	1	2	2	1	4	3	2	–	–	1	–	–	–	–
Respiratory Organs	6	3	3	1	3	6	3	5	–	–	–	–	1	–	–	–
Digestive Organs	–	2	–	1	–	1	1	–	1	–	–	–	–	–	–	–
Urinary Organs	1	–	1	1	1	2	–	–	1	1	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	–	4	7	3	2	–	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	4	1	–	3	–	–	1	–	1	–	–	–	–	–	–	–
Small Pox	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	2	–	1	1	1	1	2	–	1	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	5	4	7	3	6	3	1	2	–	–	–	1	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	6	–	1	2	–	–	–	–	–	–	–	2	–
Apoplexy	11	–	–	–	–	–	–	–	–	1	–	–	–
Paralysis	12	–	–	–	–	–	–	–	1	–	–	–	2
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	5	–	–	1	2	–	2	–	–	–	–	–	–
Brain Disease	7	–	–	1	–	–	1	–	3	–	–	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	23	1	1	–	–	–	–	–	–	–	2	–	–
VI. Laryngitis	1	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	35	3	5	9	4	2	2	–	–	–	1	–	–
Pleurisy	2	–	–	1	–	–	–	–	–	–	–	–	–
Pneumonia	32	1	2	6	2	2	1	–	2	–	2	2	–
Asthma	6	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	4	–	–	–	–	–	–	–	–	1	–	–	–
VII. Teething	21	–	2	8	10	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	8	3	1	–	1	1	–	–	1	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	1	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	2	–	–	–	–	–	–	–	–	–	1	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	–	–	–	–	–	–	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	2	–	–	–	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	1	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	–	–	–	–	–	–	–	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	3	–	–	–	–	–	1	–	1	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	1	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	1	–	–	1	–	–	–	1	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	6	–	–	–	–	1	–	–	–	2	1	–	–
Fracture and Contusion	9	–	–	–	–	–	–	–	–	1	1	–	1
Wounds	1	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	22	9	7	–	1	2	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	2	–	1	–	4	–	3	–	–	–	–	–	–	–	–	–
Paralysis	–	2	1	1	–	2	–	–	2	–	–	1	–	–	–	–
Delirium Tremens	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Pericarditis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	4	–	–	2	2	1	4	3	2	–	–	1	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	–	–	–	2	1	4	–	–	–	–	1	–	–	–
Pleurisy	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	5	2	3	–	–	1	1	–	–	–	–	–	–	–	–	–
Asthma	–	–	–	1	1	2	1	1	–	–	–	–	–	–	–	–
Lung Disease	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	1	–	1	–	–	1	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	–	2	–	–	1	–	1	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	709	40	15	68	99	56	40	33	72	10	15	17	18
SPECIFIED CAUSES	690	34	14	67	96	55	37	31	72	10	14	17	18
I. Zymotic Class	273	7	4	38	54	35	26	24	55	3	2	5	3
II. Diseases of Uncertain Seat	24	–	1	–	–	1	1	1	–	1	–	1	1
III. Tubercular Class	117	–	2	6	13	8	4	3	11	5	8	10	7
IV. Brain and Nervous System	48	1	1	5	6	4	3	1	1	–	2	1	1
V. Organs of Circulation	25	–	–	–	–	–	–	1	1	1	–	–	–
VI. Respiratory Organs	70	4	5	7	8	5	2	–	2	–	1	–	1
VII. Organs of Digestion	31	2	–	8	8	2	1	–	1	–	–	–	1
VIII. Urinary Organs	5	–	–	–	–	–	–	–	–	–	–	–	1
IX. Organs of Generation	13	–	–	–	–	–	–	–	–	–	1	–	3
X. Organs of Locomotion	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	22	19	1	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	–	–	5	–	–	–	–	–	–	–	–
XV. Age	39	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	1	–	–	–	–	–
XVII. Violent Deaths	12	–	–	1	2	–	–	–	1	–	–	–	–
I. Small Pox	13	1	–	2	4	2	–	–	1	–	–	1	1
Measles	2	–	–	1	1	–	–	–	–	–	–	–	–
Scarlatina	138	–	–	11	22	23	17	18	42	2	1	1	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	61	2	2	18	19	7	4	4	5	–	–	–	–
Croup	14	–	1	1	3	3	1	2	3	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	14	4	–	4	–	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	1	–	–	–	–	–	–
Influenza	1	–	–	–	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	–	1	–	–	–	–	–	–	–	–	–
Typhus	22	–	–	–	3	–	3	–	4	1	1	3	2
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	3	–	1	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	6	–	–	–	–	1	1	–	–	1	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	15	–	1	–	–	–	–	–	–	–	–	1	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	1	–	2	–	–	–	–	1	–	–	–
Tabes Mesenterica	6	–	–	–	2	1	–	1	2	–	–	–	–
Phthisis	82	–	–	2	2	4	–	–	7	4	8	10	7
Hydrocephalus	23	–	1	4	7	3	4	2	2	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	22	19	15	15	21	17	30	14	25	18	21	4	4	1	–	–
SPECIFIED CAUSES	22	18	15	15	21	17	30	14	25	18	21	4	4	1	–	–
Zymotic Class	3	4	1	1	–	–	–	1	3	1	1	1	–	1	–	–
Uncertain Seat	–	1	–	3	7	2	4	–	–	–	–	–	–	–	–	–
Tubercular Class	12	7	6	3	5	2	3	1	1	–	–	–	–	–	–	–
Brain, etc.	1	–	1	2	2	3	6	–	6	–	1	–	–	–	–	–
Heart, etc.	–	1	2	2	2	2	5	1	4	2	1	–	–	–	–	–
Respiratory Organs	–	–	1	2	2	5	4	9	2	3	7	–	–	–	–	–
Digestive Organs	–	1	1	–	–	1	1	1	2	–	1	–	–	–	–	–
Urinary Organs	1	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Generative Organs	4	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	1	6	12	10	3	4	–	–	–
Sudden Deaths	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Violent Deaths	1	1	2	1	1	1	1	–	–	–	–	–	–	–	–	–
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	2	–	–	–	–	–	–	1	1	1	1	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	–	1	–	–	–	1	2	–	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	3	6	1	3	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	12	6	6	2	5	2	3	1	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	2	–	–	–	1	1	–	–	–	–	–	–	–
Apoplexy	9	–	–	–	–	–	1	–	–	–	–	1	–
Paralysis	12	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	1	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	11	1	–	3	3	3	–	–	1	–	–	–	–
Brain Disease	11	–	1	2	2	–	2	1	–	–	1	–	1
V. Pericarditis	3	–	–	–	–	–	–	1	1	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	21	–	–	–	–	–	–	–	–	1	–	–	–
VI. Laryngitis	1	–	–	–	–	1	–	–	–	–	–	–	–
Bronchitis	47	3	4	5	6	2	2	–	1	–	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	13	1	1	2	2	2	–	–	1	–	1	–	1
Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	14	–	–	6	7	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Enteritis	5	1	–	1	1	1	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	5	1	–	1	–	–	–	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	–	–	–	–	–	1	–	–	–	–	–	–
Liver Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	7	–	–	–	–	–	–	–	–	–	1	–	3
Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	–
Privation	2	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	1	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	19	6	1	1	3	1	3	2	–	–	1	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1859.—FEMALES. (*Continued.*

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	1	2	–	–	3	–	–	–	–	–	–	–
Paralysis	–	–	–	1	1	–	6	–	3	–	1	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	–	1	2	1	2	2	4	1	4	2	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	–	–	1	3	2	8	1	2	7	–	–	–	–	–
Pleurisy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Asthma	–	–	–	1	1	1	–	–	1	1	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Childbirth	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	699	69	23	51	69	40	10	8	30	15	14	22	30
Specified Causes	612	55	16	42	57	36	9	7	26	14	13	18	24
I. Zymotic Class	115	6	3	16	24	21	2	5	12	1	3	–	3
II. Diseases of Uncertain Seat	27	–	–	1	1	1	1	–	–	–	–	–	–
III. Tubercular Class	102	2	3	9	12	7	3	–	4	4	1	10	9
IV. Brain and Nervous System	67	4	–	2	3	2	–	2	2	2	4	2	2
V. Organs of Circulation	43	–	–	–	–	–	–	–	–	–	–	–	4
VI. Respiratory Organs	60	5	8	6	2	3	2	–	2	1	–	–	–
VII. Organs of Digestion	49	3	–	2	10	–	–	–	1	1	1	3	3
VIII. Urinary Organs	3	–	–	–	–	1	–	–	–	–	–	–	–
IX. Organs of Generation	3	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	5	–	–	–	–	–	–	–	1	1	–	1	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	39	32	1	6	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	2	1	–	–	2	–	–	–	–
XV. Age	46	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	46	1	1	–	3	–	1	–	2	4	4	2	3
I. Small Pox	45	2	–	11	12	12	1	2	2	–	1	–	1
Measles	2	–	–	–	–	–	–	–	2	–	–	–	–
Scarlatina	11	–	–	1	–	2	–	1	5	–	1	–	–
Diphtheria	8	–	–	–	2	3	–	1	2	–	–	–	–
Hooping Cough	8	1	1	1	3	2	–	–	–	–	–	–	–
Croup	10	–	–	2	4	2	1	–	1	–	–	–	–
Thrush	2	2	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	6	1	1	1	1	–	–	–	–	–	–	–	–
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	4	–	–	–	1	–	–	–	–	–	–	–	1
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	14	–	–	–	1	–	–	1	–	1	1	–	1
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	8	–	–	–	1	–	1	–	–	–	–	–	–
Abscess	2	–	–	1	–	1	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	12	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	3	–	–	–	–	–	1	–	–	–	–	1	–
Tabes Mesenterica	4	–	–	–	2	1	–	–	–	–	–	–	1
Phthisis	60	–	–	1	–	–	–	–	1	4	1	8	8
Hydrocephalus	35	2	3	8	10	6	2	–	3	–	–	1	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	27	34	29	25	24	30	28	34	32	25	21	5	2	–	–	2
Specified Causes	24	30	24	23	24	28	21	34	32	25	21	5	2	–	–	2
Zymotic Class	1	3	1	4	1	4	1	1	1	1	1	–	–	–	–	–
Uncertain Seat	2	–	1	3	3	2	1	6	3	–	2	–	–	–	–	–
Tubercular Class	7	11	7	5	3	3	1	1	–	–	–	–	–	–	–	–
Brain, etc.	–	5	5	2	1	6	5	2	5	9	1	1	–	–	–	–
Heart, etc.	3	5	2	2	4	7	3	6	5	2	–	–	–	–	–	–
Respiratory Organs	3	2	3	3	2	1	5	2	5	2	2	1	–	–	–	–
Digestive Organs	2	1	2	2	4	4	4	4	–	2	–	–	–	–	–	–
Urinary Organs	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Generative Organs	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	8	12	8	13	3	2	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	3	3	2	2	5	1	1	4	–	1	1	–	–	–	–	2
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Dysentery	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	1	1	–	2	1	1	1	1	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	1	1	1	–	2	1	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–
Cancer	1	–	1	2	2	–	–	4	2	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	7	11	6	5	3	3	1	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1859.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	6	–	–	–	1	–	–	–	–	–	1	–	1
Apoplexy	18	–	–	–	–	–	–	1	–	1	–	1	–
Paralysis	21	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	2	1	–	–	–	–	–	–	–	1	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	10	3	–	2	2	1	–	–	1	–	–	–	–
Brain Disease	8	–	–	–	–	1	–	1	1	–	3	–	1
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	5	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	38	–	–	–	–	–	–	–	–	–	–	–	3
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	31	3	3	4	2	2	2	–	1	–	–	–	–
Pleurisy	3	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	23	2	5	2	–	1	–	–	–	1	–	–	–
Asthma	1	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	2	–	–	–	–	–	–	–	1	–	–	–	–
VII. Teething	10	–	–	2	8	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	5	2	–	–	1	–	–	–	–	–	1	–	–
Peritonitis	6	–	–	–	–	–	–	–	–	1	–	2	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	9	–	–	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	5	1	–	–	–	–	–	–	–	–	–	–	1
Liver Disease	8	–	–	–	–	–	–	–	1	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	1	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	1	–
Joint and Bone Disease	3	–	–	–	–	–	–	–	1	1	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	2	2	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	7	–	–	–	3	–	1	–	–	–	–	–	–
Hanging, etc.	5	–	–	–	–	–	–	–	–	1	–	–	–
Suffocation	4	1	1	–	–	–	–	–	1	–	–	–	–
Drowning	9	–	–	–	–	–	–	–	1	2	–	–	1
Fracture and Contusion	13	–	–	–	–	–	–	–	–	–	4	2	1
Wounds	3	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	–	–	–	–	–	–	1	–	–	–
Not Specified	87	14	7	9	12	4	1	1	4	1	1	4	6

CAUSES of DEATH in LEITH, at different Periods of Life, in 1859.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	2	–	4	3	–	4	–	1	–	–	–	–	–
Paralysis	–	1	2	–	1	2	2	2	1	9	–	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–
Heart Disease	3	5	2	2	3	6	1	6	5	2	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	–	–	1	1	3	1	3	2	1	1	–	–	–	–
Pleurisy	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–
Pneumonia	3	1	2	2	–	–	2	1	–	–	1	–	–	–	–	–
Asthma	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	1	1	1	3	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–
Liver Disease	–	1	2	–	1	1	–	1	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	–	–	2	–	–	2	–	–	–	–	–	–	–	–
Wounds	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
Not Specified	3	4	5	2	–	2	7	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	336	38	13	23	36	21	6	6	12	7	11	12	15
SPECIFIED CAUSES	296	30	9	18	29	19	5	5	12	7	11	11	12
I. Zymotic Class	51	3	2	7	12	9	–	4	2	–	1	–	2
II. Diseases of Uncertain Seat	12	–	–	–	1	1	1	–	–	–	–	–	–
III. Tubercular Class	45	2	1	5	5	4	1	–	1	1	1	5	4
IV. Brain and Nervous System	31	2	–	1	2	1	–	1	2	1	4	1	1
V. Organs of Circulation	19	–	–	–	–	–	–	–	–	–	–	–	2
VI. Respiratory Organs	34	–	5	2	2	2	2	–	2	–	–	–	–
VII. Organs of Digestion	26	3	–	–	6	–	–	–	1	–	1	3	1
VIII. Urinary Organs	2	–	–	–	–	1	–	–	–	–	–	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	4	–	–	–	–	–	–	–	1	1	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	22	18	1	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	3	–	–	–	1	1	–	–	1	–	–	–	–
XV. Age	13	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	32	–	–	–	–	–	1	–	2	4	4	2	2
I. Small Pox	16	1	–	4	3	4	–	2	–	–	–	–	1
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	7	–	–	1	–	2	–	1	1	–	1	–	–
Diphtheria	4	–	–	–	2	2	–	–	–	–	–	–	–
Hooping Cough	2	1	–	–	1	–	–	–	–	–	–	–	–
Croup	8	–	–	2	4	1	–	–	1	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	–	1	–	–	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	3	–	–	–	1	–	–	–	–	–	–	–	1
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	6	–	–	–	1	–	–	1	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	5	–	–	–	1	–	1	–	–	–	–	–	–
Abscess	1	–	–	–	–	1	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	3	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	1	–	–	–	–	–	–	–	–	–	–	1	–
Tabes Mesenterica	2	–	–	–	1	1	–	–	–	–	–	–	–
Phthisis	25	–	–	1	–	–	–	–	–	1	1	3	4
Hydrocephalus	17	2	1	4	4	3	1	–	1	–	–	1	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	13	11	14	13	12	17	17	12	12	6	6	2	–	–	–	1
SPECIFIED CAUSES	13	10	13	12	12	17	12	12	12	6	6	2	–	–	–	1
Zymotic Class	1	–	–	2	1	3	1	–	1	–	–	–	–	–	–	–
Uncertain Seat	1	–	1	1	2	1	1	1	–	–	1	–	–	–	–	–
Tubercular Class	3	3	4	3	–	1	1	–	–	–	–	–	–	–	–	–
Brain, etc.	–	1	2	1	–	4	2	1	2	1	–	1	–	–	–	–
Heart, etc.	2	1	1	–	3	5	1	2	1	1	–	–	–	–	–	–
Respiratory Organs	2	1	2	2	–	1	3	2	4	1	1	–	–	–	–	–
Digestive Organs	1	1	2	1	2	1	2	1	–	–	–	–	–	–	–	–
Urinary Organs	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	3	3	3	3	1	–	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	3	3	1	2	3	1	1	2	–	–	–	–	–	–	–	1
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	3	3	4	3	–	1	1	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	3	–	–	–	1	–	–	–	–	–	1	–	–
Apoplexy	7	–	–	–	–	–	–	–	–	1	–	–	–
Paralysis	8	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	5	1	–	1	1	1	–	–	1	–	–	–	–
Brain Disease	6	–	–	–	–	–	–	1	1	–	3	–	1
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	16	–	–	–	–	–	–	–	–	–	–	–	2
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	17	–	2	1	2	1	2	–	1	–	–	–	–
Pleurisy	3	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	13	–	3	1	–	1	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	–	–	–	–	–	1	–	–	–	–
VII. Teething	6	–	–	–	6	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	3	2	–	–	–	–	–	–	–	–	1	–	–
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	2	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	6	–	–	–	–	–	–	–	1	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	1	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	3	–	–	–	–	–	–	–	1	1	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	2	2	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	1	–	–	–	–	–	–
Hanging, etc.	3	–	–	–	–	–	–	–	–	1	–	–	–
Suffocation	2	–	–	–	–	–	–	–	1	–	–	–	–
Drowning	8	–	–	–	–	–	–	–	1	2	–	–	–
Fracture and Contusion	13	–	–	–	–	–	–	–	–	–	4	2	1
Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	1	–	–	–
Not Specified	40	8	4	5	7	2	1	1	–	–	–	1	3

CAUSES of DEATH in LEITH, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	1	–	3	–	–	1	–	–	–	–	–	–	–
Paralysis	–	–	1	–	–	1	2	1	1	1	–	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Heart Disease	2	1	1	–	2	4	–	2	1	1	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	–	–	–	1	2	1	2	1	–	–	–	–	–	–
Pleurisy	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–
Pneumonia	2	–	2	1	–	–	1	1	–	–	1	–	–	–	–	–
Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	–	–	2	–	–	2	–	–	–	–	–	–	–	–
Wounds	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Not Specified	–	1	1	1	–	–	5	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	363	31	10	28	33	19	4	2	18	8	3	10	15
SPECIFIED CAUSES	316	25	7	24	28	17	4	2	14	7	2	7	12
I. Zymotic Class	64	3	1	9	12	12	2	1	10	1	2	–	1
II. Diseases of Uncertain Seat	15	–	–	1	–	–	–	–	–	–	–	–	–
III. Tubercular Class	57	–	2	4	7	3	2	–	3	3	–	5	5
IV. Brain and Nervous System	36	2	–	1	1	1	–	1	–	1	–	1	1
V. Organs of Circulation	24	–	–	–	–	–	–	–	–	–	–	–	2
VI. Respiratory Organs	26	5	3	4	–	1	–	–	–	1	–	–	–
VII. Organs of Digestion	23	–	–	2	4	–	–	–	–	1	–	–	2
VIII. Urinary Organs	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	3	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	1	–	–	–	–	–	–	–	–	–	–	1	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	17	14	–	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	2	–	–	–	1	–	–	–	1	–	–	–	–
XV. Age	33	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	14	1	1	–	3	–	–	–	–	–	–	–	1
I. Small Pox	29	1	–	7	9	8	1	–	2	–	1	–	–
Measles	2	–	–	–	–	–	–	–	2	–	–	–	–
Scarlatina	4	–	–	–	–	–	–	–	4	–	–	–	–
Diphtheria	4	–	–	–	–	1	–	1	2	–	–	–	–
Hooping Cough	6	–	1	1	2	2	–	–	–	–	–	–	–
Croup	2	–	–	–	–	1	1	–	–	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	1	–	1	1	–	–	–	–	–	–	–	–
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	8	–	–	–	–	–	–	–	–	1	1	–	1
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	1	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	9	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	2	–	–	–	–	–	1	–	–	–	–	–	–
Tabes Mesenterica	2	–	–	–	1	–	–	–	–	–	–	–	1
Phthisis	35	–	–	–	–	–	–	–	1	3	–	5	4
Hydrocephalus	18	–	2	4	6	3	1	–	2	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	14	23	15	12	12	13	11	22	20	19	15	3	2	–	–	1
SPECIFIED CAUSES	11	20	11	11	12	11	9	22	20	19	15	3	2	–	–	–
Zymotic Class	–	3	1	2	–	1	–	1	–	1	1	–	–	–	–	–
Uncertain Seat	1	–	–	2	1	1	–	5	3	–	1	–	–	–	–	–
Tubercular Class	4	8	3	2	3	2	–	1	–	–	–	–	–	–	–	–
Brain, etc.	–	4	3	1	1	2	3	1	3	8	1	–	–	–	–	–
Heart, etc.	1	4	1	2	1	2	2	4	4	1	–	–	–	–	–	–
Respiratory Organs	1	1	1	1	2	–	2	–	1	1	1	1	–	–	–	–
Digestive Organs	1	–	–	1	2	3	2	3	–	2	–	–	–	–	–	–
Urinary Organs	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Generative Organs	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	5	9	5	10	2	2	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	1	–	2	–	–	2	–	1	1	–	–	–	–	1
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Dysentery	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	1	1	–	–	–	1	–	1	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Cancer	1	–	–	2	–	–	–	4	2	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	4	8	2	2	3	2	–	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	3	–	–	–	–	–	–	–	–	–	–	–	1
Apoplexy	11	–	–	–	–	–	–	1	–	–	–	1	–
Paralysis	13	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	1	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	5	2	–	1	1	–	–	–	–	–	–	–	–
Brain Disease	2	–	–	–	–	1	–	–	–	–	–	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	22	–	–	–	–	–	–	–	–	–	–	–	1
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	14	3	1	3	–	1	–	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	10	2	2	1	–	–	–	–	–	1	–	–	–
Asthma	1	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	4	–	–	2	2	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	2	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	4	–	–	–	–	–	–	–	–	1	–	–	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	–	–	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	4	–	–	–	–	–	–	–	–	–	–	–	1
Liver Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	1	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	–	–	–	3	–	–	–	–	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	1	1	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	1
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	47	6	3	4	5	2	–	–	4	1	1	3	3

CAUSES of DEATH in LEITH, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	–	1	3	–	3	–	1	–	–	–	–	–
Paralysis	–	1	1	–	1	1	–	1	–	8	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	1	4	1	2	1	2	1	4	4	1	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	–	–	1	–	1	–	1	1	1	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–
Liver Disease	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Not Specified	3	3	4	1	–	2	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	560	56	15	33	45	8	11	4	22	11	16	21	24
Specified Causes	551	49	14	33	45	8	11	4	22	11	16	21	23
I. Zymotic Class	106	5	6	17	20	4	8	2	8	4	5	2	7
II. Diseases of Uncertain Seat	23	1	–	1	–	–	–	–	–	–	–	–	–
III. Tubercular Class	103	2	1	4	7	3	1	1	6	4	9	10	13
IV. Brain and Nervous System	59	5	1	–	3	1	–	–	1	–	1	2	–
V. Organs of Circulation	36	–	–	–	–	–	–	–	1	–	–	1	–
VI. Respiratory Organs	44	1	3	2	7	–	1	–	3	–	–	1	–
VII. Organs of Digestion	41	2	1	8	6	–	–	–	1	–	–	2	–
VIII. Urinary Organs	9	1	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	3	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	3	–	–	–	–	–	–	–	–	–	–	1	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	32	30	1	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	2	–	–	–	–	–	–	–	1
XV. Age	58	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	25	1	–	–	–	–	1	1	2	3	1	2	2
I. Small Pox	1	–	–	–	–	1	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	10	–	1	–	1	–	1	1	2	2	1	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	41	5	5	11	14	1	4	–	1	–	–	–	–
Croup	8	–	–	2	2	1	3	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	15	–	–	3	3	1	–	1	–	–	–	–	1
Dysentery	6	–	–	–	–	–	–	–	–	–	–	–	1
Cholera	1	–	–	–	–	–	–	–	1	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	2	–	–	–	–	–	–	–	2	–	–	–	–
Typhus	13	–	–	–	–	–	–	–	2	2	3	2	–
Metria	5	–	–	–	–	–	–	–	–	–	–	–	4
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	1	–	–	–	–	–	–	–	–	–	1	–	–
Syphilis	1	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	8	–	–	1	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	11	–	–	–	–	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	7	1	–	1	–	–	–	–	1	–	1	–	–
Tabes Mesenterica	3	1	–	–	–	–	–	1	–	1	–	–	–
Phthisis	76	–	–	–	–	–	–	–	4	3	8	10	12
Hydrocephalus	17	–	1	3	7	3	1	–	1	–	–	–	1

CAUSES of DEATH in PERTH, at different Periods of Life, in 1859.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	23	18	20	18	19	25	28	33	38	32	24	13	2	–	–	1
Specified Causes	23	18	20	18	19	25	28	33	38	32	24	13	2	–	–	1
Zymotic Class	4	–	3	1	1	2	3	–	3	–	1	–	–	–	–	–
Uncertain Seat	–	–	1	2	–	1	2	5	5	2	2	1	–	–	–	–
Tubercular Class	13	11	6	5	1	3	–	2	1	–	–	–	–	–	–	–
Brain, etc.	1	–	1	1	3	5	6	3	8	9	5	3	–	–	–	–
Heart, etc.	1	1	3	4	7	4	4	6	1	2	1	–	–	–	–	–
Respiratory Organs	2	–	–	1	1	5	5	3	5	3	–	–	1	–	–	–
Digestive Organs	1	–	2	1	5	2	1	5	2	1	1	–	–	–	–	–
Urinary Organs	–	1	2	–	–	–	1	1	2	1	–	–	–	–	–	–
Generative Organs	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	7	11	12	13	9	1	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Violent Deaths	–	5	1	2	–	2	–	–	–	–	1	–	–	–	–	1
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	–	–	–	1	–	1	–	1	–	1	–	–	–	–	–
Dysentery	1	–	1	–	–	–	1	–	2	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	1	–	–	1	1	–	–	1	2	1	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Cancer	–	–	–	2	–	–	1	4	3	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Scrofula	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	12	11	5	4	1	3	–	2	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1859.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	1	–	–	–	–	–	–	–	–	–	1	–	–
Apoplexy	23	–	–	–	–	–	–	–	–	–	–	2	–
Paralysis	19	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	8	5	1	–	1	1	–	–	–	–	–	–	–
Brain Disease	5	–	–	–	2	–	–	–	1	–	–	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	34	–	–	–	–	–	–	–	1	–	–	1	–
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	23	1	–	2	5	–	–	–	2	–	–	–	–
Pleurisy	2	–	–	–	–	–	–	–	1	–	–	1	–
Pneumonia	14	–	3	–	2	–	1	–	–	–	–	–	–
Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	14	–	–	8	6	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	3	–	–	–	–	–	–	–	–	–	–	1	–
Peritonitis	3	–	–	–	–	–	–	–	–	–	–	1	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	4	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	5	1	–	–	–	–	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	4	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	–	–	–	1	1	1	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	–	–	–	–	–	–	–	–	1	1	–	–
Fracture and Contusion	10	–	–	–	–	–	–	–	1	2	–	2	1
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	9	7	1	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in PERTH, at different Periods of Life, in 1859.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	–	–	–	4	5	1	3	4	2	1	–	–	–	–
Paralysis	–	–	–	1	2	–	1	1	5	4	3	2	–	–	–	–
Delirium Tremens	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	1	3	3	7	3	4	6	1	2	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	–	–	1	3	2	2	2	2	–	–	1	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	2	–	–	–	–	2	2	–	1	1	–	–	–	–	–	–
Asthma	–	–	–	1	–	–	1	1	2	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1
Wounds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	272	31	9	14	23	4	6	3	7	3	9	11	8
SPECIFIED CAUSES	269	28	9	14	23	4	6	3	7	3	9	11	8
I. Zymotic Class	41	2	3	7	12	2	4	2	2	–	1	1	–
II. Diseases of Uncertain Seat	11	1	–	–	–	–	–	–	–	–	–	–	–
III. Tubercular Class	52	1	1	1	3	1	1	–	4	1	6	7	6
IV. Brain and Nervous System	38	3	1	–	1	1	–	–	–	–	1	–	–
V. Organs of Circulation	21	–	–	–	–	–	–	–	–	–	–	–	–
VI. Respiratory Organs	23	1	3	2	4	–	–	–	–	–	–	1	–
VII. Organs of Digestion	21	2	1	3	2	–	–	–	–	–	–	1	–
VIII. Urinary Organs	8	1	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	3	–	–	–	–	–	–	–	–	–	–	1	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	17	16	–	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	2	–	–	–	1	–	–	–	–	–	–	–	–
XV. Age	13	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	18	1	–	–	–	–	1	1	1	2	1	–	2
I. Small Pox	1	–	–	–	–	1	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	5	–	1	–	1	–	1	1	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	18	2	2	4	8	–	2	–	–	–	–	–	–
Croup	4	–	–	1	1	1	1	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	5	–	–	1	2	–	–	1	–	–	–	–	–
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	1	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	–	–	–	–	–	–	–	1	–	1	1	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	6	–	–	–	–	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	3	–	–	–	–	–	–	–	–	–	1	–	–
Tabes Mesenterica	1	1	–	–	–	–	–	–	–	–	–	–	–
Phthisis	40	–	–	–	–	–	–	–	3	1	5	7	6
Hydrocephalus	8	–	1	1	3	1	1	–	1	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1859.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	8	11	11	12	10	13	12	16	18	18	7	6	1	–	–	1
SPECIFIED CAUSES	8	11	11	12	10	13	12	16	18	18	7	6	1	–	–	1
Zymotic Class	–	–	2	1	–	–	1	–	1	–	–	–	–	–	–	–
Uncertain Seat	–	–	–	1	–	1	–	3	3	1	1	–	–	–	–	–
Tubercular Class	4	6	3	3	1	2	–	1	–	–	–	–	–	–	–	–
Brain, etc.	1	–	1	1	2	4	2	1	5	7	5	2	–	–	–	–
Heart, etc.	1	1	3	1	4	2	2	4	1	2	–	–	–	–	–	–
Respiratory Organs	1	–	–	1	–	1	2	2	1	3	–	–	1	–	–	–
Digestive Organs	1	–	–	1	3	1	1	2	2	1	–	–	–	–	–	–
Urinary Organs	–	1	1	–	–	–	1	1	2	1	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	2	3	1	1	4	–	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Violent Deaths	–	3	1	2	–	2	–	–	–	–	–	–	–	–	–	1
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	–	–	–	1	–	–	–	2	2	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Scrofula	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	4	6	2	2	1	2	–	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	1	–	–	–	–	–	–	–	–	–	1	–	–
Apoplexy	13	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	14	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	5	3	1	–	–	1	–	–	–	–	–	–	–
Brain Disease	3	–	–	–	1	–	–	–	–	–	–	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	21	–	–	–	–	–	–	–	–	–	–	–	–
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	13	1	–	2	4	–	–	–	–	–	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	1	–
Pneumonia	6	–	3	–	–	–	–	–	–	–	–	–	–
Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	5	–	–	3	2	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	3	–	–	–	–	–	–	–	–	–	–	1	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	1	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	–	1	1	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	–	–	–	–	–	–	–	–	1	1	–	–
Fracture and Contusion	7	–	–	–	–	–	–	–	1	1	–	–	1
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	3	3	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1859.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	–	–	–	3	1	–	2	3	2	1	–	–	–	–
Paralysis	–	–	–	1	1	–	1	1	3	3	3	1	–	–	–	–
Delirium Tremens	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	1	3	1	4	2	2	4	1	2	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	–	–	–	1	1	1	–	2	–	–	1	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Asthma	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1
Wounds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	288	25	6	19	22	4	5	1	15	8	7	10	16
SPECIFIED CAUSES	282	21	5	19	22	4	5	1	15	8	7	10	15
I. Zymotic Class	65	3	3	10	8	2	4	–	6	4	4	1	7
II. Diseases of Uncertain Seat	12	–	–	1	–	–	–	–	–	–	–	–	–
III. Tubercular Class	51	1	–	3	4	2	–	1	2	3	3	3	7
IV. Brain and Nervous System	21	2	–	–	2	–	–	–	1	–	–	2	–
V. Organs of Circulation	15	–	–	–	–	–	–	–	1	–	–	1	–
VI. Respiratory Organs	21	–	–	–	3	–	1	–	3	–	–	–	–
VII. Organs of Digestion	20	–	–	5	4	–	–	–	1	–	–	1	–
VIII. Urinary Organs	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	3	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	15	14	1	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	3	–	–	–	1	–	–	–	–	–	–	–	1
XV. Age	45	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	7	–	–	–	–	–	–	–	1	1	–	2	–
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	5	–	–	–	–	–	–	–	2	2	1	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	23	3	3	7	6	1	2	–	1	–	–	–	–
Croup	4	–	–	1	1	–	2	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	10	–	–	2	1	1	–	–	–	–	–	–	1
Dysentery	5	–	–	–	–	–	–	–	–	–	–	–	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	2	–	–	–	–	–	–	–	2	–	–	–	–
Typhus	8	–	–	–	–	–	–	–	1	2	2	1	–
Metria	5	–	–	–	–	–	–	–	–	–	–	–	4
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	1	–	–	–	–	–	–	–	–	–	1	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	6	–	–	1	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	5	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	4	1	–	1	–	–	–	–	1	–	–	–	–
Tabes Mesenterica	2	–	–	–	–	–	–	1	–	1	–	–	–
Phthisis	36	–	–	–	–	–	–	–	1	2	3	3	6
Hydrocephalus	9	–	–	2	4	2	–	–	–	–	–	–	1

CAUSES of DEATH in PERTH, at different Periods of Life, in 1859.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	15	7	9	6	9	12	16	17	20	14	17	7	1	–	–	–
SPECIFIED CAUSES	15	7	9	6	9	12	16	17	20	14	17	7	1	–	–	–
Zymotic Class	4	–	1	–	1	2	2	–	2	–	1	–	–	–	–	–
Uncertain Seat	–	–	1	1	–	–	2	2	2	1	1	1	–	–	–	–
Tubercular Class	9	5	3	2	–	1	–	1	1	–	–	–	–	–	–	–
Brain, etc.	–	–	–	–	1	1	4	2	3	2	–	1	–	–	–	–
Heart, etc.	–	–	–	3	3	2	2	2	–	–	1	–	–	–	–	–
Respiratory Organs	1	–	–	–	1	4	3	1	4	–	–	–	–	–	–	–
Digestive Organs	–	–	2	–	2	1	–	3	–	–	1	–	–	–	–	–
Urinary Organs	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Generative Organs	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	5	8	11	12	5	1	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–
Dysentery	1	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	1	–	–	–	1	–	–	1	1	1	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	–	–	–	1	–	–	1	2	1	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	8	5	3	2	–	1	–	1	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1859.—Females. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	10	–	–	–	–	–	–	–	–	–	–	2	–
Paralysis	5	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	3	2	–	–	1	–	–	–	–	–	–	–	–
Brain Disease	2	–	–	–	1	–	–	–	1	–	–	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	13	–	–	–	–	–	–	–	1	–	–	1	–
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	10	–	–	–	1	–	–	–	2	–	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	1	–	–	–	–
Pneumonia	8	–	–	–	2	–	1	–	–	–	–	–	–
Asthma	2	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	9	–	–	5	4	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	3	–	–	–	–	–	–	–	–	–	–	1	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	–	–	–	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	3	–	–	–	–	–	–	–	–	1	–	2	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	6	4	1	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in PERTH, at different Periods of Life, in 1859.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	–	–	1	4	1	1	1	–	–	–	–	–	–
Paralysis	–	–	–	–	1	–	–	–	2	1	–	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	–	–	2	3	1	2	2	–	–	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	–	–	1	2	1	1	2	–	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE showing the Distribution of DEATHS according to MONTHS, or the Influence of SEASON on the MORTALITY.

			DEATHS in 1859.												
			Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	YEAR.
	MEAN TEMPERATURE in 1859		39°·6	40°·5	43°·0	41°·9	51°·9	56°·6	59°·0	57°·8	52°·3	45°·8	39°·4	34°·0	46°·8
		Population 1859.													
	SCOTLAND . .	3,027,582	5960	5494	5668	5562	5262	4734	4539	4509	4322	4355	5215	6094	61,714
	INSULAR DISTRICTS .	161,883	254	218	264	305	253	220	196	182	192	150	192	207	2,633
	MAINLAND DISTRICTS	1,752,797	2984	2810	2819	2852	2772	2424	2270	2283	2189	2130	2474	2952	30,959
	TOWN DISTRICTS .	1,112,902	2722	2466	2585	2405	2237	2090	2073	2044	1941	2075	2549	2935	28,122
	DIVISIONS.														
1	Northern . . .	129,740	203	164	181	177	151	124	123	141	154	129	138	145	1,830
2	North-Western .	169,015	205	255	236	314	292	237	176	175	161	153	210	262	2,676
3	North-Eastern . .	363,098	595	573	543	569	583	508	455	459	448	417	516	601	6,267
4	East-Midland . .	522,249	1066	928	921	913	881	860	760	741	748	760	858	1000	10,436
5	West-Midland . .	242,295	449	435	487	471	457	346	331	345	340	303	353	418	4,735
6	South-Western .	982,820	2363	2139	2227	2096	1908	1722	1771	1788	1621	1746	2118	2474	23,973
7	South-Eastern . .	403,809	681	649	694	669	659	604	579	547	579	551	713	808	7,733
8	Southern . . .	214,556	398	351	379	353	331	333	344	313	271	296	309	386	4,064
	COUNTIES.														
	I. NORTHERN.														
1	Shetland . . .	31,551	58	44	38	46	35	37	38	29	40	22	38	41	466
2	Orkney . . .	32,207	60	40	56	58	48	33	38	33	32	28	26	31	483
3	Caithness . . .	41,710	52	55	54	39	37	38	27	56	58	50	42	51	559
4	Sutherland . .	24,272	33	25	33	34	31	16	20	23	24	29	32	22	322
	II. NORTH-WESTERN.														
5	Ross and Cromarty .	82,701	101	137	104	151	143	126	80	93	73	70	94	127	1,299
6	Inverness . . .	86,314	104	118	132	163	149	111	96	82	88	83	116	135	1,377
	III. NORTH-EASTERN.														
7	Nairn . . .	8,292	12	12	13	7	12	9	12	16	8	10	18	14	143
8	Elgin (or Moray) .	43,481	62	74	64	68	72	57	49	48	43	50	45	66	698
9	Banff . . .	55,086	97	84	76	94	83	89	74	70	60	54	82	101	964
10	Aberdeen . . .	221,367	357	352	346	343	368	301	280	278	303	270	302	366	3,866
11	Kincardine . .	34,872	67	51	44	57	48	52	40	47	34	33	69	54	596
	IV. EAST-MIDLAND.														
12	Forfar . . .	204,123	533	418	397	424	397	400	370	360	333	353	420	439	4,844
13	Perth . . .	134,030	249	245	249	226	203	212	144	157	175	154	167	227	2,408
14	Fife	154,773	247	229	240	221	232	205	202	189	202	211	227	289	2,694
15	Kinross . . .	8,912	11	5	11	13	9	13	10	6	13	7	19	21	138
16	Clackmannan . .	20,411	26	31	24	29	40	30	34	29	25	35	25	24	352
	V. WEST-MIDLAND.														
17	Stirling . . .	87,266	190	156	192	176	188	136	124	118	144	107	133	168	1,832
18	Dumbarton . .	52,739	108	105	100	95	104	82	74	76	72	83	85	94	1,078
19	Argyll . . .	85,898	114	147	155	174	137	104	104	126	92	88	105	139	1,485
20	Bute	16,392	37	27	40	26	28	24	29	25	32	25	30	17	340
	VI. SOUTH-WESTERN.														
21	Renfrew . . .	166,587	369	363	315	367	307	326	342	359	295	355	419	416	4,233
22	Ayr	197,245	417	321	363	329	360	295	277	310	272	268	298	398	3,908
23	Lanark . . .	618,988	1577	1455	1549	1400	1241	1101	1152	1119	1054	1123	1401	1660	15,832
	VII. SOUTH-EASTERN.														
24	Linlithgow . .	37,354	54	50	60	55	62	54	59	59	60	55	70	86	724
25	Edinburgh . .	271,173	492	478	513	496	453	428	407	366	397	382	501	582	5,495
26	Haddington . .	37,372	56	44	44	47	55	35	43	33	46	55	53	55	566
27	Berwick . . .	36,422	61	57	47	42	65	62	34	56	43	34	54	52	607
28	Peebles . .	11,199	11	10	13	11	10	13	19	18	23	16	24	14	182
29	Selkirk . . .	10,289	7	10	17	18	14	12	17	15	10	9	11	19	159
	VIII. SOUTHERN.														
30	Roxburgh . . .	53,217	94	63	54	88	79	66	74	71	43	56	76	85	849
31	Dumfries . .	76,357	136	138	131	117	131	123	118	117	99	101	95	138	1,444
32	Kirkcudbright .	42,625	67	71	88	72	62	82	71	63	65	64	66	90	861
33	Wigtown . . .	42,357	101	79	106	76	59	62	81	62	64	75	72	73	910